

```

<FilesMatch "\.(sqlite|sdb|s3db|db)$">
    Deny from all
</FilesMatch>

# Don't show directory listings
Options -Indexes

# URL rewrites
<IfModule mod_rewrite.c>

    Options -MultiViews

    RewriteEngine On
    # RewriteBase /

    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-d
    RewriteRule .* index.php [L]

    <IfModule mod_env.c>
        SetEnv COCKPIT_URL_REWRITE On
    </IfModule>

</IfModule>

# Allow Cross-Origin-Resource-Sharing
<IfModule mod_headers.c>
Header add Access-Control-Allow-Origin "*"
Header add Access-Control-Allow-Methods: "GET, POST, OPTIONS, DELETE, PUT"
</IfModule>

AddDefaultCharset utf-8

AddType application/javascript js jsonp
AddType application/json json

# Audio
AddType audio/ogg oga ogg
AddType audio/mp4 m4a f4a f4b

# ...

```

video

```
AddType video/ogg          ogv
AddType video/mp4          mp4 m4v f4v f4p
AddType video/webm        webm
AddType video/x-flv       flv
```

SVG

Required for svg webfonts on iPad

twitter.com/FontSquirrel/status/14855840545

```
AddType image/svg+xml     svg svgz
AddEncoding gzip          svgz
```

Webfonts

```
AddType application/vnd.ms-fontobject eot
AddType application/x-font-ttf        ttf ttc
AddType font/opentype                otf
AddType application/x-font-woff      woff
```

Assorted types

```
AddType image/x-icon        ico
AddType image/webp          webp
AddType text/cache-manifest  appcache manifest
AddType text/x-component    htc
AddType application/xml     rss atom xml rdf
AddType text/x-vcard        vcf
AddType application/x-shockwave-flash swf
```

<IfModule mod_expires.c>

ExpiresActive On

```
ExpiresByType application/json      "access plus 1 year"
ExpiresByType application/pdf       "access plus 1 year"
ExpiresByType application/x-shockwave-flash "access plus 1 year"
ExpiresByType image/bmp            "access plus 1 year"
ExpiresByType image/gif            "access plus 1 year"
ExpiresByType image/jpeg           "access plus 1 year"
ExpiresByType image/png            "access plus 1 year"
ExpiresByType image/svg+xml        "access plus 1 year"
ExpiresByType image/tiff           "access plus 1 year"
ExpiresByType image/vnd.microsoft.icon "access plus 1 year"
ExpiresByType image/x-icon         "access plus 1 year"
ExpiresByType text/css              "access plus 1 year"
```

```
ExpiresByType text/css "access plus 1 year"
ExpiresByType video/x-flv "access plus 1 year"
ExpiresByType application/vnd.bw-fontobject "access plus 1 year"
ExpiresByType application/x-font-ttf "access plus 1 year"
ExpiresByType application/font-woff "access plus 1 year"
ExpiresByType font/opentype "access plus 1 year"
ExpiresByType image/webp "access plus 1 year"
```

The following MIME types are in the process of registration

```
ExpiresByType application/xslt+xml "access plus 1 year"
ExpiresByType image/svg+xml "access plus 1 year"
```

The following MIME types are NOT registered

```
ExpiresByType application/mathml+xml "access plus 1 year"
ExpiresByType application/rss+xml "access plus 1 year"
```

JavaScript has various MIME types

```
ExpiresByType application/x-javascript "access plus 1 year"
ExpiresByType application/javascript "access plus 1 year"
ExpiresByType text/ecmascript "access plus 1 year"
ExpiresByType text/javascript "access plus 1 year"
```

</IfModule>

```
# -----
# Disabling ETags as they are most likely misconfigured and
# do not add functionalit beyond Last-Modified
# -----
```

<IfModule mod_headers.c>

Try removing etag headers (if it's coming from proxy for example)

```
Header unset ETag
```

</IfModule>

<IfModule mod_deflate.c>

Force deflate for mangled headers developer.yahoo.com/blogs/ydn/posts/2010/12/pushing-beyond-gzipping/

<IfModule mod_setenvif.c>

<IfModule mod_headers.c>

```
SetEnvIfNoCase ^(\Accept-EncodXngl X-cept-Encodingl X(15)|^(15)|-(15))$
```

```
^( (gzip| deflate)\s*, ?\s*)+ [X"-] (4,13)$ HAVE_Accept-Encoding
```

```
RequestHeader append Accept-Encoding "gzip, deflate" env=HAVE_Accept-Encoding
```

```
</IfModule>
```

```
</IfModule>
```

```
# Compress all output labeled with one of the following MIME-types  
# (for Apache versions below 2.3.7, you don't need to enable `mod_filter`  
# and can remove the `<IfModule mod_filter.c>` and `</IfModule>` lines as  
# `AddOutputFilterByType` is still in the core directives)
```

```
<IfModule mod_filter.c>
```

```
  AddOutputFilterByType DEFLATE application/atom+xml \  
    application/javascript \  
    application/json \  
    application/rss+xml \  
    application/vnd.ms-fontobject \  
    application/x-font-ttf \  
    application/xhtml+xml \  
    application/xml \  
    font/opentype \  
    image/svg+xml \  
    image/x-icon \  
    text/css \  
    text/html \  
    text/plain \  
    text/x-component \  
    text/xml
```

```
</IfModule>
```

```
</IfModule>
```

```
# Remove ETags
```

```
FileETag None
```