<IfModule mod_rewrite.c> RewriteEngine on

#

Uncomment the statement below if URL rewriting doesn't
work properly. If you installed phpBB in a subdirectory
of your site, properly set the argument for the statement.
e.g.: if your domain is test.com and you installed phpBB
in http://www.test.com/phpBB/index.php you have to set
the statement RewriteBase /phpBB/
#

#RewriteBase /

#

```
# Uncomment the statement below if you want to make use of
# HTTP authentication and it does not already work.
# This could be required if you are for example using PHP via Apache CGI.
#
#RewriteRule . * - [E=HTTP_AUTHORIZATION: %(HTTP: Authorization), L]
```

#

```
# The following 3 lines will rewrite URLs passed through the front controller
# to not require app.php in the actual URL. In other words, a controller is
# by default accessed at /app.php/my/controller, but can also be accessed at
# /my/controller
#
```

RewriteCond %(REQUEST_FILENAME) ! -f RewriteCond %(REQUEST_FILENAME) ! -d RewriteRule ^(.*)\$ app.php [QSA,L]

#

```
# If symbolic links are not already being followed,
# uncomment the line below.
# http://anothersysadmin.wordpress.com/2008/06/10/mod_rewrite-forbidden-403-with-apache-
228/
#
#
#Options +FollowSymLinks
```

</IfModule>

With Apache 2.4 the "Order, Deny" syntax has been deprecated and moved from

```
# module mod_autnz_nost to a new module called mod_access_compat (which may be
# disabled) and a new "Require" syntax has been introduced to mod_authz_host.
# We could just conditionally provide both versions, but unfortunately Apache
# does not explicitly tell us its version if the module mod_version is not
# available. In this case, we check for the availability of module
# mod_authz_core (which should be on 2.4 or higher only) as a best guess.
<IfModule mod version.c>
  \langle IfVersion \langle 2, 4 \rangle
    <Files "config.php">
      Order Allow, Deny
      Deny from All
    </Files>
    <Files "common.php">
      Order Allow, Deny
      Deny from All
    </Files>
  </IfVersion>
  \langle IfVersion \rangle = 2, 4 \rangle
    <Files "config.php">
      Require all denied
    </Files>
    <Files "common.php">
      Require all denied
    </Files>
  </IfVersion>
</If Module>
<IfModule ! mod version.c>
  <IfModule ! mod_authz_core. c>
    <Files "config.php">
      Order Allow, Deny
      Deny from All
    </Files>
    <Files "common.php">
      Order Allow, Deny
      Deny from All
    </Files>
  </If Module>
  <IfModule mod authz core.c>
    <Files "config.php">
      Require all denied
    </Files>
```

ъ н.

<Files "common.php">
 Require all denied
 </Files>
 </IfModule>
</IfModule>