

Options +FollowSymlinks

BEGIN WP SuperCache

<IfModule mod_rewrite.c>

RewriteEngine On

RewriteBase /

#If you serve pages from behind a proxy you may want to change 'RewriteCond %{HTTPS} on' to

RewriteCond %{REQUEST_URI} !^,.*[^\/\$]

RewriteCond %{REQUEST_URI} !^,.*//,.*\$

RewriteCond %{REQUEST_METHOD} !POST

RewriteCond %{QUERY_STRING} !,.*=,.*

RewriteCond %{HTTP:Cookie} !^,.*(comment_author_|wordpress_logged_in|wp-postpass_).*\$

RewriteCond %{HTTP:X-Wap-Profile} !^[a-z0-9\]+ [NC]

RewriteCond %{HTTP:Profile} !^[a-z0-9\]+ [NC]

RewriteCond %{HTTP_USER_AGENT} !^,.*(2.0\ MMPi 240x320| 400X240| AvantGo| BlackBerry| Blazer| Cell|
2. | MMEF20| MOT-V| NetFront| Newt| Nintendo\ Wii| Nitro| Nokia| Opera\ Mini| Palm| PlayStation\ Portat
10| UP. Browser| UP. Link| webOS| Windows\ CE| WinWAP| YahooSeeker/M1A1-R2D2| iPhone| iPod| Android| Bl:

RewriteCond %{HTTP_user_agent} !^(w3c\ | w3c-l|acs-l|alavl|alcal|amoil|audil|avani|benq|bird|blac|bl
llg/ul|maui|maxol|midpl|mitsl|mmeff|mobil|mot-l|motol|mwbpl|nec-l|newt|nokil|palm|panal|pantl|phill|play|p
mol|telil|tim-l|toshi|tsm-l|upgl|upsil|vk-v|vodal|wap-l|wapal|wapil|wappl|wapri|webcl|winwl|winwl|xda\ |xda:

RewriteCond %{HTTP:Accept-Encoding} gzip

RewriteCond %{HTTPS} on

RewriteCond %{DOCUMENT_ROOT}/wp-content/cache/supercache/%{HTTP_HOST}/\$1/index-https.html.gz

RewriteRule ^(.*) "/wp-content/cache/supercache/%{HTTP_HOST}/\$1/index-https.html.gz" [L]

RewriteCond %{REQUEST_URI} !^,.*[^\/\$]

RewriteCond %{REQUEST_URI} !^,.*//,.*\$

RewriteCond %{REQUEST_METHOD} !POST

RewriteCond %{QUERY_STRING} !,.*=,.*

RewriteCond %{HTTP:Cookie} !^,.*(comment_author_|wordpress_logged_in|wp-postpass_).*\$

RewriteCond %{HTTP:X-Wap-Profile} !^[a-z0-9\]+ [NC]

RewriteCond %{HTTP:Profile} !^[a-z0-9\]+ [NC]

RewriteCond %{HTTP_USER_AGENT} !^,.*(2.0\ MMPi 240x320| 400X240| AvantGo| BlackBerry| Blazer| Cell|
2. | MMEF20| MOT-V| NetFront| Newt| Nintendo\ Wii| Nitro| Nokia| Opera\ Mini| Palm| PlayStation\ Portat
10| UP. Browser| UP. Link| webOS| Windows\ CE| WinWAP| YahooSeeker/M1A1-R2D2| iPhone| iPod| Android| Bl:

RewriteCond %{HTTP_user_agent} !^(w3c\ | w3c-l|acs-l|alavl|alcal|amoil|audil|avani|benq|bird|blac|bl
llg/ul|maui|maxol|midpl|mitsl|mmeff|mobil|mot-l|motol|mwbpl|nec-l|newt|nokil|palm|panal|pantl|phill|play|p
mol|telil|tim-l|toshi|tsm-l|upgl|upsil|vk-v|vodal|wap-l|wapal|wapil|wappl|wapri|webcl|winwl|winwl|xda\ |xda:

RewriteCond %{HTTP:Accept-Encoding} gzip

RewriteCond %{HTTPS} !on

RewriteCond %{DOCUMENT_ROOT}/wp-content/cache/supercache/%{HTTP_HOST}/\$1/index-https.html.gz

```

RewriteCond %{DOCUMENT_ROOT}/wp-content/cache/supercache/%{HTTP_HOST}/$1/index.html.gz -f
RewriteRule ^(.*) "/wp-content/cache/supercache/%{HTTP_HOST}/$1/index.html.gz" [L]

RewriteCond %{REQUEST_URI} !^.*[^/]$
RewriteCond %{REQUEST_URI} !^.*//.*$
RewriteCond %{REQUEST_METHOD} !POST
RewriteCond %{QUERY_STRING} !.*=.*
RewriteCond %{HTTP:Cookie} !^.*(comment_author_|wordpress_logged_in|wp-postpass_).*$
RewriteCond %{HTTP:X-Map-Profile} !^[a-z0-9\"]+ [NC]
RewriteCond %{HTTP:Profile} !^[a-z0-9\"]+ [NC]
RewriteCond %{HTTP_USER_AGENT} !^.*(2.0\ MMPi 240x320| 400X240| AvantGo| BlackBerry| Blazer| Cell;
2. | MMEF20| MOT-VI NetFront| Newt| Nintendo\ Wii| Nitro| Nokia| Opera\ Mini| Palm| PlayStation\ Portal
10| UP. Browser| UP. Link| webOS| Windows\ CE| WinWAP| YahooSeeker/M1A1-R2D2| iPhone| iPod| Android| Bl:
RewriteCond %{HTTP_user_agent} !^(w3c| | w3c-l| acs-l| alavl| alcal| amoi| audi| avani| benq| bird| black| bl
|lg|ul|maui|maxo|midpl|mits|mmef|mobil|mot-l|motol|mubpl|nec-l|newt|noki|palm|panal|pant|phill|play|p
mol|telit|tim-l|tosh|tsm-l|upgl|upsi|vk-v|vodal|wap-l|wapal|wapi|wappl|wapr|webc|winul|winul|xda\ |xda:
RewriteCond %{HTTPS} on
RewriteCond %{DOCUMENT_ROOT}/wp-content/cache/supercache/%{HTTP_HOST}/$1/index-https.html -f
RewriteRule ^(.*) "/wp-content/cache/supercache/%{HTTP_HOST}/$1/index-https.html" [L]

RewriteCond %{REQUEST_URI} !^.*[^/]$
RewriteCond %{REQUEST_URI} !^.*//.*$
RewriteCond %{REQUEST_METHOD} !POST
RewriteCond %{QUERY_STRING} !.*=.*
RewriteCond %{HTTP:Cookie} !^.*(comment_author_|wordpress_logged_in|wp-postpass_).*$
RewriteCond %{HTTP:X-Map-Profile} !^[a-z0-9\"]+ [NC]
RewriteCond %{HTTP:Profile} !^[a-z0-9\"]+ [NC]
RewriteCond %{HTTP_USER_AGENT} !^.*(2.0\ MMPi 240x320| 400X240| AvantGo| BlackBerry| Blazer| Cell;
2. | MMEF20| MOT-VI NetFront| Newt| Nintendo\ Wii| Nitro| Nokia| Opera\ Mini| Palm| PlayStation\ Portal
10| UP. Browser| UP. Link| webOS| Windows\ CE| WinWAP| YahooSeeker/M1A1-R2D2| iPhone| iPod| Android| Bl:
RewriteCond %{HTTP_user_agent} !^(w3c| | w3c-l| acs-l| alavl| alcal| amoi| audi| avani| benq| bird| black| bl
|lg|ul|maui|maxo|midpl|mits|mmef|mobil|mot-l|motol|mubpl|nec-l|newt|noki|palm|panal|pant|phill|play|p
mol|telit|tim-l|tosh|tsm-l|upgl|upsi|vk-v|vodal|wap-l|wapal|wapi|wappl|wapr|webc|winul|winul|xda\ |xda:
RewriteCond %{HTTPS} !on
RewriteCond %{DOCUMENT_ROOT}/wp-content/cache/supercache/%{HTTP_HOST}/$1/index.html -f
RewriteRule ^(.*) "/wp-content/cache/supercache/%{HTTP_HOST}/$1/index.html" [L]
</IfModule>

# END WPSuperCache

# BEGIN WordPress

```

```
RewriteRule ^index\.php$ - [L]

# uploaded files
RewriteRule ^([_0-9a-zA-Z]+)/files/(.+)$ wp-includes/ms-files.php?file=$2 [L]

# add a trailing slash to /wp-admin
RewriteRule ^([_0-9a-zA-Z]+)/wp-admin$ $1wp-admin/ [R=301,L]

RewriteCond %{REQUEST_FILENAME} -f [OR]
RewriteCond %{REQUEST_FILENAME} -d
RewriteRule ^ - [L]
RewriteRule ^([_0-9a-zA-Z]+)/wp-(content|admin|includes)/.*$ $1 [L]
RewriteRule ^([_0-9a-zA-Z]+)/(.+\.php)$ $1 [L]
RewriteRule . index.php [L]

# END WordPress
```