

Options +FollowSymLinks

```
<IfModule mod_headers.c>
  Header unset Pragma
  FileETag None
  Header unset ETag
  <filesmatch "\.(ico|flv|jpg|jpeg|png|gif|css|swf)$">
    Header set Cache-Control "max-age=2678400, public"
  </filesmatch>
  <filesmatch "\.(html|htm)$">
    Header set Cache-Control "max-age=0, no-cache, no-store, must-revalidate"
  </filesmatch>
  <filesmatch "\.(pdf)$">
    Header set Cache-Control "max-age=86400, public"
  </filesmatch>
  <filesmatch "\.(js)$">
    Header set Cache-Control "max-age=2678400, private"
  </filesmatch>
</IfModule>
```

Deflate Compression

```
<IfModule mod_deflate.c>
  <IfModule mod_filter.c>
    AddOutputFilterByType DEFLATE application/javascript
    AddOutputFilterByType DEFLATE application/rss+xml
    AddOutputFilterByType DEFLATE application/vnd.ms-fontobject
    AddOutputFilterByType DEFLATE application/x-font
    AddOutputFilterByType DEFLATE application/x-font-opentype
    AddOutputFilterByType DEFLATE application/x-font-otf
    AddOutputFilterByType DEFLATE application/x-font-truetype
    AddOutputFilterByType DEFLATE application/x-font-ttf
    AddOutputFilterByType DEFLATE application/x-javascript
    AddOutputFilterByType DEFLATE application/xhtml+xml
    AddOutputFilterByType DEFLATE application/xml
    AddOutputFilterByType DEFLATE font/opentype
    AddOutputFilterByType DEFLATE font/otf
    AddOutputFilterByType DEFLATE font/ttf
    AddOutputFilterByType DEFLATE image/svg+xml
    AddOutputFilterByType DEFLATE image/x-icon
    AddOutputFilterByType DEFLATE text/css
    AddOutputFilterByType DEFLATE text/html
```

```

    AddOutputFilterByType DEFLATE text/html
    AddOutputFilterByType DEFLATE text/javascript
    AddOutputFilterByType DEFLATE text/plain
</IfModule>
</IfModule>

# Gzip Compression
<IfModule mod_gzip.c>
    mod_gzip_on Yes
    mod_gzip_dechunk Yes
    mod_gzip_item_include file \.(html?|txt|css|js|php|pl)$
    mod_gzip_item_include handler ^cgi-script$
    mod_gzip_item_include mime ^text/. *
    mod_gzip_item_include mime ^application/x-javascript.*
    mod_gzip_item_exclude mime ^image/. *
    mod_gzip_item_exclude rspheader ^Content-Encoding:.*gzip.*
</IfModule>

# Leverage Browser Caching
<IfModule mod_expires.c>
    ExpiresActive On
    ExpiresByType image/jpg "access 1 year"
    ExpiresByType image/jpeg "access 1 year"
    ExpiresByType image/gif "access 1 year"
    ExpiresByType image/png "access 1 year"
    ExpiresByType text/css "access 1 month"
    ExpiresByType text/html "access 0 hour"
    ExpiresByType application/pdf "access 1 month"
    ExpiresByType text/x-javascript "access 1 month"
    ExpiresByType application/x-shockwave-flash "access 1 month"
    ExpiresByType image/x-icon "access 1 year"
    ExpiresDefault "access 1 month"
</IfModule>

# Url Rewriting
<IfModule mod_rewrite.c>
    RewriteEngine on
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-d
    RewriteRule ^old/([\sa-zA-Z0-9_-]+)/([\sa-zA-Z0-9_-]+)$ old.php [L]
    RewriteRule ^old$ old.php [L]

```

```
RewriteRule ^([\sa-zA-Z0-9_-]+)/([\sa-zA-Z0-9_-]+)$ index.html [L]
</IfModule>
```