

RewriteEngine on

```
# Map Date, Section, Id to new URL Pattern %1=date %2=section %3=id
# NOTE: ? at end of string is to remove querystring from orig URI
# http://orient.bowdoin.edu/orient/article.php?date=2012-05-04&section=1&id=1
#
RewriteCond %{HTTP_HOST} ^orient\.bowdoin\.edu$ [OR]
RewriteCond %{HTTP_HOST} ^orient [OR]
RewriteCond %{HTTP_HOST} ^bowdoinorient.org
RewriteCond %{REQUEST_URI} ^/orient/article\.php
RewriteCond %{QUERY_STRING} ^date=([0-9]*-[0-9]*-[0-9]*)&section=([0-9]*)&id=([0-9]*)$
RewriteRule ^(.*)$ http://bowdoinorient.com/article/triplet/%1/%2/%3? [R=301,L]
```

Map Issue Browse

```
# http://orient.bowdoin.edu/orient/index.php?date=2012-05-04
RewriteCond %{HTTP_HOST} ^orient\.bowdoin\.edu$ [OR]
RewriteCond %{HTTP_HOST} ^orient [OR]
RewriteCond %{HTTP_HOST} ^bowdoinorient.org
RewriteCond %{REQUEST_URI} ^/orient/index\.php
RewriteCond %{QUERY_STRING} ^date=([0-9]*-[0-9]*-[0-9]*)$
RewriteRule ^(.*)$ http://bowdoinorient.com/browse/%1? [R=301,L]
```

Map Series Page

```
# http://orient.bowdoin.edu/orient/seriespage.php?seriespage.php?seriesid=114
RewriteCond %{HTTP_HOST} ^orient\.bowdoin\.edu$ [OR]
RewriteCond %{HTTP_HOST} ^orient [OR]
RewriteCond %{HTTP_HOST} ^bowdoinorient.org
RewriteCond %{REQUEST_URI} ^/orient/seriespage\.php
RewriteCond %{QUERY_STRING} ^seriesid=([0-9]*)$
RewriteRule ^(.*)$ http://bowdoinorient.com/series/%1? [R=301,L]
```

Map authorpage.php %1=authorid

```
# http://orient.bowdoin.edu/orient/authorpage.php?authorid=654
RewriteCond %{HTTP_HOST} ^orient\.bowdoin\.edu$ [OR]
RewriteCond %{HTTP_HOST} ^orient [OR]
RewriteCond %{HTTP_HOST} ^bowdoinorient.org
RewriteCond %{REQUEST_URI} ^/orient/authorpage\.php
RewriteCond %{QUERY_STRING} ^authorid=([0-9]*)$
RewriteRule ^(.*)$ http://bowdoinorient.com/author/%1? [R=301,L]
```

Map Dashboard

```
# map archives
# http://orient.bowdoin.edu/orient/archives/*
RewriteCond %{HTTP_HOST} ^orient\. bowdoin\. edu$ [OR]
RewriteCond %{HTTP_HOST} ^orient [OR]
RewriteCond %{HTTP_HOST} ^bowdoinorient.org
RewriteCond %{REQUEST_URI} ^/orient/archives(.*)$
RewriteRule ^(.*)$ http://bowdoinorient.com/legacy%1? [R=301,L]

#####
# FOR IPHONE APP #

# article_iphone: date, section, id
# e.g. http://orient.bowdoin.edu/orient/article_iphone.php?date=2012-12-07&section=1&id=1
RewriteCond %{HTTP_HOST} ^orient\. bowdoin\. edu$ [OR]
RewriteCond %{HTTP_HOST} ^orient [OR]
RewriteCond %{HTTP_HOST} ^bowdoinorient.org
RewriteCond %{REQUEST_URI} ^/orient/article_iphone\. php
RewriteCond %{QUERY_STRING} ^date=([0-9]*-[0-9]*-[0-9]*)&section=([0-9]*)&id=([0-9]*)$
RewriteRule ^(.*)$ http://bowdoinorient.com/api/article_iphone/%1/%2/%3? [R=301,L]

# xml_articlelist: date, section
RewriteCond %{HTTP_HOST} ^orient\. bowdoin\. edu$ [OR]
RewriteCond %{HTTP_HOST} ^orient [OR]
RewriteCond %{HTTP_HOST} ^bowdoinorient.org
RewriteCond %{REQUEST_URI} ^/orient/xml_articlelist\. php
RewriteCond %{QUERY_STRING} ^date=([0-9]*-[0-9]*-[0-9]*)&section=([0-9]*)$
RewriteRule ^(.*)$ http://bowdoinorient.com/api/xml_articlelist/%1/%2? [R=301,L]

# xml_issuelist: volume
RewriteCond %{HTTP_HOST} ^orient\. bowdoin\. edu$ [OR]
RewriteCond %{HTTP_HOST} ^orient [OR]
RewriteCond %{HTTP_HOST} ^bowdoinorient.org
RewriteCond %{REQUEST_URI} ^/orient/xml_issuelist\. php
RewriteCond %{QUERY_STRING} ^volume=([a-zA-Z0-9]*)$
RewriteRule ^(.*)$ http://bowdoinorient.com/api/xml_issuelist/%1? [R=301,L]

# xml_volumelist: [no params]
RewriteCond %{HTTP_HOST} ^orient\. bowdoin\. edu$ [OR]
RewriteCond %{HTTP_HOST} ^orient [OR]
RewriteCond %{HTTP_HOST} ^bowdoinorient.org
RewriteCond %{REQUEST_URI} ^/orient/xml_volumelist\. php
```

```
RewriteRule ^(.*)$ http://bowdoinorient.com/api/xml_volumelist/? [R=301,L]
```

```
#####
```

```
# Redirect old host names to new site root
```

```
RewriteCond %{HTTP_HOST} ^orient\.bowdoin\.edu$ [OR]
```

```
RewriteCond %{HTTP_HOST} ^orient [OR]
```

```
RewriteCond %{HTTP_HOST} ^bowdoinorient.org
```

```
RewriteRule ^(.*)$ http://bowdoinorient.com [R=301,L]
```

```
# For MVC
```

```
RewriteCond $1 !^(index\.php|js|css|images|img|ads|files|legacy|robots\.txt|phpinfo\.php)
```

```
RewriteRule ^(.*)$ /index.php/$1 [L]
```