

```

### BEGIN CWR #####
<IfModule mod_rewrite.c>
RewriteEngine On
# URL more readable and much shorter.
# CWR Checklist
RewriteRule ^checklist/js/(. *.) .js /CWR-Checklist/themes/yamidoo-child/js/$1 .js [L]
RewriteRule ^checklist/css/(. *.) .css /CWR-Checklist/themes/yamidoo-child/css/$1 .css [L]
RewriteRule ^checklist/images/(. *.) .(jpg|gif|png) /CWR-Checklist/themes/yamidoo-
child/images/$1 . $2 [NC,L]
RewriteRule ^checklist/(. *.) .php /CWR-Checklist/pages/$1/$1 .php [L]
# default page to load for checklist directory,
RewriteRule ^checklist/$ /CWR-Checklist/pages/search/search .php [L]

Redirect /inventory/ http://www.cwrdiversity.org/checklist/

RewriteBase /
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_URI} !(. *)/$
RewriteRule ^(. *)$ http://%{HTTP_HOST}/$1/ [L,R=301]

# CWR Distribution Map
RewriteRule ^distribution-map/js/(. *.) .js /CWR-DistributionMap/themes/yamidoo-
child/js/$1 .js [L]
RewriteRule ^distribution-map/css/(. *.) .css /CWR-DistributionMap/themes/yamidoo-
child/css/$1 .css [L]
RewriteRule ^distribution-map/images/(. *.) .(jpg|gif|png) /CWR-
DistributionMap/themes/yamidoo-child/images/$1 . $2 [NC,L]
RewriteRule ^distribution-map/(. *.) .php /CWR-DistributionMap/pages/$1/$1 .php [L]
# default page to load for checklist directory,
RewriteRule ^distribution-map/$ /CWR-DistributionMap/pages/distribution-map/distribution-
map .php [L]

RewriteRule ^distribution-map /distribution-map/ [L]

# Data Upload Process
RewriteRule ^upload/js/(. *.) .js /CWR-DataUpload/themes/yamidoo-child/js/$1 .js [L]
RewriteRule ^upload/css/(. *.) .css /CWR-DataUpload/themes/yamidoo-child/css/$1 .css [L]
RewriteRule ^upload/images/(. *.) .(jpg|gif|png) /CWR-DataUpload/themes/yamidoo-
child/images/$1 . $2 [NC,L]
RewriteRule ^upload/(. *.) .php /CWR-DataUpload/pages/$1/$1 .php [L]

```



```

RewriteCond %{QUERY_STRING} \]          [NC]
# RewriteRule . * . [F]
</IfModule>

# 5G: [USER AGENTS]
<IfModule mod_setenvif.c>
    SetEnvIfNoCase User-Agent ^$ keep_out
    SetEnvIfNoCase User-Agent (casperl cmsworldmapl diavoll dotbot)    keep_out
    SetEnvIfNoCase User-Agent (flickyl ia_archiverl jakartal kmccrew) keep_out
    SetEnvIfNoCase User-Agent (libwwwl planetworkl pycurll skygrid)    keep_out
    <Limit GET POST PUT>
        Order Allow,Deny
        Allow from all
        Deny from env=keep_out
    </Limit>
</IfModule>

# 5G: [REQUEST STRINGS]
<IfModule mod_alias.c>
    RedirectMatch 403 (https?! ftp! php)\: //
    RedirectMatch 403 /(cgi! https?! im! ucp)/
    RedirectMatch 403 (\=\\.\ |\\=\\%27| \\.\ /?| \\)\.css\($
    RedirectMatch 403 (\, | / | / | \) + / \, / | \{0\} | \{ \{ \. \. \. | \+ \+ \+ | \)
    RedirectMatch 403 \.(cgi! as! asp! c! gl! dll! exe! js! pl! mdb! sql! ini! rar)$
    RedirectMatch 403 /(contac! fpw! install! pingserver! register)\.php
    RedirectMatch 403 (base64! crossdomain! localhost! wwwroot)
    RedirectMatch 403 (eval\(| \_vti\_| \{null\}| echo. *kae)
    RedirectMatch 403 \.well\ -known/host\ -meta
    RedirectMatch 403 /function\.array\ -rand
    RedirectMatch 403 \); \$(this)\.html\
    RedirectMatch 403 proc/self/envron
    RedirectMatch 403 msnbot\.htm\)\. \_
    RedirectMatch 403 /ref\.outcontrol
    RedirectMatch 403 com\_cropimage
    RedirectMatch 403 indonesia\.htm
    RedirectMatch 403 \(\$itemURL\
    RedirectMatch 403 function\(\
    RedirectMatch 403 labels\.rdf
</IfModule>

```