

```
#####  
## uncomment these lines for CGI mode  
## make sure to specify the correct cgi php binary file name  
## it might be /cgi-bin/php-cgi
```

```
# Action php5-cgi /cgi-bin/php5-cgi  
# AddHandler php5-cgi .php
```

```
#####  
## GoDaddy specific options
```

```
# Options -MultiViews
```

```
## you might also need to add this line to php.ini  
## cgi.fix_pathinfo = 1  
## if it still doesn't work, rename php.ini to php5.ini
```

```
#####  
## this line is specific for 1and1 hosting
```

```
#AddType x-mapp-php5 .php  
#AddHandler x-mapp-php5 .php
```

```
#####  
## default index file
```

```
DirectoryIndex index.php
```

```
<IfModule mod_php5.c>
```

```
#####  
## adjust memory limit
```

```
# php_value memory_limit 64M  
php_value memory_limit 256M  
php_value max_execution_time 18000
```

```
#####  
## disable magic quotes for php request vars
```

```
-the \$!oo magic quotes was off
```

```
php_flag magic_quotes_gpc off
```

```
#####
```

```
## disable automatic session start  
## before autoload was initialized
```

```
php_flag session.auto_start off
```

```
#####
```

```
## enable resulting html compression
```

```
php_flag zlib.output_compression on
```

```
#####
```

```
## disable user agent verification to not break multiple image upload
```

```
php_flag suhosin.session.cryptua off
```

```
#####
```

```
## turn off compatibility with PHP4 when dealing with objects
```

```
php_flag zend.zel_compatibility_mode Off
```

```
</IfModule>
```

```
<IfModule mod_security.c>
```

```
#####
```

```
## disable POST processing to not break multiple image upload
```

```
SecFilterEngine Off
```

```
SecFilterScanPOST Off
```

```
</IfModule>
```

```
<IfModule mod_deflate.c>
```

```
#####
```

```
## enable apache served files compression
```

```
## http://developer.yahoo.com/performance/rules.html#gzip
```

```
## Insert filter on all content
```

```
##SetOutputFilter DEFLATE
```

```
##
```

```
# Insert filter on selected content types only
#AddOutputFilterByType DEFLATE text/html text/plain text/xml text/css text/javascript

# Netscape 4.x has some problems...
#BrowserMatch ^Mozilla/4 gzip-only-text/html

# Netscape 4.06-4.08 have some more problems
#BrowserMatch ^Mozilla/4%.0[678] no-gzip

# MSIE masquerades as Netscape, but it is fine
#BrowserMatch \bMSIE !no-gzip !gzip-only-text/html

# Don't compress images
#SetEnvIfNoCase Request_URI \.(?:gif|jpe?g|png)$ no-gzip dont-vary

# Make sure proxies don't deliver the wrong content
#Header append Vary User-Agent env=!dont-vary
```

```
</IfModule>
```

```
<IfModule mod_ssl.c>
```

```
#####
## make HTTPS env vars available for CGI mode
```

```
    SSLOptions StdEnvVars
```

```
</IfModule>
```

```
<IfModule mod_rewrite.c>
```

```
#####
## enable rewrites
```

```
    Options +FollowSymLinks
```

```
    RewriteEngine on
```

```
#####
## you can put here your magento root folder
## path relative to web root
```

```

#RewriteBase /magento/

#####
## workaround for HTTP authorization
## in CGI environment

RewriteRule .* - [E=HTTP_AUTHORIZATION:%{HTTP:Authorization}]

#####
## TRACE and TRACK HTTP methods disabled to prevent XSS attacks

RewriteCond %{REQUEST_METHOD} ^TRACE[EK]
RewriteRule .* - [L,R=405]

#####
## redirect for mobile user agents

#RewriteCond %{REQUEST_URI} !^/mobiledirectoryhere/.*$
#RewriteCond %{HTTP_USER_AGENT} "android|blackberry|ipad|iphone|ipod|iemobile|opera
mobile|palmos|webos|googlebot-mobile" [NC]
#RewriteRule ^(.*)$ /mobiledirectoryhere/ [L,R=302]

#####
## never rewrite for existing files, directories and links

RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_FILENAME} !-l

#####
## rewrite everything else to index.php

RewriteRule .* index.php [L]

</IfModule>

#####
## Prevent character encoding issues from server overrides
## If you still have problems, use the second line instead

AddDefaultCharset Off

```

```
#AddDefaultCharset UTF-8
```

```
<IfModule mod_expires.c>
```

```
#####
```

```
## Add default Expires header
```

```
## http://developer.yahoo.com/performance/rules.html#expires
```

```
ExpiresDefault "access plus 1 year"
```

```
ExpiresByType text/html A0
```

```
ExpiresByType text/plain A0
```

```
</IfModule>
```

```
#####
```

```
## By default allow all access
```

```
Order allow,deny
```

```
Allow from all
```

```
#####
```

```
## Deny access to release notes to prevent disclosure of the installed Magento version
```

```
<Files RELEASE_NOTES.txt>
```

```
order allow,deny
```

```
deny from all
```

```
</Files>
```

```
#####
```

```
## If running in cluster environment, uncomment this
```

```
## http://developer.yahoo.com/performance/rules.html#etags
```

```
#FileETag none
```