

```
<IfModule mod_php5.c>
php_flag engine 0
</IfModule>

# To avoid situation when web server automatically adds extension to path
Options -MultiViews

<IfModule mod_rewrite.c>
    RewriteEngine On

    # Remove signature of the static files that is used to overcome the browser cache
    RewriteRule ^version.+?/(.+)$ $1 [L]

    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-l

    RewriteRule .* ../static.php?resource=$0 [L]
</IfModule>

#####
## setting MIME types

# JavaScript
AddType application/javascript js jsonp
AddType application/json json

# CSS
AddType text/css css

# Images and icons
AddType image/x-icon ico
AddType image/gif gif
AddType image/png png
AddType image/jpeg jpg
AddType image/jpeg jpeg

# SVG
AddType image/svg+xml svg

# Fonts
AddType application/vnd.ms-fontobject eot
```

```

AddType application/vnd.ms-fontobject eot
AddType application/x-font-ttf ttf
AddType application/x-font-otf otf
AddType application/x-font-woff woff
AddType application/font-woff2 woff2

# Flash
AddType application/x-shockwave-flash swf

# Archives and exports
AddType application/zip gzip
AddType application/x-gzip gz gzip
AddType application/x-bzip2 bz2
AddType text/csv csv
AddType application/xml xml

<IfModule mod_headers.c>

    <FilesMatch .*\.(ico|jpg|jpeg|png|gif|svg|js|css|swf|eot|ttf|otf|woff|woff2)$>
        Header append Cache-Control public
    </FilesMatch>

    <FilesMatch .*\.(zip|gz|gzip|bz2|csv|xml)$>
        Header append Cache-Control no-store
    </FilesMatch>

</IfModule>

<IfModule mod_expires.c>

#####
## Add default Expires header
## http://developer.yahoo.com/performance/rules.html#expires

ExpiresActive On

# Data
<FilesMatch \.(zip|gz|gzip|bz2|csv|xml)$>
    ExpiresDefault "access plus 0 seconds"
</FilesMatch>
ExpiresByType text/xml "access plus 0 seconds"
- - - - -

```

```
ExpiresByType text/csv "access plus 0 seconds"
ExpiresByType application/json "access plus 0 seconds"
ExpiresByType application/zip "access plus 0 seconds"
ExpiresByType application/x-gzip "access plus 0 seconds"
ExpiresByType application/x-bzip2 "access plus 0 seconds"
```

CSS, JavaScript

```
<FilesMatch \.(css|js)$>
    ExpiresDefault "access plus 1 year"
</FilesMatch>
ExpiresByType text/css "access plus 1 year"
ExpiresByType application/javascript "access plus 1 year"
```

Favicon, images, flash

```
<FilesMatch \.(ico|gif|png|jpg|jpeg|swf|svg)$>
    ExpiresDefault "access plus 1 year"
</FilesMatch>
ExpiresByType image/gif "access plus 1 year"
ExpiresByType image/png "access plus 1 year"
ExpiresByType image/jpg "access plus 1 year"
ExpiresByType image/jpeg "access plus 1 year"
ExpiresByType image/svg+xml "access plus 1 year"
```

Fonts

```
<FilesMatch \.(eot|ttf|otf|svg|woff|woff2)$>
    ExpiresDefault "access plus 1 year"
</FilesMatch>
ExpiresByType application/vnd.ms-fontobject "access plus 1 year"
ExpiresByType application/x-font-ttf "access plus 1 year"
ExpiresByType application/x-font-otf "access plus 1 year"
ExpiresByType application/x-font-woff "access plus 1 year"
ExpiresByType application/font-woff2 "access plus 1 year"
```

```
</IfModule>
```