

```
Options +MultiViews +FollowSymLinks
```

```
AddType application/vnd.ms-fontobject .eot
```

```
AddType application/font-woff .woff
```

```
AddType application/x-font-truetype .ttf
```

```
AddType image/svg+xml .svg
```

```
AddType application/x-font-opentype .otf
```

```
<IfModule mod_rewrite.c>
```

```
    RewriteEngine On
```

```
    # Disallow access to .svn directories
```

```
    RewriteCond %{SCRIPT_FILENAME} /\.svn/
```

```
    RewriteRule . - [F,L]
```

```
    # ErrorDocument 403 "Web access to Subversion metadata is not permitted"
```

```
    # Routing rewrites:
```

```
    # /users/username/ -> user_blog.php?login=username
```

```
    # RewriteRule ^users/([^/]+)/?$ user_blog.php?login=$1 [QSA]
```

```
    # /pages/title/ -> cnpages.php?caption=title
```

```
    # RewriteRule ^links/([^/]+)/?$ cnpages.php?caption=$1
```

```
    # RewriteRule ^Celebrity/([^/]+)/?$ celebrity.php?name=$1 [QSA]
```

```
    # RewriteRule ^/^(.+)$ http://newserver/"$1 [R,L]
```

```
    RewriteCond %{REQUEST_URI} !^/api/[^/]+\.(php|.)*
```

```
    RewriteCond %{REQUEST_URI} !^/api/doc/.*
```

```
    RewriteRule ^api\([^/]+\)\(.*\) $ /api/$1.php/$2 [L,R]
```

```
    RewriteRule (.*) dispatcher.php [L]
```

```
#    RewriteRule ^.*\.(php|js|json|xml|css|ico|gif|jpg|jpeg|png|bmp|swf).*$ dispatcher.php
```

```
    # {{{ Custom handler for compressing CSS and JavaScript files
```

```
    # Implementation inspired and uses code from:
```

```
    #
```

```
http://rakaz.nl/item/make_your_pages_load_faster_by_combining_and_compressing_javascript_and
```

```
    #
```

```
    # Usage: following rules will automatically throw any .js or .css file into the combina
```

```
    #
```

```
#
# However, using this technique the desired way of including JavaScript and CSS files is
# /path/to/file/firstFile.js;secondFile.js;thirdFile.js
#
# which will pass all the desired JavaScript files to combinator which will compressed :
# altogether. Files are separated using ';' character.
#
# Previous has a huge impact on performance
# Uncomment following two rules to use nice URLs for CSS and JS optimization.
# Also set optimizers_use_url_rewrite to true in default_config.php
#RewriteRule ^(\. *\.css) /combinator.php?t=css&f=$1 [L,QSA]
#RewriteRule ^(\. *\.js) /combinator.php?t=javascript&f=$1 [L,QSA]
# }}}
</IfModule>

# ErrorDocument 404 /dispatcher.php

<IfModule mod_php5.c>
# Maximum allowed size for uploaded files.
php_value upload_max_filesize 32M

# Maximum size of POST data that PHP will accept.
php_value post_max_size 48M

# Maximum amount of memory a script may consume
php_value memory_limit 128M

# Maximum execution time of each script, in seconds
php_value max_execution_time 200

php_value max_input_time 200

# You should do your best to write your scripts so that they do not require
# register_globals to be on. Using form variables as globals can easily lead
# to possible security problems, if the code is not very well thought of.
php_flag register_globals off

# Magic quotes for incoming GET/POST/Cookie data.
php_flag magic_quotes_gpc off

# Magic quotes for runtime-generated data, e.g. data from SQL, from exec(), etc.
```

```
php_flag magic_quotes_runtime off

# Whether to allow HTTP file uploads.
php_flag file_uploads on

# Handler used to store/retrieve data.
# php_value session.save_handler files

# Argument passed to save_handler.  In the case of files, this is the path
# where data files are stored.  Note: Windows users have to change this
# variable in order to use PHP's session functions.
# php_value session.save_path /tmp

# Whether to use cookies.
php_flag session.use_cookies on

# Name of the session (used as cookie name - PHPSESSID).
php_value session.name PHPSESSID

# Initialize session on request startup.
php_flag session.auto_start off

# Lifetime in seconds of cookie or, if 0, until browser is restarted.
php_value session.cookie_lifetime 0

# The path for which the cookie is valid.
# php_value session.cookie_path /

# The domain for which the cookie is valid.
# php_value session.cookie_domain

# Handler used to serialize data.  php is the standard serializer of PHP.
# php_value session.serialize_handler php

# After this number of seconds, stored data will be seen as 'garbage' and
# cleaned up by the garbage collection process.
php_value session.gc_maxlifetime 1209600

</IfModule>
```