

```

#
# Apache/PHP/Drupal settings:
#

# Protect files and directories from prying eyes.
<FilesMatch "\.(engine|incl|info|install|make|module|profile|test|po|sh|. *sql|theme|tpl(\.php
|xtmpl)|(\.sw[op]|\.bak|\.orig|\.save))?"
$I ^(\. *|Entries.*|Repository|Root|Tag|Template)$I ^#. *#$I \.php(\.sw[op]|\.bak|\.orig|\.save
    Order allow,deny
</FilesMatch>

# Don't show directory listings for URLs which map to a directory.
Options -Indexes

# Follow symbolic links in this directory.
Options +FollowSymLinks

# Make Drupal handle any 404 errors.
ErrorDocument 404 /index.php

# Set the default handler.
DirectoryIndex index.php index.html index.htm

# Override PHP settings that cannot be changed at runtime. See
# sites/default/default.settings.php and drupal_environment_initialize() in
# includes/bootstrap.inc for settings that can be changed at runtime.

# PHP 5, Apache 1 and 2.
<IfModule mod_php5.c>
    php_flag magic_quotes_gpc                off
    php_flag magic_quotes_sybase             off
    php_flag register_globals                 off
    php_flag session.auto_start              off
    php_value mbstring.http_input            pass
    php_value mbstring.http_output           pass
    php_flag mbstring.encoding_translation    off
</IfModule>

# Requires mod_expires to be enabled.
<IfModule mod_expires.c>
    # Enable expirations

```

```
# enable expirations.
ExpiresActive On

# Cache all files for 2 weeks after access (A).
ExpiresDefault A1209600

<FilesMatch \.php$>
    # Do not allow PHP scripts to be cached unless they explicitly send cache
    # headers themselves. Otherwise all scripts would have to overwrite the
    # headers set by mod_expires if they want another caching behavior. This may
    # fail if an error occurs early in the bootstrap process, and it may cause
    # problems if a non-Drupal PHP file is installed in a subdirectory.
    ExpiresActive Off
</FilesMatch>
</IfModule>

# Various rewrite rules.
<IfModule mod_rewrite.c>
    RewriteEngine on

    # Set "protossl" to "s" if we were accessed via https://. This is used later
    # if you enable "www." stripping or enforcement, in order to ensure that
    # you don't bounce between http and https.
    RewriteRule ^ - [E=protossl]
    RewriteCond %{HTTPS} on
    RewriteRule ^ - [E=protossl:s]

    # Make sure Authorization HTTP header is available to PHP
    # even when running as CGI or FastCGI.
    RewriteRule ^ - [E=HTTP_AUTHORIZATION:%{HTTP:Authorization}]

    # Block access to "hidden" directories whose names begin with a period. This
    # includes directories used by version control systems such as Subversion or
    # Git to store control files. Files whose names begin with a period, as well
    # as the control files used by CVS, are protected by the FilesMatch directive
    # above.
    #
    # NOTE: This only works when mod_rewrite is loaded. Without mod_rewrite, it is
    # not possible to block access to entire directories from .htaccess, because
    # <DirectoryMatch> is not allowed here.
    #
    # ...

```

```
# If you do not have mod_rewrite installed, you should remove these
# directories from your webroot or otherwise protect them from being
# downloaded.
```

```
RewriteRule "(^/)\." - [F]
```

```
# If your site can be accessed both with and without the 'www.' prefix, you
# can use one of the following settings to redirect users to your preferred
# URL, either WITH or WITHOUT the 'www.' prefix. Choose ONLY one option:
#
```

```
# To redirect all users to access the site WITH the 'www.' prefix,
# (http://example.com/... will be redirected to http://www.example.com/...)
# uncomment the following:
# RewriteCond %{HTTP_HOST} .
# RewriteCond %{HTTP_HOST} !^www\. [NC]
# RewriteRule ^ http%{ENV: protoss1}: //www. %{HTTP_HOST}%{REQUEST_URI} [L, R=301]
#
```

```
# To redirect all users to access the site WITHOUT the 'www.' prefix,
# (http://www.example.com/... will be redirected to http://example.com/...)
# uncomment the following:
```

```
RewriteCond %{HTTP_HOST} ^www\. (. +)$ [NC]
RewriteRule ^ http%{ENV: protoss1}: //%1 %{REQUEST_URI} [L, R=301]
```

```
# Modify the RewriteBase if you are using Drupal in a subdirectory or in a
# VirtualDocumentRoot and the rewrite rules are not working properly.
# For example if your site is at http://example.com/drupal uncomment and
# modify the following line:
```

```
# RewriteBase /drupal
#
```

```
# If your site is running in a VirtualDocumentRoot at http://example.com/,
# uncomment the following line:
# RewriteBase /
```

```
# Preorder site is done; set DNS to point here. Rewrite the URLs.
```

```
RewriteCond %{HTTP_HOST} ^www\. preordercellularsales\. com$ [NC]
RewriteRule ^.*$ http://cellularsales.com/ [L, R=301]
```

```
RewriteCond %{HTTP_HOST} ^preordercellularsales\. com$ [NC]
RewriteRule ^.*$ http://cellularsales.com/ [L, R=301]
```

```
RewriteRule ^joplin$ http://www.cellularsales.com/content/cellular-sales-collecting-cell-phones-tornado-victims [R=301,L]
```

```

RewriteRule ^tradeup$ http://www.cellularsales.com/trade-up [R=301,L]
RewriteRule ^TradeUp$ http://www.cellularsales.com/trade-up [R=301,L]
RewriteRule ^opportunities/?$ http://www.joincellularsales.com [R=301,L]
RewriteRule ^careers/?$ http://www.joincellularsales.com [R=301,L]
RewriteRule ^survey/?$ https://survey.verizonwireless.com/vzwsurvey/ [R=301,L]

# Bundle offers
RewriteRule ^bhousepdf$
http://cellularsales.com/sites/default/files/pdf/Bright_House_POD_English.pdf [R=301,L]
RewriteRule ^comcastpdf$
http://cellularsales.com/sites/default/files/pdf/Comcast_POD_English.pdf [R=301,L]
# RewriteRule ^coxpdf$ http://cellularsales.com/sites/default/files/pdf/Cox_POD_English.pdf [R=301,L]
#RewriteRule ^dtvpdf$
http://cellularsales.com/sites/default/files/pdf/Directv_POD_English.pdf [R=301,L]
RewriteRule ^dtv$ http://cellularsales.com/sites/default/files/pdf/Directv_POD_English.pdf [R=301,L]
RewriteRule ^twcpdf$
http://cellularsales.com/sites/default/files/pdf/Time_Warner_Cable_POD_English.pdf [R=301,L]

# Files not where they should have been.
RewriteRule ^favicon.ico$ sites/default/files/favicon.ico [L]
RewriteRule ^misc/cs_sign.gif$ sites/default/files/mail/cs_sign.gif [L]
RewriteRule ^misc/csb.gif$ sites/default/files/mail/csb.gif [L]
RewriteRule ^misc/f.gif$ sites/default/files/mail/f.gif [L]
RewriteRule ^misc/in.gif$ sites/default/files/mail/in.gif [L]
RewriteRule ^misc/signature_logo.gif$ sites/default/files/mail/signature_logo.gif [L]
RewriteRule ^misc/signature.html$ sites/default/files/mail/signature.html [L]
RewriteRule ^misc/signature2.html$ sites/default/files/mail/signature2.html [L]
RewriteRule ^misc/signature3.html$ sites/default/files/mail/signature3.html [L]
RewriteRule ^misc/signature4.html$ sites/default/files/mail/signature4.html [L]
RewriteRule ^misc/t.gif$ sites/default/files/mail/t.gif [L]
RewriteRule ^misc/yt.gif$ sites/default/files/mail/yt.gif [L]

# Pass all requests not referring directly to files in the filesystem to
# index.php. Clean URLs are handled in drupal_environment_initialize().
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_URI} !=/favicon.ico
RewriteRule ^ index.php [L]

```

```
# Rules to correctly serve gzip compressed CSS and JS files.  
# Requires both mod_rewrite and mod_headers to be enabled.
```

```
# compress text, html, javascript, css, xml:
```

```
AddOutputFilterByType DEFLATE text/plain  
AddOutputFilterByType DEFLATE text/html  
AddOutputFilterByType DEFLATE text/xml  
AddOutputFilterByType DEFLATE text/css  
AddOutputFilterByType DEFLATE application/xml  
AddOutputFilterByType DEFLATE application/xhtml+xml  
AddOutputFilterByType DEFLATE application/rss+xml  
AddOutputFilterByType DEFLATE application/javascript  
AddOutputFilterByType DEFLATE application/x-javascript  
AddOutputFilterByType DEFLATE application/json  
AddOutputFilterByType DEFLATE application/ld+json  
AddOutputFilterByType DEFLATE application/manifest+json  
AddOutputFilterByType DEFLATE application/rdf+xml  
AddOutputFilterByType DEFLATE application/rss+xml  
AddOutputFilterByType DEFLATE application/schema+json  
AddOutputFilterByType DEFLATE application/vnd.geo+json
```

```
<IfModule mod_setenvif.c>
```

```
  <IfModule mod_headers.c>
```

```
    SetEnvIfNoCase ^(\Accept-EncodXngl X-cept-Encodingl X(15)l ~(15)l -(15))$
```

```
  ^((gzip|deflate)\s*,?\s*)+ [X~-]{4,13}$ HAVE_Accept-Encoding
```

```
    RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
```

```
  </IfModule>
```

```
</IfModule>
```

```
<IfModule mod_headers.c>
```

```
# Serve gzip compressed CSS files if they exist and the client accepts gzip.
```

```
RewriteCond %{HTTP:Accept-encoding} gzip
```

```
RewriteCond %{REQUEST_FILENAME}\.gz -s
```

```
RewriteRule ^(.*)\.css $1\.css\.gz [QSA]
```

```
# Serve gzip compressed JS files if they exist and the client accepts gzip.
```

```
RewriteCond %{HTTP:Accept-encoding} gzip
```

```
RewriteCond %{REQUEST_FILENAME}\.gz -s
```

```
RewriteRule ^(.*)\.js $1\.js\.gz [QSA]
```

```
# Serve correct content types, and prevent mod_deflate double gzip.
```

```
RewriteRule \.css\.gz$ - [T=text/css,E=no-gzip:1]
RewriteRule \.js\.gz$ - [T=text/javascript,E=no-gzip:1]
```

```
<FilesMatch "(\\.js\\.gz|\\.css\\.gz)$">
  # Serve correct encoding type.
  Header set Content-Encoding gzip
  # Force proxies to cache gzipped & non-gzipped css/js files separately.
  Header append Vary Accept-Encoding
</FilesMatch>
```

```
</IfModule>
</IfModule>
```

```
# Block bad robots causing site crashes
order allow,deny
deny from 192.114.71.13
allow from all
```