

```

# In case you want to add a .htpasswd authentication
# you'll have to add the host of the shop as an allowed entity,
# so that calls from the host skip the authentication
# Example:
# Order Deny, Allow
# Deny from All
# AuthType Basic
# AuthName "Access not allowed"
# AuthUserFile path_to_htpasswd_file/.htpasswd
# Require valid-user
# Allow from localhost
# Satisfy Any

<IfModule mod_rewrite.c>
    Options +FollowSymLinks
    RewriteEngine On
    RewriteBase /

    RewriteCond %{REQUEST_URI}    config\.inc\.php [NC]
    RewriteRule ^config\.inc\.php index\.php          [R=301,L]

    RewriteCond %{QUERY_STRING}    fnc=(getShopVersion|getShopEdition|getRevision) [NC]
    RewriteRule ^(.*)$             $1?                [R=301,L]

    RewriteCond %{REQUEST_METHOD}  ^(TRACE|TRACK)
    RewriteRule .* - [F]

    RewriteCond %{REQUEST_URI}    oxseo\.php$
    RewriteCond %{QUERY_STRING}    mod_rewrite_module_is=off
    RewriteRule oxseo\.php$       oxseo.php?mod_rewrite_module_is=on [L]

    RewriteCond %{REQUEST_URI}    !
    (</admin/</core/</application/</export/</modules/</out/</setup/</tmp/</views:
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-d
    RewriteRule !(\.html|/|\.\.jpg|\.css|\.pdf|\.doc|\.gif|\.png|\.js|\.htcl|\.svg)$ %
    {REQUEST_URI}/ [R=301,L]

    RewriteCond %{REQUEST_URI}    !
    (</admin/</core/</application/</export/</modules/</out/</setup/</tmp/</views:
    RewriteCond %{REQUEST_FILENAME} !-f

```

```
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule (\.html|\/)$ oxseo.php

RewriteCond %{REQUEST_URI} (\.out\/pictures\/generated\/)
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule (\.jpe?g|\.gif|\.png|\.svg)$ getimg.php
```

```
</IfModule>
```

```
# Deny access to console application entry point from HTTP
```

```
<Files "oxid">
    order allow,deny
    deny from all
</Files>
```

```
# disabling log file access from outside
```

```
<FilesMatch "(EXCEPTION_LOG\.txt|\.log|\.tpl|pkg\.rev|\.ini|pkg\.info|\.pem)$">
    order allow,deny
    deny from all
</FilesMatch>
```

```
# Prevent .ht* files from being sended to outside requests
```

```
<Files ~ "\.ht">
    Order allow,deny
    Deny from all
</Files>
```

```
Options -Indexes
```

```
DirectoryIndex index.php index.html
```