

```

# -----
# Proper MIME type for all files
# -----

# Audio
AddType audio/ogg          oga ogg
AddType audio/mp4         m4a

# Video
AddType video/ogg         ogv
AddType video/mp4        mp4 m4v
AddType video/webm       webm

# Webfonts
AddType application/vnd.ms-fontobject eot
AddType application/x-font-ttf      ttf ttc
AddType font/opentype               otf
AddType application/x-font-woff     woff

# Assorted types
AddType image/x-icon                ico
AddType image/webp                  webp
AddType text/cache-manifest         appcache manifest
AddType text/x-component            htc
AddType application/x-chrome-extension crx
AddType application/x-xpinstall     xpi
AddType application/octet-stream    safariextz
AddType text/x-vcard                vcf

# -----
# Expires headers (for better cache control)
# -----

<IfModule mod_expires.c>
    ExpiresActive on

# Perhaps better to whitelist expires rules? Perhaps.
    ExpiresDefault                  "access plus 1 month"

# cache, appcache needs re-requests in FF 3.6 (thanks Remy "Introducing HTML5")
    ExpiresByType text/cache-manifest "access plus 0 seconds"

```

```
ExpiresByType text/cache-manifest      access plus 0 seconds

# Your document html
ExpiresByType text/html                  "access plus 0 seconds"

# Data
ExpiresByType text/xml                   "access plus 0 seconds"
ExpiresByType application/xml            "access plus 0 seconds"
ExpiresByType application/json           "access plus 0 seconds"

<IfModule mod_headers.c>
    Header append Cache-Control "public"
</IfModule>

</IfModule>

Options +FollowSymLinks
RewriteEngine on
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule . index.html [L]
```