

```
# start Do not remove this comment, Prestashop will keep automatically the code
outside this comment when .htaccess will be generated again
# .htaccess automatically generated by PrestaShop e-commerce open-source solution
# http://www.prestashop.com - http://www.prestashop.com/forums
```

```
<IfModule mod_rewrite.c>
<IfModule mod_env.c>
SetEnv HTTP_MOD_REWRITE On
</IfModule>
```

```
RewriteEngine on
```

```
#Domain: shop.esteren.org
```

```
RewriteRule . - [E=REWRITEBASE: /]
```

```
RewriteRule ^api$ api/ [L]
```

```
RewriteRule ^api/(.*)$ %(ENV:REWRITEBASE)webservice/dispatcher.php?url=$1 [QSA,L]
```

```
# Images
```

```
RewriteRule ^([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/.\.jpg$ %
```

```
(ENV:REWRITEBASE)img/p/$1/$1$2$3.jpg [L]
```

```
RewriteRule ^([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/.\.jpg$ %
```

```
(ENV:REWRITEBASE)img/p/$1/$2/$1$2$3$4.jpg [L]
```

```
RewriteRule ^([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/.\.jpg$ %
```

```
(ENV:REWRITEBASE)img/p/$1/$2/$3/$1$2$3$4$5.jpg [L]
```

```
RewriteRule ^([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/.\.jpg$ %
```

```
(ENV:REWRITEBASE)img/p/$1/$2/$3/$4/$1$2$3$4$5$6.jpg [L]
```

```
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/.\.jpg$ %
```

```
(ENV:REWRITEBASE)img/p/$1/$2/$3/$4/$5/$1$2$3$4$5$6$7.jpg [L]
```

```
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/.\.jpg$ %(ENV:REWRITEBASE)img/p/$1/$2/$3/$4/$5/$6/$1$2$3$4$5$6$7$8.jpg [L]
```

```
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/.\.jpg$ %(ENV:REWRITEBASE)img/p/$1/$2/$3/$4/$5/$6/$7/$1$2$3$4$5$6$7$8$9.jpg [L]
```

```
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/.\.jpg$ %
```

```
(ENV:REWRITEBASE)img/p/$1/$2/$3/$4/$5/$6/$7/$8/$1$2$3$4$5$6$7$8$9$10.jpg [L]
```

```
RewriteRule ^c/([0-9]+)(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/.\.jpg$ %
```

```
(ENV:REWRITEBASE)img/c/$1$2$3.jpg [L]
```

```
RewriteRule ^c/([a-zA-Z-]+)(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/.\.jpg$ %(ENV:REWRITEBASE)img/c/$1$2.jpg [L]
```

```
# AlphaImageLoader for IE and fancybox
```

```
RewriteRule ^([a-zA-Z0-9-]+)(\[_[a-zA-Z0-9-]*\)?(-[0-9]+)?/.\.jpg$ %(ENV:REWRITEBASE)img/c/$1$2.jpg [L]
```

```
RewriteRule images/(.*)/(.*)\.(jpe|gif|png|gif)?$ js/jquery/plugins/fancybox/images/$1.$2
[L]
```

### # Dispatcher

```
RewriteCond %{REQUEST_FILENAME} -s [OR]
RewriteCond %{REQUEST_FILENAME} -l [OR]
RewriteCond %{REQUEST_FILENAME} -d
RewriteRule ^.*$ - [NC,L]
RewriteRule ^.*$ %{ENV:REWRITEBASE}index.php [NC,L]
</IfModule>
```

```
AddType application/vnd.ms-fontobject .eot
AddType font/ttf .ttf
AddType font/otf .otf
AddType application/x-font-woff .woff
```

```
<IfModule mod_headers.c>
  <FilesMatch "\.(ttf|ttd|otf|eot|woff|svg)$">
    Header add Access-Control-Allow-Origin "*"
  </FilesMatch>
</IfModule>
```

```
<IfModule mod_expires.c>
  ExpiresActive On
  ExpiresByType image/gif "access plus 1 month"
  ExpiresByType image/jpeg "access plus 1 month"
  ExpiresByType image/png "access plus 1 month"
  ExpiresByType text/css "access plus 1 week"
  ExpiresByType text/javascript "access plus 1 week"
  ExpiresByType application/javascript "access plus 1 week"
  ExpiresByType application/x-javascript "access plus 1 week"
  ExpiresByType image/x-icon "access plus 1 year"
  ExpiresByType image/svg+xml "access plus 1 year"
  ExpiresByType image/vnd.microsoft.icon "access plus 1 year"
  ExpiresByType application/font-woff "access plus 1 year"
  ExpiresByType application/x-font-woff "access plus 1 year"
  ExpiresByType application/vnd.ms-fontobject "access plus 1 year"
  ExpiresByType font/opentype "access plus 1 year"
  ExpiresByType font/ttf "access plus 1 year"
  ExpiresByType font/otf "access plus 1 year"
  ExpiresByType application/x-font-ttf "access plus 1 year"
  ExpiresByType application/x-font-otf "access plus 1 year"
```

```
</IfModule>
```

```
<IfModule mod_headers.c>
```

```
Header unset Etag
```

```
</IfModule>
```

```
FileETag none
```

```
<IfModule mod_deflate.c>
```

```
  <IfModule mod_filter.c>
```

```
    AddOutputFilterByType DEFLATE text/html text/css text/javascript  
application/javascript application/x-javascript font/ttf application/x-font-ttf font/otf  
application/x-font-otf font/opentype
```

```
  </IfModule>
```

```
</IfModule>
```

```
#If rewrite mod isn't enabled
```

```
ErrorDocument 404 /index.php?controller=404
```

```
# ""end"" Do not remove this comment, Prestashop will keep automatically the code outside  
this comment when .htaccess will be generated again
```