

```
AddHandler php5-script .php
```

```
# BEGIN W3TC Browser Cache
```

```
<IfModule mod_deflate.c>  
  <IfModule mod_setenvif.c>  
    BrowserMatch ^Mozilla/4 gzip-only-text/html  
    BrowserMatch ^Mozilla/4\.0[678] no-gzip  
    BrowserMatch \bMSIE !no-gzip !gzip-only-text/html  
    BrowserMatch \bMSIE[E] !no-gzip !gzip-only-text/html  
  </IfModule>  
  <IfModule mod_headers.c>  
    Header append Vary User-Agent env=!dont-vary  
  </IfModule>  
  AddOutputFilterByType DEFLATE text/css application/x-javascript text/html text/richtext  
</IfModule>  
<FilesMatch "\.(css|js)$">  
  FileETag None  
  <IfModule mod_headers.c>  
    Header set X-Powered-By "W3 Total Cache/0.9.1.3"  
  </IfModule>  
</FilesMatch>  
<FilesMatch "\.(html|html|rtf|rtx|svg|svgz|txt|xsl|xsl|xml)$">  
  FileETag None  
  <IfModule mod_headers.c>  
    Header set X-Powered-By "W3 Total Cache/0.9.1.3"  
  </IfModule>  
</FilesMatch>  
<FilesMatch "\.  
(asf|asx|wax|wmv|wmx|avi|bmp|class|divx|doc|docx|exel|gif|gz|gzip|ico|jpg|jpeg|jpe|mdb|mid|mi  
  FileETag None  
  <IfModule mod_headers.c>  
    Header set X-Powered-By "W3 Total Cache/0.9.1.3"  
  </IfModule>  
</FilesMatch>  
# END W3TC Browser Cache
```

```
# BEGIN W3TC Page Cache
```

```
<IfModule mod_rewrite.c>  
  RewriteEngine On  
  RewriteBase /  
  RewriteCond %{HTTP:User-Agent} ^Mozilla/4.0[678] no-gzip  
  RewriteRule ^/(.*)$ /$1 [R=302,L]
```

```

RewriteCond %{HTTP_USER_AGENT} (Z\.\.0\ mmp| Z40XJZ0| alcatel| amoi| asus| au\-m| ci| audiovox| av|
mobile| iemobile| j\-phone| kddi| konka| kucl| kyocera| wx310k| lenovo| lg| lg/u990| lge\ vx| midpl| midp\-
mobil| opera\.\ mobil| palm| panasonic| pantech| pdxgw| pgl| philips| phone| playstation\ portable| portall
osl| symbianos| toshiba| treo| ts21i\-10| up\.\ browser| up\.\ link| uts| vertu| vodafone| wap| willcome| wir
RewriteRule .* - [E=W3TC-UA:_low]
RewriteCond %{HTTP_USER_AGENT} (acer\ s100| android| archos5| blackberry9500| blackberry9530|
mb300| nexus\ one| opera\ mini| samsung\-s8000| series60.*webkit| series60/5\.\.0| soniericsson|0| :
RewriteRule .* - [E=W3TC-UA:_high]
RewriteCond %{HTTPS} =on
RewriteRule .* - [E=W3TC_SSL:_ssl]
RewriteCond %{SERVER_PORT} =443
RewriteRule .* - [E=W3TC_SSL:_ssl]
RewriteCond %{HTTP:Accept-Encoding} gzip
RewriteRule .* - [E=W3TC_ENC:.gzip]
RewriteCond %{REQUEST_METHOD} !=POST
RewriteCond %{QUERY_STRING} =""
RewriteCond %{REQUEST_URI} \/$
RewriteCond %{REQUEST_URI} !(\/wp-admin\/| \/xmlrpc.php| \/wp-(appl|cron|login|register|mai
RewriteCond %{REQUEST_URI} (wp-comments-popup\.php| wp-links-opml\.php| wp-locations\.php)
RewriteCond %{HTTP_COOKIE} !(comment_author| wp-postpass| wordpress_[a-f0-9]\+| wordpress
RewriteCond "/nfs/c07/h02/mnt/103018/domains/glamstarlife.com/html/wp-content/w3tc/pgcac
RewriteRule (.*) "/wp-content/w3tc/pgcache/$1/_index%(ENV:W3TC-UA)%(ENV:W3TC_SSL).html %(
</IfModule>
# END W3TC Page Cache

# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>

# END WordPress

```