

```
# Apache configuration file
# httpd.apache.org/docs/2.2/mod/quickreference.html

# Note .htaccess files are an overhead, this logic should be in your Apache config if
# possible
# httpd.apache.org/docs/2.2/howto/htaccess.html

# Techniques in here adapted from all over, including:
#   Kroc Camen: camendesign.com/.htaccess
#   perishablepress.com/press/2006/01/10/stupid-htaccess-tricks/
#   Sample .htaccess file of CMS MODx: modx.com

###
### If you run a webserver other than apache, consider:
### github.com/paulirish/html5-boilerplate-server-configs
###

RewriteEngine on
RewriteCond $1 !^(index\.php|media|css|scripts|robots\.txt)
RewriteRule ^(.*)$ /index.php/$1 [L]

# -----
# Proper MIME type for all files
# -----

# audio
AddType audio/ogg          oga ogg

# video
AddType video/ogg          ogv
AddType video/mp4         mp4
AddType video/webm        webm

# Proper svg serving. Required for svg webfonts on iPad
# twitter.com/FontSquirrel/status/14855840545
AddType image/svg+xml     svg svgz
AddEncoding gzip          svgz

# webfonts
AddType application/vnd.ms-fontobject eot
AddType font/woff          woff
```

```
AddType font/truetype ttf
AddType font/opentype otf
AddType application/x-font-woff woff

# assorted types
AddType image/x-icon ico
AddType image/webp webp
AddType text/cache-manifest appcache manifest
AddType text/x-component htc
AddType application/x-chrome-extension crx
AddType application/x-xpinstall xpi
AddType application/octet-stream safariextz
```

```
# -----
# Webfont access
# -----
```

```
# allow access from all domains for webfonts
# alternatively you could only whitelist
# your subdomains like "sub.domain.com"
```

```
<FilesMatch "\.(ttf|otf|eot|woff|font. css)$">
  <IfModule mod_headers.c>
    Header set Access-Control-Allow-Origin "*"
  </IfModule>
</FilesMatch>
```

```
# -----
# Cross-domain AJAX requests
# -----
```

```
# Serve cross-domain ajax requests, disabled.
# enable-cors.org
# code.google.com/p/html5security/wiki/CrossOriginRequestSecurity
```

```
# <IfModule mod_headers.c>
#   Header set Access-Control-Allow-Origin "*"
# </IfModule>
```

```
# -----
# Better website experience for IE users
..
```

```
# -----  
  
# Force the latest IE version, in various cases when it may fall back to IE7 mode  
# github.com/rails/rails/commit/123eb25#commitcomment-118920  
# Use ChromeFrame if it's installed for a better experience for the poor IE folk  
  
<IfModule mod_setenvif.c>  
  <IfModule mod_headers.c>  
    BrowserMatch MSIE ie  
    Header set X-UA-Compatible "IE=Edge,chrome=1" env=ie  
  </IfModule>  
</IfModule>  
  
<IfModule mod_headers.c>  
# Because X-UA-Compatible isn't sent to non-IE (to save header bytes),  
# We need to inform proxies that content changes based on UA  
  Header append Vary User-Agent  
# Cache control is set only if mod_headers is enabled, so that's unnecessary to declare  
</IfModule>
```