```
# Use the front controller as index file. It serves as a fallback solution when
# every other rewrite/redirect fails (e.g. in an aliased environment without
# mod_rewrite). Additionally, this reduces the matching process for the
# start page (path "/") because otherwise Apache will apply the rewriting rules
# to each configured DirectoryIndex file (e.g. index.php, index.html, index.pl).
DirectoryIndex app.php
<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteCond %(REQUEST_URI)::$1 ^(/.+)/(.*)::\2$
    RewriteRule ^(.*) - [E=BASE: %1]
    RewriteCond %(ENV: REDIRECT_STATUS) ^$
    RewriteRule ^app_dev.php(/(.*)|$) %(ENV:BASE)/$2 [R=301,L] ##### this is the part
that you
            should tweak, have the .htaccess point the request to app_dev.php, since the
routing.yml is empty initially
    RewriteCond %(REQUEST_FILENAME) -f
    RewriteRule .? - [L]
    RewriteRule .? %(ENV:BASE)/app_dev.php [L] ##### this is the part that you
should tweak, have the .htaccess point the request to app_dev.php, since the routing.yml
is empty initially
<IfModule ! mod rewrite.c>
    <IfModule mod alias.c>
       # When mod_rewrite is not available, we instruct a temporary redirect of
       # the startpage to the front controller explicitly so that the website
       # and the generated links can still be used.
       RedirectMatch 302 ^/$ /app.php/
       # RedirectTemp cannot be used instead
```