

```
<IfModule mod_mime.c>
  AddType application/json json map topojson
  AddType application/ld+json jsonld
  AddType application/vnd.geo+json geojson
  AddType application/xml atom rdf rss xml
  AddType application/javascript js
  AddType application/x-web-app-manifest+json webapp
  AddType text/cache-manifest appcache manifest
  AddType audio/mp4 f4a f4b m4a
  AddType audio/ogg oga ogg opus
  AddType image/bmp bmp
  AddType image/webp webp
  AddType video/mp4 f4v f4p m4v mp4
  AddType video/ogg ogv
  AddType video/webm webm
  AddType video/x-flv flv
  AddType image/svg+xml svg svgz
  AddType image/x-icon cur ico
  AddType application/font-woff woff
  AddType application/font-woff2 woff2
  AddType application/vnd.ms-fontobject eot
  AddType application/x-font-ttf ttc ttf
  AddType font/opentype otf
  AddType application/octet-stream safariextz
  AddType application/x-bb-appworld bbaw
  AddType application/x-chrome-extension crx
  AddType application/x-opera-extension oex
  AddType application/x-xpinstall xpi
  AddType text/vcard vcard vcf
  AddType text/vnd.rim.location xloc xloc
  AddType text/vtt vtt
  AddType text/x-component htc
```

```
</IfModule>
```

```
AddDefaultCharset utf-8
```

```
Options -MultiViews
```

```
<IfModule mod_autoindex.c>
```

```
  Options -Indexes
```

```
</IfModule>
```

```
</IfModule>
```

```
<IfModule mod_rewrite.c>
```

```
    RewriteEngine On
```

```
    RewriteCond %{HTTPS} !=on
```

```
    RewriteCond %{HTTP_HOST} ^www\.(.+)$ [NC]
```

```
    RewriteRule ^(.+)$ http://%1/$1 [R=301,L]
```

```
    # Filename-based cache busting
```

```
    RewriteCond %{REQUEST_FILENAME} !-f
```

```
    RewriteRule ^(.+)\.(\d+)\.(bmp|css|curl|gif|ico|jpe?g|js|png|svgz?|webp|webmanifest)$  
$1.$3 [L]
```

```
    RewriteBase /
```

```
    RewriteCond %{SCRIPT_FILENAME} !-f
```

```
    RewriteRule . index.php
```

```
</IfModule>
```

```
<IfModule mod_deflate.c>
```

```
    <IfModule mod_setenvif.c>
```

```
        <IfModule mod_headers.c>
```

```
            SetEnvIfNoCase ^(\Accept-EncodXng|X-cept-Encoding|X(15)|^(15)|-(15))$
```

```
^((gzip|deflate)\s*,?\s*)+([X"]-){4,13}$ HAVE_Accept-Encoding
```

```
            RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
```

```
        </IfModule>
```

```
    </IfModule>
```

```
    <IfModule mod_filter.c>
```

```
        AddOutputFilterByType DEFLATE "application/atom+xml" \
```

```
        "application/javascript" \
```

```
        "application/json" \
```

```
        "application/ld+json" \
```

```
        "application/manifest+json" \
```

```
        "application/rdf+xml" \
```

```
        "application/rss+xml" \
```

```
        "application/schema+json" \
```

```
        "application/vnd.geo+json" \
```

```
        "application/vnd.ms-fontobject" \
```

```
        "application/x-font-ttf" \
```

```
        "application/x-javascript" \
```

```
        "application/x-javascript" \
```

```
"application/x-web-app-manifest+json" \  
"application/xhtml+xml" \  
"application/xml" \  
"font/eot" \  
"font/opentype" \  
"image/bmp" \  
"image/svg+xml" \  
"image/vnd.microsoft.icon" \  
"image/x-icon" \  
"text/cache-manifest" \  
"text/css" \  
"text/html" \  
"text/javascript" \  
"text/plain" \  
"text/vcard" \  
"text/vnd.rim.location.xloc" \  
"text/vtt" \  
"text/x-component" \  
"text/x-cross-domain-policy" \  
"text/xml"  
</IfModule>  
<IfModule mod_mime.c>  
  AddEncoding gzip svgz  
</IfModule>  
</IfModule>  
  
<IfModule mod_headers.c>  
  Header unset ETag  
</IfModule>  
  
FileETag None  
  
<IfModule mod_expires.c>  
  ExpiresActive on  
  ExpiresDefault "access plus 1 month"  
  ExpiresByType text/css "access plus 1 year"  
  ExpiresByType application/atom+xml "access plus 1 hour"  
  ExpiresByType application/rdf+xml "access plus 1 hour"  
  ExpiresByType application/rss+xml "access plus 1 hour"  
  ExpiresByType application/json "access plus 0 seconds"  
  ExpiresByType application/ld+json "access plus 0 seconds"
```

ExpiresByType application/schema+json "access plus 0 seconds"  
ExpiresByType application/vnd.geo+json "access plus 0 seconds"  
ExpiresByType application/xml "access plus 0 seconds"  
ExpiresByType text/xml "access plus 0 seconds"  
ExpiresByType image/vnd.microsoft.icon "access plus 1 week"  
ExpiresByType image/x-icon "access plus 1 week"  
ExpiresByType text/html "access plus 0 seconds"  
ExpiresByType application/javascript "access plus 1 year"  
ExpiresByType application/x-javascript "access plus 1 year"  
ExpiresByType text/javascript "access plus 1 year"  
ExpiresByType application/manifest+json "access plus 1 year"  
ExpiresByType application/x-web-app-manifest+json "access plus 0 seconds"  
ExpiresByType text/cache-manifest "access plus 0 seconds"  
ExpiresByType audio/ogg "access plus 1 month"  
ExpiresByType image/bmp "access plus 1 month"  
ExpiresByType image/gif "access plus 1 month"  
ExpiresByType image/jpeg "access plus 1 month"  
ExpiresByType image/png "access plus 1 month"  
ExpiresByType image/svg+xml "access plus 1 month"  
ExpiresByType video/mp4 "access plus 1 month"  
ExpiresByType video/ogg "access plus 1 month"  
ExpiresByType video/webm "access plus 1 month"  
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"  
ExpiresByType font/eot "access plus 1 month"  
ExpiresByType font/opentype "access plus 1 month"  
ExpiresByType application/x-font-ttf "access plus 1 month"  
ExpiresByType application/font-woff "access plus 1 month"  
ExpiresByType application/x-font-woff "access plus 1 month"  
ExpiresByType font/woff "access plus 1 month"  
ExpiresByType application/font-woff2 "access plus 1 month"  
ExpiresByType text/x-cross-domain-policy "access plus 1 week"

</IfModule>