

```

<IfModule mod_rewrite.c>
  Options +FollowSymLinks
  RewriteEngine On

##### Begin - Rewrite rules to block out some common exploits
## If you experience problems on your site block out the operations listed below
## This attempts to block the most common type of exploit `attempts` to Joomla!
#
## Deny access to extension xml files (uncomment out to activate)
#<Files ~ "\.xml$"
#Order allow,deny
#Deny from all
#Satisfy all
#</Files>
## End of deny access to extension xml files
RewriteCond %{QUERY_STRING} mosConfig_[a-zA-Z]{1,21}(=|%3D) [OR]
# Block out any script trying to base64_encode crap to send via URL
RewriteCond %{QUERY_STRING} base64_encode.*%\.(.*) [OR]
# Block out any script that includes a <script> tag in URL
RewriteCond %{QUERY_STRING} (<|%3C).*script.*(>|%3E) [NC,OR]
# Block out any script trying to set a PHP GLOBALS variable via URL
RewriteCond %{QUERY_STRING} GLOBALS(=| \[| \[%0-9A-Z]{0,2}) [OR]
# Block out any script trying to modify a _REQUEST variable via URL
RewriteCond %{QUERY_STRING} _REQUEST(=| \[| \[%0-9A-Z]{0,2})
# Send all blocked request to homepage with 403 Forbidden error!
RewriteRule ^(.*)$ index.php [F,L]
#
##### End - Rewrite rules to block out some common exploits

RewriteBase /

#RewriteCond %{HTTP_HOST} !^autos.ba$ [NC]
#RewriteRule ^(.*)$ http://autos.ba/$1 [L,R=301]

RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d

#RewriteRule ^(.*)$ index.php/$1 [L]

RewriteRule ^m/([0-9]+)/p/([0-9]+)(.*)$ index.php?m=$1&p=$2%{QUERY_STRING} [L]
RewriteRule ^m/([0-9]+)/p/([0-9]+)(.*)$ index.php?m=$1&p=$2%{QUERY_STRING} [L]

```

```
RewriteRule ^m/([0-9]+)(.*)$ index.php?m=$1&%(QUERY_STRING) [L]
RewriteRule ^c/([0-9]+)(.*)$ index.php?c=$1&%(QUERY_STRING) [L]
RewriteRule ^s/([0-9]+)(.*)$ index.php?s=$1&%(QUERY_STRING) [L]
RewriteRule ^p/([0-9]+)(.*)$ index.php?p=$1&%(QUERY_STRING) [L]
RewriteRule ^ship/([0-9]+)(.*)$ index.php?ship=$1&%(QUERY_STRING) [L]
RewriteRule ^ad/([0-9]+)(.*)$ index.php?ad=$1&%(QUERY_STRING) [L]
RewriteRule ^adtype/([0-9]+)/adbrand/([0-9]+)(.*)$ index.php?adtype=$1&adbrand=$2%
(QUERY_STRING) [L]
RewriteRule ^adtype/([0-9]+)(.*)$ index.php?adtype=$1&%(QUERY_STRING) [L]
RewriteRule ^adcat/([0-9]+)/adbrand/([0-9]+)(.*)$ index.php?adcat=$1&adbrand=$2%
(QUERY_STRING) [L]
RewriteRule ^adcat/([0-9]+)(.*)$ index.php?adcat=$1&%(QUERY_STRING) [L]
RewriteRule ^adbrand/([0-9]+)/model/([0-9]+)(.*)$ index.php?adbrand=$1&model=$2%
(QUERY_STRING) [L]
RewriteRule ^adbrand/([0-9]+)(.*)$ index.php?adbrand=$1&%(QUERY_STRING) [L]
RewriteRule ^model/([0-9]+)(.*)$ index.php?model=$1&%(QUERY_STRING) [L]
RewriteRule ^provider/([0-9]+)(.*)$ index.php?provider=$1&%(QUERY_STRING) [L]
RewriteRule ^profile/([0-9]+)(.*)$ index.php?profile=$1&%(QUERY_STRING) [L]
RewriteRule ^page/([0-9]+)(.*)$ index.php?page=$1&%(QUERY_STRING) [L]
RewriteRule ^list/([a-z]+)(.*)$ index.php?list=$1&%(QUERY_STRING) [L]
RewriteRule ^view/([a-z]+)(.*)$ index.php?view=$1&%(QUERY_STRING) [L]
RewriteRule ^login index.php?action=login&%(QUERY_STRING) [L]
RewriteRule ^rss/([a-z]+)(.*)$ rss/index.php?view=$1&%(QUERY_STRING) [L]
```

</IfModule>

<IfModule mod_deflate.c>

<FilesMatch "\.(js|css)\$">

SetOutputFilter DEFLATE

</FilesMatch>

</IfModule>

#####

CONFIGURE media caching

#

Header unset ETag

FileETag None

<FilesMatch "(?i)^\.(ico|flv|jpg|jpeg|png|gif|js|css)\$">

Header unset Last-Modified

Header set Expires "Fri, 21 Dec 2012 00:00:00 GMT"

Header set Cache-Control "public, no-transform"

.....

</FilesMatch>

#

#####