

```

<ifModule mod_headers.c>
    Header set Connection keep-alive
</ifModule>

#<ifmodule mod_deflate.c>
#AddOutputFilterByType DEFLATE text/html text/plain text/xml text/css text/javascript
application/x-javascript application/javascript
#</ifmodule>

<FilesMatch "\.(ico|pdf|flv|jpg|jpeg|png|gif|js|css|swf|svg)(\.gz)?$">
Header set Expires "Thu, 15 Apr 2017 20:00:00 GMT"
Header unset ETag
FileETag None
</FilesMatch>

# #####
# # WEB PERFORMANCE #
# #####

# -----
# | Compression |
# -----

# Force compression for mangled `Accept-Encoding` request headers
# https://developer.yahoo.com/blogs/ymn/pushing-beyond-gzipping-25601.html

    SetEnvIfNoCase ^(\Accept-EncodXng|X-cept-Encoding|X(15)|^(15)|-(15))$
^((gzip|deflate)\s*,?\s*)+([X"]-){4,13}$ HAVE_Accept-Encoding
    RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding

# -----

# Compress all output labeled with one of the following media types.
#
# (!) For Apache versions below version 2.3.7 you don't need to
# enable `mod_filter` and can remove the `<IfModule mod_filter.c>`
# and `<IfModule mod_deflate.c>` directives from the top of this file

```



```
# | Expires headers |
# -----

# Serve resources with far-future expires headers.
#
# (!) If you don't control versioning with filename-based
# cache busting, you should consider lowering the cache times
# to something like one week.
#
# https://httpd.apache.org/docs/current/mod/mod_expires.html

ExpiresActive on
ExpiresDefault "access plus 1 week"

# CSS

ExpiresByType text/css "access plus 1 week"

# Data interchange

ExpiresByType application/atom+xml "access plus 1 hour"
ExpiresByType application/rdf+xml "access plus 1 hour"
ExpiresByType application/rss+xml "access plus 1 hour"

ExpiresByType application/json "access plus 0 seconds"
ExpiresByType application/ld+json "access plus 0 seconds"
ExpiresByType application/schema+json "access plus 0 seconds"
ExpiresByType application/vnd.geo+json "access plus 0 seconds"
ExpiresByType application/xml "access plus 0 seconds"
ExpiresByType text/xml "access plus 0 seconds"

# Favicon (cannot be renamed!) and cursor images

ExpiresByType image/vnd.microsoft.icon "access plus 1 week"
ExpiresByType image/x-icon "access plus 1 week"

# HTML

ExpiresByType text/html "access plus 0 seconds"

# JavaScript
```

```
ExpiresByType application/javascript "access plus 1 week"
ExpiresByType application/x-javascript "access plus 1 week"
ExpiresByType text/javascript "access plus 1 week"
```

Manifest files

```
ExpiresByType application/manifest+json "access plus 1 week"
ExpiresByType application/x-web-app-manifest+json "access plus 0 seconds"
ExpiresByType text/cache-manifest "access plus 0 seconds"
```

Media files

```
ExpiresByType audio/ogg "access plus 1 month"
ExpiresByType image/bmp "access plus 1 month"
ExpiresByType image/gif "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"
ExpiresByType image/webp "access plus 1 month"
ExpiresByType video/mp4 "access plus 1 month"
ExpiresByType video/ogg "access plus 1 month"
ExpiresByType video/webm "access plus 1 month"
```

Web fonts

Embedded OpenType (EOT)

```
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
ExpiresByType font/eot "access plus 1 month"
```

OpenType

```
ExpiresByType font/opentype "access plus 1 month"
```

TrueType

```
ExpiresByType application/x-font-ttf "access plus 1 month"
```

Web Open Font Format (WOFF) 1.0

```
ExpiresByType application/font-woff "access plus 1 month"
ExpiresByType application/x-font-woff "access plus 1 month"
ExpiresByType font/woff "access plus 1 month"
```

```
# Web Open Font Format (WOFF) 2.0
```

```
ExpiresByType application/font-woff2
```

```
"access plus 1 month"
```

```
# Other
```

```
ExpiresByType text/x-cross-domain-policy
```

```
"access plus 1 week"
```

```
#RewriteEngine On
```

```
#RewriteCond %{HTTP_HOST} ^sodali.com [NC]
```

```
#RewriteRule ^(.*)$ http://www.dridrigelato.com/$1 [L,R=301]
```

```
#Keep alive
```

```
#<ifModule mod_headers.c> Header set Connection keep-alive </IfModule>
```