

```
# -----  
# Options  
# -----  
# Don't index directories.  
Options -Indexes  
Options +FollowSymlinks  
  
# -----  
# URL routing  
# -----  
  
RewriteEngine On  
  
###  
# Reserved words for root level URL keys:  
###  
# rest  
# admin  
# install  
# mokuji  
###  
  
# Rewrite for REST access.  
RewriteRule ^/?rest/(.+) index.php?_RESTRROUTE=$1 [E=MK_ENV: rest, L, QSA]  
  
# Rewrite for the different environments.  
# Change 'admin' to something else for different ADMIN_URL_KEY values.  
RewriteRule ^/?(admin|install)/(.(*)?)$ $3 [E=MK_ENV: $1, QSA]  
  
# Redirect to Mokuji index.  
RewriteRule ^/?mokuji/ - [S=1]  
RewriteRule ^.*$ index.php [L, QSA]  
  
# -----  
# Gzip compression  
# -----  
  
<IfModule mod_deflate.c>  
  
    # Force deflate for mangled headers developer.yahoo.com/blogs/ymn/posts/2010/12/pushing-  
    forced-deflate
```

oeyona-gzip ping/

```
<IfModule mod_setenvif.c>
  <IfModule mod_headers.c>
    SetEnvIfNoCase ^(\Accept-EncodXng|X-cept-Encoding|X(15)|^(15)|-(15))$
    ^((gzip|deflate)\s*,?\s*)+([X"]-){4,13}$ HAVE_Accept-Encoding
    RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
  </IfModule>
</IfModule>
```

Compress all output labeled with one of the following MIME-types

```
<IfModule mod_filter.c>
  AddOutputFilterByType DEFLATE \
    application/atom+xml \
    application/javascript \
    application/json \
    application/rss+xml \
    application/vnd.ms-fontobject \
    application/x-font-ttf \
    application/xhtml+xml \
    application/xml \
    font/opentype \
    image/svg+xml \
    image/x-icon \
    text/css \
    text/html \
    text/plain \
    text/x-component \
    text/xml
</IfModule>
```

```
</IfModule>
```

```
# -----
# Expires headers (for better cache control)
# -----
```

```
<IfModule mod_expires.c>
  ExpiresActive on
```

Perhaps better to whitelist expires rules? Perhaps.

```
ExpiresDefault "access plus 1 month"
```

```
# cache, apache needs re-requests in FF 3.6 (thanks Remy "Introducing HTML5")
ExpiresByType text/cache-manifest      "access plus 0 seconds"

# Dynamic
ExpiresByType text/html                 "access plus 0 seconds"
ExpiresByType text/xml                  "access plus 0 seconds"
ExpiresByType application/xml           "access plus 0 seconds"
ExpiresByType application/json          "access plus 0 seconds"

# Feeds
ExpiresByType application/rss+xml       "access plus 1 hour"
ExpiresByType application/atom+xml      "access plus 1 hour"

# Favicon (cannot be renamed)
ExpiresByType image/x-icon              "access plus 1 week"

# CSS and JavaScript
ExpiresByType text/css                   "access plus 1 year"
ExpiresByType application/javascript     "access plus 1 year"

</IfModule>

# -----
# Accept REST calls
# -----

<Limit POST PUT PATCH DELETE>
    Order allow,deny
    Allow from all
</Limit>

php_value post_max_size 100M
php_value upload_max_filesize 100M
```