

ExpiresActive On

ExpiresDefault "modification plus 60 seconds"

ExpiresByType image/* "modification plus 30 days"

AddDefaultCharset utf-8

<IfModule mod_setenvif.c>

<IfModule mod_headers.c>

<FilesMatch "\.(bmp|curl|gif|ico|jpe?g|png|svgz?|webp)\$">

SetEnvIf Origin ":" IS_CORS

Header set Access-Control-Allow-Origin "*" env=IS_CORS

</FilesMatch>

</IfModule>

</IfModule>

<IfModule mod_headers.c>

<FilesMatch "\.(eot|otf|tt[cf]|woff2?)\$">

Header set Access-Control-Allow-Origin "*"

</FilesMatch>

</IfModule>

<IfModule mod_headers.c>

Header set X-UA-Compatible "IE=edge"

`mod_headers` cannot match based on the content-type, however,

the `X-UA-Compatible` response header should be send only for

HTML documents and not for the other resources.

<FilesMatch "\.

(appcache|atom|bbaw|bmp|crx|css|curl|eot|f4[abpv]|flv|geojson|gif|htcl|ico|jpe?
g|jsl|json|ld)?

|m4[av]|manifest|map|mp4|oex|og[agv]|opus|otf|pdf|png|rdfl|rssl|safariextz|svgz?

|swf|topojson|tt[cf]|txt|vcard|vcf|vtt|webapp|web[mp]|woff2?|xloc|xml|xpi)\$">

Header unset X-UA-Compatible

</FilesMatch>

</IfModule>

<IfModule mod_headers.c>

Header set X-Content-Type-Options "nosniff"

</IfModule>

</IfModule>

```
<!Module mod_deflate.c>
```

```
# Force compression for mangled `Accept-Encoding` request headers  
# https://developer.yahoo.com/blogs/ymn/pushing-beyond-gzipping-25601.html
```

```
<IfModule mod_setenvif.c>
```

```
  <IfModule mod_headers.c>
```

```
    SetEnvIfNoCase ^(\Accept-EncodXng|X-cept-Encoding|X(15)|^(15)|-(15))$  
    ^((gzip|deflate)\s*,?\s*)+([X"]-){4,13}$ HAVE_Accept-Encoding
```

```
    RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
```

```
  </IfModule>
```

```
</IfModule>
```

```
# -----
```

```
# Compress all output labeled with one of the following media types.
```

```
#
```

```
# (!) For Apache versions below version 2.3.7 you don't need to  
# enable `mod_filter` and can remove the `<IfModule mod_filter.c>`  
# and `</IfModule>` lines as `AddOutputFilterByType` is still in  
# the core directives.
```

```
#
```

```
# https://httpd.apache.org/docs/current/mod/mod_filter.html#addoutputfilterbytype
```

```
<IfModule mod_filter.c>
```

```
  AddOutputFilterByType DEFLATE "application/atom+xml" \  
    "application/javascript" \  
    "application/json" \  
    "application/ld+json" \  
    "application/manifest+json" \  
    "application/rdf+xml" \  
    "application/rss+xml" \  
    "application/schema+json" \  
    "application/vnd.geo+json" \  
    "application/vnd.ms-fontobject" \  
    "application/x-font-ttf" \  
    "application/x-javascript" \  
    "application/x-web-app-manifest+json" \  
    "application/xhtml+xml" \  
    "application/xml" \  
    "font/eot" \  
    "font/otf" \  
    "font/woff" \  
    "font/woff2"
```

```
"font/opentype" \  
"image/bmp" \  
"image/svg+xml" \  
"image/vnd.microsoft.icon" \  
"image/x-icon" \  
"text/cache-manifest" \  
"text/css" \  
"text/html" \  
"text/javascript" \  
"text/plain" \  
"text/vcard" \  
"text/vnd.rim.location.xloc" \  
"text/vtt" \  
"text/x-component" \  
"text/x-cross-domain-policy" \  
"text/xml"
```

```
</IfModule>
```

```
# -----
```

```
# Map the following filename extensions to the specified  
# encoding type in order to make Apache serve the file types  
# with the appropriate `Content-Encoding` response header  
# (do note that this will NOT make Apache compress them!).  
#  
# If these files types would be served without an appropriate  
# `Content-Enable` response header, client applications (e.g.:  
# browsers) wouldn't know that they first need to uncompress  
# the response, and thus, wouldn't be able to understand the  
# content.  
#  
# https://httpd.apache.org/docs/current/mod/mod\_mime.html#addencoding
```

```
<IfModule mod_mime.c>
```

```
    AddEncoding gzip          svgz
```

```
</IfModule>
```

```
</IfModule>
```