

```
Options +FollowSymLinks +ExecCGI
```

```
<IfModule mod_rewrite.c>
```

```
RewriteEngine On
```

```
# uncomment the following line, if you are having trouble  
# getting no_script_name to work  
#RewriteBase /
```

```
# we skip all files with .something  
#RewriteCond %{REQUEST_URI} \.+$  
#RewriteCond %{REQUEST_URI} !\.html$  
#RewriteRule .* - [L]
```

```
# Do NOT rewrite files when they exist  
RewriteCond %{REQUEST_FILENAME} -f  
RewriteRule .* - [QSA,L]
```

```
# RewriteCond %{HTTP_HOST} ^pool.*  
# RewriteRule ^(.*)$ pool.php [QSA,L]
```

```
# RewriteCond %{HTTP_HOST} ^(\ensisal|enscmul|lyon1-biol|lyon1-infol|lyon1-iufm).*  
# RewriteRule ^(.*)$ %{HTTP_HOST}$1 [C]  
# RewriteRule ^(\ensisal|enscmul|lyon1-biol|lyon1-infol|lyon1-iufm).* $1.php [QSA,L]
```

```
RewriteCond %{HTTP_HOST} ^([-a-z0-9]+\.)pinade\.org.*  
RewriteRule ^(.*)$ %{HTTP_HOST}$1 [C]  
RewriteRule ^([-a-z0-9]+\.)pinade.org.* index.php [QSA,L]
```

```
# RewriteCond %{HTTP_HOST} ^(lyon1-biol|ensisa).*  
# RewriteRule ^(.+) %{HTTP_HOST}$1 [C]  
# RewriteRule ^(lyon1-biol|ensisa)\.+$ $1.php [QSA,L]
```

```
# we check if the .html version is here (caching)  
RewriteRule ^$ index.html [QSA]  
RewriteRule ^([\^.]*)$ $1.html [QSA]  
RewriteCond %{REQUEST_FILENAME} !-f
```

```
# no, so we redirect to our front web controller  
RewriteRule ^(.*)$ index.php [QSA,L]
```

```
</IfModule>
```

