

DirectoryIndex index.php

RewriteEngine on

RewriteCond \$1 !^(index\.php|

(\.\.)\*\.(swf|forums|images|css|downloads|js|robots\.txt|favicon\.ico)

RewriteCond %{REQUEST\_FILENAME} !-f

RewriteCond %{REQUEST\_FILENAME} !-d

RewriteRule ^(\.\.)\*\$ ./index.php?\$1 [L,QSA]

RewriteCond %{SCRIPT\_FILENAME} -d [OR]

RewriteCond %{SCRIPT\_FILENAME} -f

RewriteRule "^(\/)\." - [F]

#

<IfModule mod\_headers.c>

Header set X-Frame-Options "DENY"

<FilesMatch "\.(appcache|atom|crx|css|curl|eot|f4[abpv]|flv|gif|htc|icol|jpe?  
g|js|json|ld)?

|m4[av]|manifest|map|mp4|oex|og[agv]|opus|otf|pdf|png|rdfl|rssl|safariextz|svgz?

|swf|tt[cf]|vcf|vtt|webapp|web[mp]|woff|xml|xpi)\$">

Header unset X-Frame-Options

</FilesMatch>

</IfModule>

<IfModule mod\_autoindex.c>

Options -Indexes

</IfModule>

<FilesMatch "^(^#.#|)\.(bak|config|dist|fla|in[ci]|log|psd|sh|sql|sw[op])|(\")\$">

#

# Apache < 2.3

<IfModule !mod\_authz\_core.c>

Order allow,deny

Deny from all

Satisfy All

</IfModule>

# Apache ≥ 2.3

<IfModule mod\_authz\_core.c>

Require all denied

</IfModule>

</FilesMatch>



```
application/ld+json \  
application/rss+xml \  
application/vnd.ms-fontobject \  
application/x-font-ttf \  
application/x-web-app-manifest+json \  
application/xhtml+xml \  
application/xml \  
font/opentype \  
image/svg+xml \  
image/x-icon \  
text/css \  
text/html \  
text/plain \  
text/x-component \  
text/xml
```

```
</IfModule>
```

```
</IfModule>
```

```
<IfModule mod_headers.c>
```

```
Header set Cache-Control "no-transform"
```

```
</IfModule>
```

```
# -----  
# | Expires headers |  
# -----
```

```
# The following expires headers are set pretty far in the future. If you  
# don't control versioning with filename-based cache busting, consider  
# lowering the cache time for resources such as style sheets and JavaScript  
# files to something like one week.
```

```
<IfModule mod_expires.c>
```

```
ExpiresActive on  
ExpiresDefault "access plus 1 month"
```

```
# CSS  
ExpiresByType text/css "access plus 1 year"
```

```
# Data interchange  
ExpiresByType application/json "access plus 0 seconds"
```

```

ExpiresByType application/ld+json "access plus 0 seconds"
ExpiresByType application/xml "access plus 0 seconds"
ExpiresByType text/xml "access plus 0 seconds"

# Favicon (cannot be renamed!) and cursor images
ExpiresByType image/x-icon "access plus 1 week"

# HTML components (HTCs)
ExpiresByType text/x-component "access plus 1 month"

# HTML
ExpiresByType text/html "access plus 0 seconds"

# JavaScript
ExpiresByType application/javascript "access plus 1 year"

# Manifest files
ExpiresByType application/x-web-app-manifest+json "access plus 0 seconds"
ExpiresByType text/cache-manifest "access plus 0 seconds"

# Media
ExpiresByType audio/ogg "access plus 1 month"
ExpiresByType image/gif "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType video/mp4 "access plus 1 month"
ExpiresByType video/ogg "access plus 1 month"
ExpiresByType video/webm "access plus 1 month"

# Web feeds
ExpiresByType application/atom+xml "access plus 1 hour"
ExpiresByType application/rss+xml "access plus 1 hour"

# Web fonts
ExpiresByType application/font-woff "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
ExpiresByType application/x-font-ttf "access plus 1 month"
ExpiresByType font/opentype "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"

```

</IfModule>

