

```
#First rewrite any request to the wrong domain to use the correct one (here www.)
#RewriteCond %{HTTP_HOST} !^www\.
#RewriteRule ^(.*)$ https://www.%{HTTP_HOST}%{REQUEST_URI} [L,R=301]

#Now, rewrite to HTTPS:
#RewriteCond %{HTTPS} off
#RewriteRule ^(.*)$ https://%{HTTP_HOST}%{REQUEST_URI} [L,R=301]

# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>

# END WordPress

<Files "xmlrpc.php">
Order Allow,Deny
deny from all
</Files>

AddType video/ogg .ogg
AddType video/mp4 .mp4
AddType video/webm .webm

# compress text, html, javascript, css, xml: AddOutputFilterByType DEFLATE text/plain
AddOutputFilterByType DEFLATE text/html AddOutputFilterByType DEFLATE text/xml
AddOutputFilterByType DEFLATE text/css AddOutputFilterByType DEFLATE application/xml
AddOutputFilterByType DEFLATE application/xhtml+xml AddOutputFilterByType DEFLATE
application/rss+xml AddOutputFilterByType DEFLATE application/javascript
AddOutputFilterByType DEFLATE application/x-javascript AddType x-font/otf .otf AddType x-
font/ttf .ttf AddType x-font/eot .eot AddType x-font/woff .woff AddType image/x-icon .ico
AddType image/png .png

## EXPIRES CACHING ##
<IfModule mod_expires.c>
ExpiresDefault 0
```

```
ExpiresActive on
ExpiresByType image/jpg "access plus 1 year"
ExpiresByType image/jpeg "access plus 1 year"
ExpiresByType image/gif "access plus 1 year"
ExpiresByType image/png "access plus 1 year"
ExpiresByType text/css "access plus 1 day"
ExpiresByType text/x-javascript "access plus 1 day"
ExpiresByType image/x-icon "access plus 1 year"
ExpiresDefault "access plus 2 days"
</IfModule>
## EXPIRES CACHING ##
```