

```
# For full documentation and other suggested options, please see
# http://svn.modxcms.com/docs/display/MODx096/Friendly+URL+Solutions
# including for unexpected logouts in multi-server/cloud environments
# and especially for the first three commented out rules

php_flag register_globals Off
AddDefaultCharset utf-8
php_value date.timezone Europe/Moscow

Options +FollowSymlinks
RewriteEngine On
RewriteBase /

# Rewrite domain.com -> www.domain.com -- used with SEO Strict URLs plugin
RewriteCond %{HTTP_HOST} .
RewriteCond %{HTTP_HOST} !^www\.televisionlab\.ru [NC]
RewriteRule (.*) http://www.televisionlab.ru/$1 [R=301,L]

# Exclude /assets and /manager directories and images from rewrite rules
RewriteRule ^(manager|assets)/*$ - [L]
RewriteRule \.(jpg|jpeg|png|gif|ico)$ - [L]

order deny,allow
deny from all

allow from 195.239
allow from 92.100
allow from 91.122
allow from 95.55
allow from 178.67

#Loop Prevent
#RewriteCond %{ENV:REDIRECT_STATUS} 200
#RewriteRule ^ - [L]

# IF the file exists, then:
#RewriteRule (.*/\.(gif) images.php?$1
#RewriteRule (.*/\.(html) docs.php?$1
# Skip past the "else" stanza.
#RewriteRule .? - [S=1]
# ELSE
```

```
# END...
#RewriteRule (.*) 404.php?file=$1
# END

#-----
#----- Friendly URL Routing

#Input Query http://www.televisionlab.ru/Digital/127248964/c1d0s0a0t0v0/on/
#RewriteCond %{QUERY_STRING} tags=([^\</>\. " '\{\}\}\*]*)&video=([0-9]{4,15})&set=
(c[11][0]d[11][0]s[11][0]a[11][0]t[11][0]v[11][0])&md=(on)
#RewriteRule .* $ %1/%2/%3/%4/? [NC,R=301,L]
#RewriteRule ^([^\</>\. " '\{\}\}\*]*)/([0-9]{4,15})/(c[11][0]d[11][0]s[11][0]a[11][0]t[11][0]v[11][0])[\/]
(0,1)(on)(0,1)[\/](0,1)$ index.php?tags=$1&video=$2&set=$3&md=$4 [NC,L]

#http://www.televisionlab.ru/127248964/c1d0s0a0t0v0/on/
#RewriteCond %{QUERY_STRING} video=([0-9]{4,15})&set=
(c[11][0]d[11][0]s[11][0]a[11][0]t[11][0]v[11][0])&md=(on)
#RewriteRule .* $ %1/%2/%3/? [NC,R=301,L]
#RewriteRule ^([0-9]{4,15})/(c[11][0]d[11][0]s[11][0]a[11][0]t[11][0]v[11][0])[\/](0,1)(on)(0,1)[\/]
(0,1)$ index.php?video=$1&set=$2&md=$3 [NC,L]

#http://www.televisionlab.ru/Digital/c1d0s0a0t0v0/on/
#RewriteCond %{QUERY_STRING} tags=([^\</>\. " '\{\}\}\*]*)&set=
(c[11][0]d[11][0]s[11][0]a[11][0]t[11][0]v[11][0])&md=(on)
#RewriteRule .* $ %1/%2/%3/? [NC,R=301,L]
#RewriteRule ^([^\</>\. " '\{\}\}\*]*)/(c[11][0]d[11][0]s[11][0]a[11][0]t[11][0]v[11][0])[\/](0,1)(on)(0,1)
[\/](0,1)$ index.php?tags=$1&set=$2&md=$3 [NC,L]

#http://www.televisionlab.ru/c1d0s0a0t0v0/on/
#RewriteCond %{QUERY_STRING} set=(c[11][0]d[11][0]s[11][0]a[11][0]t[11][0]v[11][0])&md=(on)
#RewriteRule .* $ %1/%2/? [NC,R=301,L]
#RewriteRule ^(c[11][0]d[11][0]s[11][0]a[11][0]t[11][0]v[11][0])[\/](0,1)(on)(0,1)[\/](0,1)$
index.php?set=$1&md=$2 [NC,L]

#http://www.televisionlab.ru/Digital/127248964/
#RewriteCond %{QUERY_STRING} tags=([^\</>\. " '\{\}\}\*]*)&video=([0-9]{4,15})
#RewriteRule .* $ %1/%2/? [NC,R=301,L]
#RewriteRule ^([^\</>\. " '\{\}\}\*]*)/([0-9]{4,15})[\/](0,1)$ index.php?tags=$1&video=$2
[NC,L]

#http://www.televisionlab.ru/127248964/
```

```
#RewriteCond %{QUERY_STRING} video=([0-9]{4,15})
#RewriteRule .* $ %1/? [NC,R=301,L]
#RewriteRule ^([0-9]{4,15})[\/]([0,1])$ index.php?video=$1 [NC,L]

#--> www.televisionlab.ru/?tags=$1
#RewriteCond %{QUERY_STRING} tags=([^\<>\. "'\{\}\}\#]*)
#RewriteCond %{ENV:REDIRECT_STATUS} ![0-2]*
#RewriteRule .* $ %1/? [NC,R=301,L]
#--> www.televisionlab.ru/Digital/

#RewriteRule ^([^\<>\. "'\{\}\}\#*)[\/]([0,1])$ index.php?tags=$1 [NC,L]
#--> www.televisionlab.ru/Digital/

#RewriteRule .* - [E=STATUS:maintenance]
#-----

#RewriteCond %{THE_REQUEST} /
#RewriteCond %{ENV:STATUS} ^maintenance$
#RewriteCond %{QUERY_STRING} video=([0-9]{4,15})
#RewriteRule .* $ %1/? [NC,R=301]

#RewriteCond %{QUERY_STRING} video=([0-9]{4,15})

#----
#RewriteRule ^([0-9]{4,15})[\/]([0,1])$ index.php?video=$1 [NC,L,E=STATUS:maintenance]

#-----

#Output Query http://www.televisionlab.ru/?video=73456
#RewriteCond %{QUERY_STRING} video=([0-9]{4,15})
#RewriteCond %{QUERY_STRING} !url_rewrited=1
#RewriteRule .* $ %1/? [L,R=301,NC]

#-----

# Reduce server overhead by enabling output compression if supported.
#php_flag zlib.output_compression On
#php_value zlib.output_compression_level 5

#ExpiresActive On
#ExpiresDefault "access plus 4 hours"
```

#ExpiresByType application/javascript "access plus 30 days"
#ExpiresByType application/x-javascript "access plus 30 days"
#ExpiresByType text/javascript "access plus 30 days"

#ExpiresByType image/gif "access plus 30 days"
#ExpiresByType image/png "access plus 30 days"
#ExpiresByType text/css "access plus 30 days"
#ExpiresByType image/jpeg "access plus 30 days"