

```

# =====
# .htaccess
# =====

DirectoryIndex index.html index.php

# HTTPS redirect
# =====

#RewriteEngine On
#RewriteCond %{HTTPS} off
#RewriteRule (.*) https://%{HTTP_HOST}%{REQUEST_URI} [R,L]

# Secure
# =====

<files wp-config.php>
    order allow,deny
    deny from all
</files>

<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteBase /
    RewriteRule ^wordpress/wp-admin/includes/ - [F,L]
    RewriteRule !^wordpress/wp-includes/ - [S=3]
    RewriteRule ^wordpress/wp-includes/[^\.]+\.\.php$ - [F,L]
    RewriteRule ^wordpress/wp-includes/js/tinymce/langs/.+\.php - [F,L]
    RewriteRule ^wordpress/wp-includes/theme-compat/ - [F,L]
</IfModule>

# Plugin Configs
# =====

# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d

```

```

RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>
# END WordPress

# BEGIN W3TC Page Cache core
<IfModule mod_rewrite.c>
    RewriteEngine On
    RewriteBase /
    RewriteCond %{HTTPS} =on
    RewriteRule .* - [E=W3TC_SSL:_ssl]
    RewriteCond %{SERVER_PORT} =443
    RewriteRule .* - [E=W3TC_SSL:_ssl]
    RewriteCond %{HTTP:Accept-Encoding} gzip
    RewriteRule .* - [E=W3TC_ENC:_gzip]
    RewriteCond %{HTTP_COOKIE} w3tc_preview [NC]
    RewriteRule .* - [E=W3TC_PREVIEW:_preview]
    RewriteCond %{REQUEST_METHOD} !=POST
    RewriteCond %{QUERY_STRING} =""
    RewriteCond %{REQUEST_URI} \/$
    RewriteCond %{HTTP_COOKIE} !(comment_author|wp\-
postpass|w3tc_logged_out|wordpress_logged_in|wptouch_switch_toggle) [NC]
    RewriteCond "%{DOCUMENT_ROOT}/cache/page_enhanced/%{HTTP_HOST}/%{REQUEST_URI}/_index%
{ENV:W3TC_SSL}%{ENV:W3TC_PREVIEW}.html%{ENV:W3TC_ENC}" -f
    RewriteRule .* "/cache/page_enhanced/%{HTTP_HOST}/%{REQUEST_URI}/_index%
{ENV:W3TC_SSL}%{ENV:W3TC_PREVIEW}.html%{ENV:W3TC_ENC}" [L]
</IfModule>
# END W3TC Page Cache core

# BEGIN W3TC Browser Cache
<IfModule mod_deflate.c>
    <IfModule mod_headers.c>
        Header append Vary User-Agent env=!dont-vary
    </IfModule>
    <IfModule mod_filter.c>
        AddOutputFilterByType DEFLATE text/css text/x-component application/x-javascript
application/javascript text/javascript text/x-js text/html text/richtext image/svg+xml
text/plain text/xsd text/xsl text/xml image/x-icon application/json
    </IfModule>
    # DEFLATE by extension
    AddOutputFilter DEFLATE js css htm html xml

```

```
</IfModule>
```

```
</IfModule>
```

```
</IfModule>
```

```
# END W3TC Browser Cache
```