```
# compress text, html, javascript, css, xml:
<IfModule mod_deflate.c>
AddOutputFilterByType DEFLATE text/plain
AddOutputFilterByType DEFLATE text/html
AddOutputFilterByType DEFLATE text/xml
AddOutputFilterByType DEFLATE text/css
AddOutputFilterByType DEFLATE application/xml
AddOutputFilterByType DEFLATE application/xhtml+xml
AddOutputFilterByType DEFLATE application/rss+xml
AddOutputFilterByType DEFLATE application/javascript
AddOutputFilterByType DEFLATE application/x-javascript # Or, compress certain file types
by extension:
                SetOutputFilter DEFLATE
</If Module>
##
# @package -
             Joomla
# @copyright Copyright (C) 2005 — 2014 Open Source Matters, All rights reserved,
# @license GNU General Public License version 2 or later; see LICENSE txt
##
##
# READ THIS COMPLETELY IF YOU CHOOSE TO USE THIS FILE!
# The line just below this section: 'Options +FollowSymLinks' may cause problems
# with some server configurations. It is required for use of mod_rewrite, but may already
# be set by your server administrator in a way that dissallows changing it in
# your .htaccess file.  If using it causes your server to error out, comment it out (add #
# beginning of line), reload your site in your browser and test your sef url's. If they
work,
# it has been set by your server administrator and you do not need it set here.
##
## Can be commented out if causes errors, see notes above.
Options +FollowSymLinks
## Mod_rewrite in use.
```

```
## Begin - Rewrite rules to block out some common exploits.
# If you experience problems on your site block out the operations listed below
# This attempts to block the most common type of exploit `attempts` to Joomla!
# Block out any script trying to base64_encode data within the URL.
RewriteCond %(QUERY STRING) base64 encode[^(]*\([^)]*\) [OR]
# Block out any script that includes a <script> tag in URL.
RewriteCond %(QUERY_STRING) (<1 %3C)([^s]*s)+cript.*(>1 %3E) [NC,OR]
# Block out any script trying to set a PHP GLOBALS variable via URL.
RewriteCond %(OUERY STRING) GLOBALS(=|\[|\%L0-9A-Z](0.2)) [OR]
# Block out any script trying to modify a _REQUEST variable via URL.
RewriteCond %(QUERY_STRING) _REQUEST(=|\[|\%L0-9A-Z](0,2))
# Return 403 Forbidden header and show the content of the root homepage
RewriteRule . * index.php [F]
## End - Rewrite rules to block out some common exploits.
## Begin - Custom redirects
# If you need to redirect some pages, or set a canonical non-www to
# www redirect (or vice versa), place that code here. Ensure those
# redirects use the correct RewriteRule syntax and the [R=301,L] flags.
## End - Custom redirects
##
# Uncomment following line if your webserver's URL
# is not directly related to physical file paths.
# Update Your Joomla! Directory (just / for root).
##
# RewriteBase /
## Begin - Joomla! core SEF Section.
RewriteRule . * - [E=HTTP_AUTHORIZATION: %(HTTP: Authorization)]
# If the requested path and file is not /index.php and the request
# has not already been internally rewritten to the index.php script
```

```
RewriteCond %{REQUEST_URI} ! "/index\.php

# and the requested path and file doesn't directly match a physical file

RewriteCond %{REQUEST_FILENAME} ! -f

# and the requested path and file doesn't directly match a physical folder

RewriteCond %{REQUEST_FILENAME} ! -d

# internally rewrite the request to the index, php script

RewriteRule . * index.php [L]

# ## End - Joomla! core SEF Section.
```