

```

# Define some types
AddType application/xhtml+xml .xht
AddType text/html .htm
AddType text/css .css
AddType image/png .png
AddType text/plain .data .list

# Set the default character set
AddDefaultCharset utf-8

# Indexing Options
Options +Indexes
IndexOptions DescriptionWidth=* NameWidth=* FancyIndexing FoldersFirst ScanHTMLTitles
IndexIgnore .htaccess *~ .* ## CVS README
ReadmeName README

# Set up the README files to be plain text
<files README>
  ForceType text/plain
  SetHandler default-handler
</files>

# Add some default descriptions
AddDescription "Information about the files in this directory" README

<files ~ '^character-encoding-03[1234567]\.(xhtml|xhtml|xml|html|htm)$' >
AddCharset us-ascii .xht .xhtml .xml .html .htm
</files>

<files ~ '^at-charset-07[1234567]\.(xhtml|xhtml|xml|html|htm)$' >
AddCharset us-ascii .xht .xhtml .xml .html .htm
</files>

<Files ~ "^cascade-import-002\.(xhtml|xhtml|xml|html|htm)$">
  Header add Link "<support/cascade-import-002d.css>; rel=\"stylesheet\""
  Header add Link "<support/cascade-import-002f.css>; rel=\"stylesheet\""
</files>

<Files ~ "^lang-selector-005\.(xhtml|xhtml|xml|html|htm)$">
AddLanguage fr .xht .xhtml .xml .html .htm
</files>

```

```
</files>
```

```
<Files ~ '^character-encoding-001\. (xht|xhtml|xml|html|htm)$' >
```

```
AddCharset utf-8 .xht .xhtml .xml .html .htm
```

```
</Files>
```

```
<Files ~ '^character-encoding-002\. (xht|xhtml|xml|html|htm)$' >
```

```
AddCharset utf-8 .xht .xhtml .xml .html .htm
```

```
</Files>
```

```
<Files ~ '^character-encoding-003\. (xht|xhtml|xml|html|htm)$' >
```

```
AddCharset iso-8859-1 .xht .xhtml .xml .html .htm
```

```
</Files>
```

```
<Files ~ '^character-encoding-004\. (xht|xhtml|xml|html|htm)$' >
```

```
AddCharset utf-8 .xht .xhtml .xml .html .htm
```

```
</Files>
```

```
<Files ~ '^character-encoding-005\. (xht|xhtml|xml|html|htm)$' >
```

```
AddCharset utf-8 .xht .xhtml .xml .html .htm
```

```
</Files>
```

```
<Files ~ '^character-encoding-006\. (xht|xhtml|xml|html|htm)$' >
```

```
AddCharset iso-8859-1 .xht .xhtml .xml .html .htm
```

```
</Files>
```

```
<Files ~ '^character-encoding-007\. (xht|xhtml|xml|html|htm)$' >
```

```
AddCharset utf-8 .xht .xhtml .xml .html .htm
```

```
</Files>
```

```
<Files ~ '^character-encoding-008\. (xht|xhtml|xml|html|htm)$' >
```

```
AddCharset utf-8 .xht .xhtml .xml .html .htm
```

```
</Files>
```

```
<Files ~ '^character-encoding-009\. (xht|xhtml|xml|html|htm)$' >
```

```
AddCharset iso-8859-1 .xht .xhtml .xml .html .htm
```

```
</Files>
```

```
<Files ~ '^character-encoding-010\. (xht|xhtml|xml|html|htm)$' >
```

```
AddCharset iso-8859-1 .xht .xhtml .xml .html .htm
```

```
</Files>
```

```
<Files ~ '^character-encoding-011\. (xht|xhtml|xml|html|htm)$' >
```

```
AddCharset iso-8859-15 .xht .xhtml .xml .html .htm
```

```
</Files>
```

```
<Files ~ '^character-encoding-012\. (xht|xhtml|xml|html|htm)$' >
```

```
AddCharset utf-8 .xht .xhtml .xml .html .htm
```

```
</Files>
```

```
<Files ~ '^character-encoding-013\. (xht|xhtml|xml|html|htm)$' >
```

```
AddCharset iso-8859-1 .xht .xhtml .xml .html .htm
```

```
</Files>
```

```
-----
```

```
<Files ~ '^character-encoding-014\.(xht|xhtml+xml|html|htm)$' >
AddCharset iso-8859-15 .xht .xhtml .xml .html .htm
</Files>
<Files ~ '^character-encoding-015\.(xht|xhtml+xml|html|htm)$' >
AddCharset iso-8859-1 .xht .xhtml .xml .html .htm
</Files>
<Files ~ '^character-encoding-016\.(xht|xhtml+xml|html|htm)$' >
AddCharset iso-8859-1 .xht .xhtml .xml .html .htm
</Files>
<Files ~ '^character-encoding-017\.(xht|xhtml+xml|html|htm)$' >
AddCharset iso-8859-15 .xht .xhtml .xml .html .htm
</Files>
<Files ~ '^character-encoding-018\.(xht|xhtml+xml|html|htm)$' >
AddCharset utf-8 .xht .xhtml .xml .html .htm
</Files>
<Files ~ '^character-encoding-019\.(xht|xhtml+xml|html|htm)$' >
AddCharset utf-8 .xht .xhtml .xml .html .htm
</Files>
<Files ~ '^character-encoding-020\.(xht|xhtml+xml|html|htm)$' >
AddCharset utf-8 .xht .xhtml .xml .html .htm
</Files>
<Files ~ '^character-encoding-021\.(xht|xhtml+xml|html|htm)$' >
AddCharset utf-8 .xht .xhtml .xml .html .htm
</Files>
<Files ~ '^character-encoding-022\.(xht|xhtml+xml|html|htm)$' >
AddCharset utf-8 .xht .xhtml .xml .html .htm
</Files>
<Files ~ '^character-encoding-023\.(xht|xhtml+xml|html|htm)$' >
AddCharset utf-8 .xht .xhtml .xml .html .htm
</Files>
<Files ~ '^character-encoding-024\.(xht|xhtml+xml|html|htm)$' >
AddCharset utf-8 .xht .xhtml .xml .html .htm
</Files>
<Files ~ '^character-encoding-025\.(xht|xhtml+xml|html|htm)$' >
AddCharset utf-8 .xht .xhtml .xml .html .htm
</Files>
<Files ~ '^character-encoding-026\.(xht|xhtml+xml|html|htm)$' >
AddCharset iso-8859-1 .xht .xhtml .xml .html .htm
</Files>
<Files ~ '^character-encoding-027\.(xht|xhtml+xml|html|htm)$' >
AddCharset iso-8859-1 .xht .xhtml .xml .html .htm
```

</Files>

<Files ~ '^character-encoding-028\. (xht|xhtml|xml|html|htm)\$' >

AddCharset iso-8859-1 .xht .xhtml .xml .html .htm

</Files>

<Files ~ '^character-encoding-029\. (xht|xhtml|xml|html|htm)\$' >

AddCharset iso-8859-1 .xht .xhtml .xml .html .htm

</Files>