

```
### =====
### Security Enhanced & Highly Optimized .htaccess File for Joomla!
### automatically generated by Admin Tools ADMINTOOLS_VERSION on 2012-07-26 16:02:12 GMT
### Auto-detected Apache version: 2.2 (best guess)
### =====
###
### The contents of this file are based on the same author's work "Master
### .htaccess", published on http://snipt.net/nikosdion/the-master-htaccess
###
### Admin Tools is Free Software, distributed under the terms of the GNU
### General Public License version 3 or, at your option, any later version
### published by the Free Software Foundation.
###
### !!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
### !!                                                                                               !!
### !! If you get an Internal Server Error 500 or a blank page when trying !!
### !! to access your site, remove this file and try tweaking its settings !!
### !! in the back-end of the Admin Tools component.                                               !!
### !!                                                                                               !!
### !!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!
###
##### RewriteEngine enabled - BEGIN
RewriteEngine On
##### RewriteEngine enabled - END

##### RewriteBase set - BEGIN
RewriteBase /
##### RewriteBase set - END

##### File execution order -- BEGIN
DirectoryIndex index.php index.html
##### File execution order -- END

##### No directory listings -- BEGIN
IndexIgnore *
Options All -Indexes
##### No directory listings -- END

##### Redirect index.php to / -- BEGIN
Redirect 302 /*THE_REQUEST/* /
```

```

RewriteCond %{THE_REQUEST} ^[A-Z]{3,9}\ /index\.php HTTP/
RewriteCond %{SERVER_PORT}>s ^{(443)<(s)|[0-9]+>s)}$
RewriteRule ^index\.php$ http%2://stagingj250.joomlaeditor.com/ [R=301,L]
##### Redirect index.php to / -- END
##### Rewrite rules to block out some common exploits -- BEGIN
RewriteCond %{QUERY_STRING} proc/self/environ [OR]
RewriteCond %{QUERY_STRING} mosConfig_[a-zA-Z]{1,21}(=|\%3D) [OR]
RewriteCond %{QUERY_STRING} base64_(en|de)code\(\. *\) [OR]
RewriteCond %{QUERY_STRING} (<| %3C). *script. *(>| %3E) [NC,OR]
RewriteCond %{QUERY_STRING} GLOBALS(=| \[| \\\[ 0-9A-Z]{0,2}) [OR]
RewriteCond %{QUERY_STRING} _REQUEST(=| \[| \\\[ 0-9A-Z]{0,2})
RewriteRule .* index.php [F]
##### Rewrite rules to block out some common exploits -- END
##### File injection protection -- BEGIN
RewriteCond %{REQUEST_METHOD} GET
RewriteCond %{QUERY_STRING} [a-zA-Z0-9_]=http:// [OR]
RewriteCond %{QUERY_STRING} [a-zA-Z0-9_]=(\\ \\ //?)+ [OR]
RewriteCond %{QUERY_STRING} [a-zA-Z0-9_]=/([a-z0-9_ ]//?)+ [NC]
RewriteRule .* - [F]
##### File injection protection -- END

##### Advanced server protection rules exceptions -- BEGIN
RewriteRule ^administrator/components/com_akeeba/restore\.php$ - [L]
RewriteRule ^administrator/components/com_admintools/restore\.php$ - [L]
RewriteRule ^plugins/editors/jckeditor/install/index\.php$ - [L]
RewriteRule ^plugins/editors/jckeditor/fields/combo\.php$ - [L]
RewriteRule ^plugins/editors/jckeditor/plugins/jtreelink/dialogs/initialize\.php$ - [L]
RewriteRule ^plugins/editors/jckeditor/plugins/jtreelink/dialogs/links\.php$ - [L]
RewriteRule ^plugins/editors/jckeditor/plugins/jfilebrowser/core/connector/php/conn
RewriteRule ^plugins/editors/jckeditor/plugins/jckexplorer/index\.php$ - [L]
RewriteRule ^plugins/editors/jckeditor/plugins/jckexplorer/phpthumb/phpThumb\.php$ - [L]
RewriteRule ^plugins/editors/jckeditor/plugins/jckexplorer/view_details\.php$ - [L]
RewriteRule ^plugins/editors/jckeditor/plugins/jckexplorer/view_tiles\.php$ - [L]
RewriteRule ^plugins/editors/jckeditor/plugins/jckexplorer/view_content\.php$ - [L]
RewriteRule ^plugins/editors/jckeditor/plugins/jckexplorer/view_list\.php$ - [L]
RewriteRule ^plugins/editors/jckeditor/plugins/jckexplorer/view_images_large\.php$ - [L]
RewriteRule ^plugins/editors/jckeditor/plugins/jckexplorer/view_images_small\.php$ - [L]
RewriteRule ^plugins/editors/jckeditor/plugins/jckexplorer/file_specs\.php$ - [L]
RewriteRule ^plugins/editors/jckeditor/plugins/jckexplorer/swfupload/upload\.php$ - [L]
RewriteRule ^plugins/editors/jckeditor/plugins/jckexplorer/actions\.php$ - [L]

```

```

RewriteRule ^plugins\editors\jckeditor\plugins\jckexplorer\process\.php$ - [L]
RewriteRule ^plugins\editors\jckeditor\plugins\jckexplorer\close\.php$ - [L]
RewriteRule ^plugins\editors\jckeditor\plugins\ImageManager\manager\.php$ - [L]
RewriteRule ^plugins\editors\jckeditor\plugins\ImageManager\images\.php$ - [L]
RewriteRule ^plugins\editors\jckeditor\plugins\ImageManager\thumbs\.php$ - [L]
RewriteRule ^plugins\editors\jckeditor\plugins\ImageManager\editor\.php$ - [L]
RewriteRule ^plugins\editors\jckeditor\plugins\ImageManager\editorFrame\.php$ - [L]
RewriteRule ^plugins\editors\jckeditor\plugins\jlink\diagnostics\suggest\.php$ - [L]
RewriteRule ^plugins\editors\jckeditor\plugins\autosave\autosave\.php$ - [L]
RewriteRule ^plugins\editors\jckeditor\plugins\texttranslate\gotranslate\.php$ - [L]
RewriteRule ^plugins\editors\jckeditor\plugins\atdckeditor\proxy\.php$ - [L]
RewriteRule ^plugins\editors\jckeditor\plugins\aspell\spellerpages\server-scripts\sp
RewriteRule ^plugins\editors\jckeditor\plugins\jallvideos\diagnostics\event\.php$ - [L]
RewriteRule ^plugins\editors\jckeditor\plugins\jsimpleimagegallery\diagnostics\event\.php$
RewriteRule ^plugins\editors\jckeditor\plugins\articlepreview\index\.php$ - [L]
RewriteRule ^plugins\editors\jckeditor\typography\typography\.php$ - [L]
RewriteRule ^plugins\editors\jckeditor\plugins\jallvideos\diagnostics\updatemediateype\.ph
RewriteRule ^plugins\editors\jckeditor\plugins\GeSHi\diagnostics\dialog\.php$ - [L]
RewriteRule ^plugins\editors\jckeditor\plugins\GeSHi\diagnostics\dialog\.php$ - [L]
RewriteRule ^plugins\editors\jckeditor\plugins\jdoclink\params\.config$ - [L]
RewriteRule ^plugins\editors\jckeditor\plugins\imageresize\imageresize\.php$ - [L]
RewriteRule ^plugins\editors\jckeditor\plugins\imageresize\simpleimage\.php$ - [L]
RewriteRule ^plugins\editors\jckeditor\plugins\htmlfilters\ajaxfilters\.php$ - [L]
RewriteRule ^plugins\editors\jckeditor\plugins\htmlfilters\helper\helper\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !(\.php)$
RewriteCond %{REQUEST_FILENAME} -f
RewriteRule ^plugins\editors\jckeditor\install/ - [L]
RewriteCond %{REQUEST_FILENAME} !(\.php)$
RewriteCond %{REQUEST_FILENAME} -f
RewriteRule ^plugins\editors\jckeditor\\.\\.\\.\\.\\.\\.\\.\\.files/ - [L]
RewriteRule ^templates\your_template_name_here/ - [L]
##### Advanced server protection rules exceptions -- END

##### Advanced server protection -- BEGIN

RewriteCond %{QUERY_STRING} \=PHPI[a-f0-9]{8}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{4}-[a-f0-9]{1}
RewriteRule .* - [F]
## Back-end protection
RewriteRule ^administrator/?$ - [L]
RewriteRule ^administrator/index\.(php|html)?$ - [L]
RewriteRule ^administrator/index[23]\.php$ - [L]

```

```

RewriteRule ^administrator/(components|modules|templates|images|plugins)/.*\.(jpe|jpg|jpeg|jp2|jpe2|png|gif|bmp|css|js|swf|html|mpg|mp3|mpeg|mp4|avi|wav|ogg|ogv|xls|xlsx)
RewriteRule ^administrator/ - [F]
## Explicitly allow access only to XML-RPC's xmlrpc/index.php or plain xmlrpc/ directory
RewriteRule ^xmlrpc/(index\.\php)?$ - [L]
RewriteRule ^xmlrpc/ - [F]
## Allow limited access for certain Joomla! system directories with client-accessible content
RewriteRule ^(components|modules|templates|images|plugins|media|libraries)/.*\.(jpe|jpg|jpeg|jp2|jpe2|png|gif|bmp|css|js|swf|html|mpg|mp3|mpeg|mp4|avi|wav|ogg|ogv|xls|xlsx)
RewriteRule ^(components|modules|templates|images|plugins|media|libraries)/.*index\.\php - [L]
RewriteRule ^(components|modules|templates|images|plugins|media|libraries)/ - [F]
## Disallow front-end access for certain Joomla! system directories (unless access to their content is explicitly allowed)
RewriteRule ^includes/js/ - [L]
RewriteRule ^(cache|includes|language|logs|tmp)/ - [F]

## Disallow access to rogue PHP files throughout the site, unless they are explicitly allowed
RewriteCond %{REQUEST_FILENAME} (\.\php)$
RewriteCond %{REQUEST_FILENAME} !(/index[23]?\.php)$
RewriteCond %{REQUEST_FILENAME} -f
RewriteRule (. *\.php)$ - [F]
## Disallow access to htaccess.txt, php.ini and configuration.php-dist
RewriteRule ^(htaccess\.\txt|configuration\.\php-dist|php\.ini)$ - [F]
##### Advanced server protection -- END

##### Joomla! core SEF Section -- BEGIN
RewriteRule .* - [E=HTTP_AUTHORIZATION:%{HTTP:Authorization}]
RewriteCond %{REQUEST_URI} !^/index\.\php
RewriteCond %{REQUEST_URI} /component/!(/[^\.]*\.\.(php|html)?|feed|pdf|raw|ini|zip|json|file|\.xml)
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule .* index.php [L]
##### Joomla! core SEF Section -- END

```