

```

# Enable this line to temporarily disable the Apache rewrite cache.
#Header set Cache-Control "max-age=0, private, no-store, no-cache, must-revalidate"

# Tell PHP that we are using Apache
SetEnv SERVER_TYPE Apache

<IfModule mod_rewrite.c>

    # Tell PHP that the mod_rewrite module is ENABLED.
    SetEnv HTTP_MOD_REWRITE On

    RewriteEngine On

    # Uncomment the next two lines to forward all HTTP to HTTPS
    #RewriteCond %{HTTPS} !=on
    #RewriteRule (.*) https://%{HTTP_HOST}%{REQUEST_URI} [R=301,L]

    # Forward all www. to non-www. Remove this rule if you want both available.
    RewriteCond %{HTTP_HOST} ^www\.(.*)$ [NC]
    RewriteRule ^(.*)$ http://%1/$1 [R=301,L]

    # Remove trailing slash from any non-directory path (canonicalization) - GET requests
    only
    RewriteCond %{REQUEST_FILENAME} !-d
    RewriteCond %{REQUEST_METHOD} =GET
    RewriteCond %{REQUEST_URI} (.+)/$
    RewriteRule ^ %1 [L,R=301]

    # Dynamically rewrite base directory (see
http://stackoverflow.com/questions/31062479/301-redirect-urls-that-are-also-being-
rewritten)
    RewriteCond $0#%{REQUEST_URI} ^([\^#]*)#(.*)\1$
    RewriteRule ^.*$ - [E=BASE:%2]

    # Forward any requested URLs that specifically contain index.php (see
http://stackoverflow.com/questions/31062479/301-redirect-urls-that-are-also-being-
rewritten)
    RewriteCond %{THE_REQUEST} /index\.php [NC]
    RewriteRule ^index\.php(?:/(.*)?)?$ %{ENV:BASE}$1 [L,R=301,NC,NE]

    # Send the URL to index.php (old method)

```

```

# Send the url to index.php (311M routing)
RewriteCond %{REQUEST_FILENAME} !-f
RewriteRule ^ index.php [QSA,L]

</IfModule>

# Deny access to any php, ini files
<Files php.ini>
    Order allow,deny
    Deny from all
</Files>

# Gzip Compression
<IfModule mod_deflate.c>
    # Force compression for mangled headers.
    # http://developer.yahoo.com/blogs/ymd/posts/2010/12/pushing-beyond-gzipping
    <IfModule mod_setenvif.c>
        <IfModule mod_headers.c>
            SetEnvIfNoCase ^(\Accept-EncodXng|X-cept-Encoding|X(15)|^(15)|-(15))$
            ^((gzip|deflate)\s*,?\s*)+([X"]-){4,13}$ HAVE_Accept-Encoding
            RequestHeader append Accept-Encoding "gzip,deflate" env=HAVE_Accept-Encoding
        </IfModule>
    </IfModule>

# Compress all output labeled with one of the following MIME-types
# (for Apache versions below 2.3.7, you don't need to enable `mod_filter`
# and can remove the `<IfModule mod_filter.c>` and `</IfModule>` lines
# as `AddOutputFilterByType` is still in the core directives).

<IfModule mod_filter.c>
    AddOutputFilterByType DEFLATE application/atom+xml \
    application/javascript \
    application/json \
    application/rss+xml \
    application/vnd.ms-fontobject \
    application/x-font-ttf \
    application/x-web-app-manifest+json \
    application/xhtml+xml \
    application/xml \
    font/opentype \
    image/svg+xml \
    .

```

```
image/x-icon \
text/css \
text/html \
text/plain \
text/x-component \
text/xml
</IfModule>
```

```
</IfModule>
```

```
# -----
# | Expires headers - enable this if you want browsers to cache content |
# -----
```

```
# Serve resources with far-future expires headers.
#
# (!) If you don't control versioning with filename-based
# cache busting, you should consider lowering the cache times
# to something like one week.
#
# https://httpd.apache.org/docs/current/mod/mod\_expires.html
```

```
#<IfModule mod_expires.c>
```

```
#
# ExpiresActive on
# ExpiresDefault "access plus 1 month"
#
# # CSS
#
# ExpiresByType text/css "access plus 1 hour"
#
# # Data interchange
#
# ExpiresByType application/atom+xml "access plus 1 hour"
# ExpiresByType application/rdf+xml "access plus 1 hour"
# ExpiresByType application/rss+xml "access plus 1 hour"
#
# ExpiresByType application/json "access plus 0 seconds"
# ExpiresByType application/ld+json "access plus 0 seconds"
# ExpiresByType application/schema+json "access plus 0 seconds"
```

```
# ExpiresByType application/vnd.geo+json "access plus 0 seconds"
# ExpiresByType application/xml "access plus 0 seconds"
# ExpiresByType text/xml "access plus 0 seconds"
#
#
# # Favicon (cannot be renamed!) and cursor images
#
# ExpiresByType image/vnd.microsoft.icon "access plus 1 week"
# ExpiresByType image/x-icon "access plus 1 week"
#
# # HTML
#
# ExpiresByType text/html "access plus 0 seconds"
#
#
# # JavaScript
#
# ExpiresByType application/javascript "access plus 1 hour"
# ExpiresByType application/x-javascript "access plus 1 hour"
# ExpiresByType text/javascript "access plus 1 hour"
#
#
# # Manifest files
#
# ExpiresByType application/manifest+json "access plus 1 week"
# ExpiresByType application/x-web-app-manifest+json "access plus 0 seconds"
# ExpiresByType text/cache-manifest "access plus 0 seconds"
#
#
# # Media files
#
# ExpiresByType audio/ogg "access plus 1 month"
# ExpiresByType image/bmp "access plus 1 month"
# ExpiresByType image/gif "access plus 1 month"
# ExpiresByType image/jpeg "access plus 1 month"
# ExpiresByType image/png "access plus 1 month"
# ExpiresByType image/svg+xml "access plus 1 month"
# ExpiresByType image/webp "access plus 1 month"
# ExpiresByType video/mp4 "access plus 1 month"
# ExpiresByType video/ogg "access plus 1 month"
# ExpiresByType video/webm "access plus 1 month"
```

```
#
#
# # Web fonts
#
# # Embedded OpenType (EOT)
# ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
# ExpiresByType font/eot "access plus 1 month"
#
# # OpenType
# ExpiresByType font/opentype "access plus 1 month"
#
# # TrueType
# ExpiresByType application/x-font-ttf "access plus 1 month"
#
# # Web Open Font Format (WOFF) 1.0
# ExpiresByType application/font-woff "access plus 1 month"
# ExpiresByType application/x-font-woff "access plus 1 month"
# ExpiresByType font/woff "access plus 1 month"
#
# # Web Open Font Format (WOFF) 2.0
# ExpiresByType application/font-woff2 "access plus 1 month"
#
#
# # Other
#
# ExpiresByType text/x-cross-domain-policy "access plus 1 week"
#
#</IfModule>
```