Use PHP 5.3
Use PHP53 as default
AddHandler application/x-httpd-php53 . php
<IfModule mod_suphp.c>
 suPHP_ConfigPath /opt/php53/lib
</IfModule>

##

@package Joomla
@copyright Copyright (C) 2005 - 2013 Open Source Matters. All rights reserved.
@license GNU General Public License version 2 or later; see LICENSE.txt
##

##

READ THIS COMPLETELY IF YOU CHOOSE TO USE THIS FILE!

#

The line just below this section: 'Options +FollowSymLinks' may cause problems # with some server configurations. It is required for use of mod_rewrite, but may already # be set by your server administrator in a way that dissallows changing it in # your .htaccess file. If using it causes your server to error out, comment it out (add # to # beginning of line), reload your site in your browser and test your sef url's. If they work, # it has been set by your server administrator and you do not need it set here.

Can be commented out if causes errors, see notes above.
Options +FollowSymLinks

Mod_rewrite in use.

RewriteEngine On

```
## Begin - Rewrite rules to block out some common exploits.
# If you experience problems on your site block out the operations listed below
# This attempts to block the most common type of exploit `attempts` to Joomla!
#
# Block out any script trying to base64_encode data within the URL.
RewriteCond %(QUERY_STRING) base64_encode[^(]*\([^)]*\) [OR]
# Block out any script that isoludes a consist test is UPU
```

```
# block out any script that includes a <script> tag in UKL.
RewriteCond %(QUERY_STRING) (<| %3C)([^s]*s)+cript.*(>| %3E) [NC, OR]
# Block out any script trying to set a PHP GLOBALS variable via URL.
RewriteCond %(QUERY_STRING) GLOBALS(=1\[1\%(0-9A-Z](0,2)) [OR]
# Block out any script trying to modify a _REQUEST variable via URL.
RewriteCond %(QUERY_STRING) _REQUEST(=|\[|\%[0-9A-Z](0,2))
# Return 403 Forbidden header and show the content of the root homepage
RewriteRule . * index. php [F]
#
## End – Rewrite rules to block out some common exploits.
## Begin - Custom redirects
#
# If you need to redirect some pages, or set a canonical non-www to
# www redirect (or vice versa), place that code here. Ensure those
# redirects use the correct RewriteRule syntax and the [R=301,L] flags.
#
## End - Custom redirects
##
# Uncomment following line if your webserver's URL
# is not directly related to physical file paths.
# Update Your Joomla! Directory (just / for root).
##
# RewriteBase /
## Begin - Joomla! core SEF Section.
#
RewriteRule . * - [E=HTTP AUTHORIZATION: %(HTTP: Authorization)]
#
# If the requested path and file is not /index.php and the request
# has not already been internally rewritten to the index.php script
RewriteCond %(REQUEST_URI) !^/index\.php
# and the request is for something within the component folder,
# or for the site root, or for an extensionless URL, or the
# requested URL ends with one of the listed extensions
RewriteCond %(REQUEST_URI) /component/((/[^,]*(\,(phpl html?) feed|pdf)vcf(raw))$ [NC]
# and the requested path and file doesn't directly match a physical file
RewriteCond %(REQUEST_FILENAME) !-f
# and the requested path and file doesn't directly match a physical folder
```

RewriteCond %(REQUEST_FILENAME) ! -d
internally rewrite the request to the index.php script
RewriteRule .* index.php [L]
#

End - Joomla! core SEF Section.