

```
<ifModule mod_rewrite.c>
  RewriteEngine On
  #Serve gzip compressed CSS files if they exist and the client accepts gzip.
  RewriteCond %{HTTP:Accept-encoding} gzip
  RewriteCond %{REQUEST_FILENAME}\.gz -s
  RewriteRule ^(.*)\.css$ $1\.css\.gz [QSA]

  # Serve gzip compressed JS files if they exist and the client accepts gzip.
  RewriteCond %{HTTP:Accept-encoding} gzip
  RewriteCond %{REQUEST_FILENAME}\.gz -s
  RewriteRule ^(.*)\.js$ $1\.js\.gz [QSA]

<IfModule mod_headers.c>
  # Serve correct content types, and prevent mod_deflate double gzip.
  RewriteRule \.css\.gz$ - [T=text/css,E=no-gzip:1,E=is_gzip:1]
  RewriteRule \.js\.gz$ - [T=text/javascript,E=no-gzip:1,E=is_gzip:1]
  Header set Content-Encoding "gzip" env=is_gzip
</IfModule>

# Push state support
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_URI} !index
RewriteRule (.*) index.html [L,QSA]
</ifModule>

DirectoryIndex index.php index.html
```