

```
# BULLETPROOF .47.1 MAINTENANCE .HTACCESS
```

```
RewriteEngine On  
RewriteBase /
```

```
# REQUEST METHODS FILTERED
```

```
RewriteEngine On  
RewriteCond %{REQUEST_METHOD} ^(HEAD|TRACE|DELETE|TRACK|DEBUG) [NC]  
RewriteRule ^(.*)$ - [F,L]
```

```
# TIMTHUMB FORBID RFI BY HOST NAME BUT ALLOW INTERNAL REQUESTS
```

```
RewriteCond %{QUERY_STRING} ^.*(http|https|ftp)(%3A|:)(%2F|/)(%2F|/)(w){0,3}?.?  
(blogger|picasa|blogspot|tsunami|petapolitiki|photobucket|imgurl|imageshack|wordpress|.com|img  
thegame).*$ [NC,OR]  
RewriteCond %{THE_REQUEST} ^.*(http|https|ftp)(%3A|:)(%2F|/)(%2F|/)(w){0,3}?.?  
(blogger|picasa|blogspot|tsunami|petapolitiki|photobucket|imgurl|imageshack|wordpress|.com|img  
thegame).*$ [NC]  
RewriteRule .* index.php [F,L]  
RewriteCond %{REQUEST_URI} (timthumb\.php|phpthumb\.php|thumb\.php|thumbs\.php) [NC]  
RewriteRule . - [S=1]
```

```
# BPSQSE BPS QUERY STRING EXPLOITS
```

```
RewriteCond %{HTTP_USER_AGENT} (<%0A| %0D| %27| %3C| %3E| %00) [NC,OR]  
RewriteCond %{HTTP_USER_AGENT} (libwww-  
perl|wget|python|nikto|curl|scan|java|winhttp|HTTrack|clsh|http|archiver|loader|email|harvest|  
RewriteCond %{THE_REQUEST} \?\ HTTP/ [NC,OR]  
RewriteCond %{THE_REQUEST} \/\ * \ HTTP/ [NC,OR]  
RewriteCond %{THE_REQUEST} etc/passwd [NC,OR]  
RewriteCond %{THE_REQUEST} cgi-bin [NC,OR]  
RewriteCond %{THE_REQUEST} (<%0A| %0D) [NC,OR]  
RewriteCond %{REQUEST_URI} owssvr\.dll [NC,OR]  
RewriteCond %{HTTP_REFERER} (<%0A| %0D| %27| %3C| %3E| %00) [NC,OR]  
RewriteCond %{HTTP_REFERER} \.opendirviewer\. [NC,OR]  
RewriteCond %{HTTP_REFERER} users\.skynet\.be.* [NC,OR]  
RewriteCond %{QUERY_STRING} [a-zA-Z0-9_]=http:// [OR]  
RewriteCond %{QUERY_STRING} [a-zA-Z0-9_]=(\.\.//?)+ [OR]  
RewriteCond %{QUERY_STRING} [a-zA-Z0-9_]=/([a-z0-9_ ]//?)+ [NC,OR]  
RewriteCond %{QUERY_STRING} \=PHP[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{11} [OR]  
RewriteCond %{QUERY_STRING} (\.\.//|\.\.) [OR]  
RewriteCond %{QUERY_STRING} ftp\ : [NC,OR]  
RewriteCond %{QUERY_STRING} F41-A- [NC,OR]
```

```

RewriteCond %{QUERY_STRING} http:// [NC,OR]
RewriteCond %{QUERY_STRING} https:// [NC,OR]
RewriteCond %{QUERY_STRING} \=|\ | [NC,OR]
RewriteCond %{QUERY_STRING} ^(\. *)\/self\/(\. *)$ [NC,OR]
RewriteCond %{QUERY_STRING} ^(\. *)cPath=http://(\. *)$ [NC,OR]
RewriteCond %{QUERY_SCRIPT} (\<|%)\. *script\. *(\>|%) [NC,OR]
RewriteCond %{QUERY_SCRIPT} (<|%)%3C([\^s]*s)+cript\. *(>|%) [NC,OR]
RewriteCond %{QUERY_SCRIPT} (\<|%)\. *iframe\. *(\>|%) [NC,OR]
RewriteCond %{QUERY_SCRIPT} (<|%)%3C([\^i]*i)+frame\. *(>|%) [NC,OR]
RewriteCond %{QUERY_STRING} base64_encode.*\(\. *) [NC,OR]
RewriteCond %{QUERY_STRING} base64_(en|de)code[^\(\. *)$ [NC,OR]
RewriteCond %{QUERY_STRING} GLOBALS(=| \[| \]| \[0-9A-Z]{0,2}) [OR]
RewriteCond %{QUERY_STRING} _REQUEST(=| \[| \]| \[0-9A-Z]{0,2}) [OR]
RewriteCond %{QUERY_STRING} ^.*\(|\)|\(|\)|\<|>.* [NC,OR]
RewriteCond %{QUERY_STRING} (NULL|OUTFILE|LOAD_FILE) [OR]
RewriteCond %{QUERY_STRING} (\. /| \. . /| \. . . /)+(\. motd|etc|bin) [NC,OR]
RewriteCond %{QUERY_STRING} (localhost|loopback|127\.\. 0\.\. 0\.\. 1) [NC,OR]
RewriteCond %{QUERY_STRING} (<|>|'|"%0A%0D%27%3C%3E%00) [NC,OR]
RewriteCond %{QUERY_STRING} concat[^\(\. *)$ [NC,OR]
RewriteCond %{QUERY_STRING} union([\^s]*s)+select [NC,OR]
RewriteCond %{QUERY_STRING} union([\^a]*a)+11([\^s]*s)+select [NC,OR]
RewriteCond %{QUERY_STRING} (;|<|>|'|"| \)|"%0A%0D%22%27%3C%3E%00).*
(</\*| union| select| insert| drop| delete| update| cast| create| char| convert| alter| declare| order| scr
RewriteCond %{QUERY_STRING} (sp_executesql) [NC]
RewriteRule ^(\. *)$ - [F,L]

RewriteCond %{REMOTE_ADDR} !^88\.\. 55\.\. 66\.\. 200$
RewriteCond %{REQUEST_URI} !^/bp-maintenance\. php$
RewriteCond %{REQUEST_URI} !^/wp-content/plugins/bulletproof-security/abstract-blue-bg\. png$
RewriteRule ^(\. *)$ /bp-maintenance. php [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index. php [L]

```