

```
<IfModule mod_rewrite.c>
# Turn on URL rewriting
RewriteEngine On

AddDefaultCharset utf-8

# compress text, HTML, JavaScript, CSS, and XML
AddOutputFilterByType DEFLATE text/plain
AddOutputFilterByType DEFLATE text/html
AddOutputFilterByType DEFLATE text/xml
AddOutputFilterByType DEFLATE text/css
AddOutputFilterByType DEFLATE application/xml
AddOutputFilterByType DEFLATE application/xhtml+xml
AddOutputFilterByType DEFLATE application/rss+xml
AddOutputFilterByType DEFLATE application/javascript
AddOutputFilterByType DEFLATE application/x-javascript

<files *.css>
SetOutputFilter DEFLATE
</files>

<files *.js>
SetOutputFilter DEFLATE
</files>

<ifModule mod_gzip.c>
  mod_gzip_on Yes
  mod_gzip_dechunk Yes
  mod_gzip_item_include file \.(html?|txt|css|js|php|pl)$
  mod_gzip_item_include handler ^cgi-script$
  mod_gzip_item_include mime ^text/. *
  mod_gzip_item_include mime ^application/x-javascript.*
  mod_gzip_item_exclude mime ^image/. *
  mod_gzip_item_exclude rspheader ^Content-Encoding: *gzip.*
</ifModule>

# remove browser bugs
BrowserMatch ^Mozilla/4 gzip-only-text/html
BrowserMatch ^Mozilla/4\.0[678] no-gzip
BrowserMatch \bMSIE !no-gzip !gzip-only-text/html
Header append Vary User-Agent
```

```
header append vary user-Agent
```

```
<IfModule mod_headers.c>
```

```
<FilesMatch "\.(js|css|xml|gz)$">
```

```
Header append Vary: Accept-Encoding
```

```
</FilesMatch>
```

```
</IfModule>
```

```
# Enable expirations
```

```
ExpiresActive On
```

```
# Default directive
```

```
ExpiresDefault "access plus 1 week"
```

```
ExpiresByType image/gif "access plus 1 month"
```

```
ExpiresByType image/png "access plus 1 month"
```

```
ExpiresByType image/jpg "access plus 1 month"
```

```
ExpiresByType image/jpeg "access plus 1 month"
```

```
ExpiresByType image/x-icon "access plus 1 year"
```

```
ExpiresByType text/css "access plus 1 week"
```

```
ExpiresByType application/javascript "access plus 1 week"
```

```
FileETag INode MTime Size
```

```
<FilesMatch "\.(html|html|php|cgi|pl)$">
```

```
ExpiresActive Off
```

```
Header set Expires "Wed, 11 Jan 1984 05:00:00 GMT"
```

```
Header set Cache-Control "max-age=0, no-cache, no-store, must-revalidate"
```

```
Header set Pragma "no-cache"
```

```
FileETag None
```

```
Header unset ETag
```

```
</FilesMatch>
```

```
#quitar www
```

```
RewriteCond %{HTTP_HOST} ^www\.(.*) [NC]
```

```
RewriteRule ^(.*)$ http://%1%{REQUEST_URI} [L,R=301]
```

```
# If your website begins from a folder e.g localhost/my_project then
```

```
# you have to change it to: RewriteBase /my_project/
```

```
# If your site begins from the root e.g. example.local/ then
```

```
# let it as it is
```

```
# If you are using a subdomain
```

```
#RewriteBase /dev/andres/multidom/
```

```
# Protect application and system files from being viewed when the index.php is missing
```

```
RewriteCond $1 ^(application|system|private|logs)
```

```
RewriteRule ^(.*)$ index.php/access_denied/$1 [PT,L]
```

```
# Allow these directories and files to be displayed directly:
```

```
RewriteCond $1 ^(index\.php|robots\.txt|favicon\.ico|assets|uploads)
```

```
RewriteRule ^(.*)$ - [PT,L]
```

```
# Rewrite to index.php/URL
```

```
RewriteRule ^(.*)$ index.php/$1 [PT,L]
```

```
</IfModule>
```