

RewriteEngine On

*# The following rule tells Apache that if the requested filename
exists, simply serve it.*

RewriteCond `%(REQUEST_FILENAME) -s [OR]`

RewriteCond `%(REQUEST_FILENAME) -l [OR]`

RewriteCond `%(REQUEST_FILENAME) -d`

RewriteRule `^.*$ - [NC,L]`

*# The following rewrites all other queries to index.php. The
condition ensures that if you are using Apache aliases to do
mass virtual hosting, the base path will be prepended to
allow proper resolution of the index.php file; it will work
in non-aliased environments as well, providing a safe, one-size
fits all solution.*

RewriteCond `%(REQUEST_URI)::%1 ^(/.+)(.+):%2$`

RewriteRule `^(.+) - [E=BASE:%1]`

RewriteRule `^(.+) $ %(ENV:BASE)index.php [NC,L]`

*# -----
Compressing output.
-----*

`<IfModule mod_deflate.c>`

`AddOutputFilterByType DEFLATE text/html text/plain text/css application/json`

`AddOutputFilterByType DEFLATE application/javascript`

`AddOutputFilterByType DEFLATE text/xml application/xml text/x-component`

`AddOutputFilterByType DEFLATE application/xhtml+xml application/rss+xml`

`application/atom+xml`

`AddOutputFilterByType DEFLATE image/x-icon image/svg+xml application/vnd.ms-fontobject`

`application/x-font-ttf font/opentype`

`</IfModule>`