

```

<IfModule mod_rewrite.c>

    # MultiViews INTERFERES WITH PROPER REWRITING.
    Options -MultiViews

    RewriteEngine On

    # UNCOMMENT AND PROPERLY SET THE RewriteBase IF THE REWRITE RULES ARE NOT WORKING
    PROPERLY.
    #RewriteBase /

    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{REQUEST_FILENAME} !-d
    RewriteRule . include/rewrite.php [L]

    # -----
    # DISABLE DIRECTORY BROWSING.
    # -----
    <IfModule mod_autoindex.c>
        Options -Indexes
    </IfModule>

    # -----
    # UTF-8 ENCODING.
    # -----

    # USE UTF-8 ENCODING FOR ANYTHING SERVED text/plain OR text/html.
    AddDefaultCharset utf-8

    # FORCE UTF-8 FOR A NUMBER OF FILE FORMATS.
    AddCharset utf-8 .html .css .js .xml .json .rss

    # -----
    # BETTER WEBSITE EXPERIENCE FOR INTERNET EXPLORER USERS.
    # -----
    <IfModule mod_setenvif.c>
        <IfModule mod_headers.c>
            BrowserMatch MSIE ie
            Header set X-UA-Compatible "IE=Edge,chrome=1" env=ie
        </IfModule>
    </IfModule>

```

```
</IfModule>
```

```
<IfModule mod_headers.c>
```

```
    # BECAUSE X-UA-Compatible ISN'T SENT TO NON-IE (TO SAVE HEADER BYTES), WE NEED TO  
    INFORM PROXIES THAT CONTENT CHANGES BASED ON UA.
```

```
    Header append Vary User-Agent
```

```
    # CACHE CONTROL IS SET ONLY IF mod_headers IS ENABLED, SO THAT'S UNNECESSARY TO  
    DECLARE.
```

```
</IfModule>
```

```
</IfModule>
```