

```
# BEGIN htaccess
# Standardize Charset
AddDefaultCharset utf-8

# Deny all from files
<Files ~ "\. (htaccess|htpasswd)$">
deny from all
</Files>

AddType application/x-httpd-php .html

Options Indexes

# Define homepage as index.php
DirectoryIndex index.php
order deny,allow

# Disable ServerSignature on generated error pages
ServerSignature Off

# Disable directory browsing
Options All -Indexes

# Keep Bots Out
SetEnvIfNoCase ^User-Agent$ .* (yahoo|slurp|google|bing) HTTP_SAFE_BADBOT
SetEnvIfNoCase ^User-Agent$ .* (aesop_com|spiderman|alexibot|backwebl|bandit|batchftp|bigfoot)
HTTP_SAFE_BADBOT
SetEnvIfNoCase ^User-Agent$ .* (black.?hole|blackwidow|blowfish|botalot|buddy|builtbottough|t
HTTP_SAFE_BADBOT
SetEnvIfNoCase ^User-Agent$ .* (cheesebot|cherrypicker|chinaclaw|collector|copier|copyrightcl
HTTP_SAFE_BADBOT
SetEnvIfNoCase ^User-Agent$ .* (cosmos|crescent|curl|custal|dal|diibot|discol|ditto|spider|dragon
HTTP_SAFE_BADBOT
SetEnvIfNoCase ^User-Agent$ .* (dripl|easydl|ebingbong|ecatch|eirgrabber|emailcollector|email:
HTTP_SAFE_BADBOT
SetEnvIfNoCase ^User-Agent$ .* (emailwolf|erocrawler|exabot|eyenetie|filehound|flashget|flunk
HTTP_SAFE_BADBOT
SetEnvIfNoCase ^User-Agent$ .* (frontpage|getright|getwebl|go.?zillal|go-ahead-got-it|gotit|gra
HTTP_SAFE_BADBOT
SetEnvIfNoCase ^User-Agent$ .* (grafal|harvest|hloader|hmvie|hhttplib|htrack|humanlinks|il:
HTTP_SAFE_BADBOT
```

HTTP_SAFE_BADBOT

SetEnvIfNoCase ^User-Agent\$.*(infonavirobot|infotekies|intelliseek|interget|irial|jennybot|;
HTTP_SAFE_BADBOT

SetEnvIfNoCase ^User-Agent\$.*(jocl|justview|jyxobot|kenjin|keyword|larbin|leechftp|lexibot|l
HTTP_SAFE_BADBOT

SetEnvIfNoCase ^User-Agent\$.*(likse|linkscan|linkwalker|Inspiderguy|lupl|magnet|mag-net|mark
HTTP_SAFE_BADBOT

SetEnvIfNoCase ^User-Agent\$.*(mata.|?haril|memol|microsoft.|?url|mi|down.|?tool|mi|xpc|mirror|mi:
HTTP_SAFE_BADBOT

SetEnvIfNoCase ^User-Agent\$.*(mister.|?pix|moget|mozilla.|?new|nameprotect|navroad|backdoort
HTTP_SAFE_BADBOT

SetEnvIfNoCase ^User-Agent\$.*(net.|?vampire|netants|netcraft|netmechanic|netspider|nextgens
HTTP_SAFE_BADBOT

SetEnvIfNoCase ^User-Agent\$.*(attach|nicerspro|nimblecrawler|npbot|octopus|offline.|?explor
HTTP_SAFE_BADBOT

SetEnvIfNoCase ^User-Agent\$.*(offline.|?navigator|openfind|outfoxbot|pagegrabber|papal|pavuk)
HTTP_SAFE_BADBOT

SetEnvIfNoCase ^User-Agent\$.*(pcbrowser|php.|?version.|?tracker|pockey|propowerbot|prowebwalk
HTTP_SAFE_BADBOT

SetEnvIfNoCase ^User-Agent\$.*(psbot|pump|query|recorder|realdownload|reaper|reget|true_rot
HTTP_SAFE_BADBOT

SetEnvIfNoCase ^User-Agent\$.*(repomonkey|rma|internetseer|sitesnagger|siphon|slysearch|smar
HTTP_SAFE_BADBOT

SetEnvIfNoCase ^User-Agent\$.*(snakel|snapbot|snoopy|sogoul|spacebison|spankbot|spanner|sqwor
HTTP_SAFE_BADBOT

SetEnvIfNoCase ^User-Agent\$.*(superhttp|surfbot|asterias|suzuran|szukacz|takeout|teleport)
HTTP_SAFE_BADBOT

SetEnvIfNoCase ^User-Agent\$.*(telesoft|the.|?intraformant|thenomad|tighttwatbot|titan|urldi:
HTTP_SAFE_BADBOT

SetEnvIfNoCase ^User-Agent\$.*(turingos|turnitinbot|urly.|?warning|vacuum|vcil|voidey|whacker
HTTP_SAFE_BADBOT

SetEnvIfNoCase ^User-Agent\$.*(widowl|wisnutbot|wwwoffle|xaldon|xenul|zeus|zyborg|anonymouse)
HTTP_SAFE_BADBOT

SetEnvIfNoCase ^User-Agent\$.*web(zipl|email|enhancer|fetch|go.|?

isl|autol|bandit|clip|copier|master|reaper|sauger|site.|?quester|whack) HTTP_SAFE_BADBOT

SetEnvIfNoCase ^User-Agent\$.*

(craftbot|download|extract|stripper|sucker|ninja|clshhttp|webspider|leacher|collector|grabber
HTTP_SAFE_BADBOT

SetEnvIfNoCase ^User-Agent\$.*(libwww-perl|aesop_com_spiderman) HTTP_SAFE_BADBOT

Deny from env=HTTP_SAFE_BADBOT