

```
<Files "http_channel_docs_base_content_location.xml">  
  Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_channel_link_base_content_location.xml">  
  Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_entry_author_url_base_content_location.xml">  
  Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_entry_content_base64_base_content_location.xml">  
  Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_entry_content_base_content_location.xml">  
  Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_entry_content_inline_base_content_location.xml">  
  Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_entry_contributor_url_base_content_location.xml">  
  Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_entry_id_base_content_location.xml">  
  Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_entry_link_base_content_location.xml">  
  Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_entry_summary_base64_base_content_location.xml">  
  Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_entry_summary_base_content_location.xml">
```

```
<files http_entry_summary_base_content_location.xml >
  Header set Content-Location http://example.com/
</Files>

<Files "http_entry_summary_inline_base_content_location.xml">
  Header set Content-Location http://example.com/
</Files>

<Files "http_entry_title_base64_base_content_location.xml">
  Header set Content-Location http://example.com/
</Files>

<Files "http_entry_title_base_content_location.xml">
  Header set Content-Location http://example.com/
</Files>

<Files "http_entry_title_inline_base_content_location.xml">
  Header set Content-Location http://example.com/
</Files>

<Files "http_feed_author_url_base_content_location.xml">
  Header set Content-Location http://example.com/
</Files>

<Files "http_feed_contributor_url_base_content_location.xml">
  Header set Content-Location http://example.com/
</Files>

<Files "http_feed_copyright_base64_base_content_location.xml">
  Header set Content-Location http://example.com/
</Files>

<Files "http_feed_copyright_base_content_location.xml">
  Header set Content-Location http://example.com/
</Files>

<Files "http_feed_copyright_inline_base_content_location.xml">
  Header set Content-Location http://example.com/
</Files>

<Files "http_feed_generator_url_base_content_location.xml">
```

```
Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_feed_id_base_content_location.xml">  
Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_feed_info_base64_base_content_location.xml">  
Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_feed_info_base_content_location.xml">  
Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_feed_info_inline_base_content_location.xml">  
Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_feed_link_base_content_location.xml">  
Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_feed_subtitle_base64_base_content_location.xml">  
Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_feed_subtitle_base_content_location.xml">  
Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_feed_subtitle_inline_base_content_location.xml">  
Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_feed_tagline_base64_base_content_location.xml">  
Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_feed_tagline_base_content_location.xml">  
Header set Content-Location http://example.com/  
</Files>
```

```
</Files>
```

```
<Files "http_feed_tagline_inline_base_content_location.xml">
```

```
  Header set Content-Location http://example.com/
```

```
</Files>
```

```
<Files "http_feed_title_base64_base_content_location.xml">
```

```
  Header set Content-Location http://example.com/
```

```
</Files>
```

```
<Files "http_feed_title_base_content_location.xml">
```

```
  Header set Content-Location http://example.com/
```

```
</Files>
```

```
<Files "http_feed_title_inline_base_content_location.xml">
```

```
  Header set Content-Location http://example.com/
```

```
</Files>
```

```
<Files "http_item_body_base_content_location.xml">
```

```
  Header set Content-Location http://example.com/
```

```
</Files>
```

```
<Files "http_item_comments_base_content_location.xml">
```

```
  Header set Content-Location http://example.com/
```

```
</Files>
```

```
<Files "http_item_content_encoded_base_content_location.xml">
```

```
  Header set Content-Location http://example.com/
```

```
</Files>
```

```
<Files "http_item_description_base_content_location.xml">
```

```
  Header set Content-Location http://example.com/
```

```
</Files>
```

```
<Files "http_item_fullitem_base_content_location.xml">
```

```
  Header set Content-Location http://example.com/
```

```
</Files>
```

```
<Files "http_item_link_base_content_location.xml">
```

```
  Header set Content-Location http://example.com/
```

```
</Files>
```

```
<Files "http_item_wfw_commentRSS_base_content_location.xml">  
  Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_item_wfw_comment_base_content_location.xml">  
  Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_item_xhtml_body_base_content_location.xml">  
  Header set Content-Location http://example.com/  
</Files>
```

```
<Files "http_relative_xml_base.xml">  
  Header set Content-Location http://example.com/  
</Files>
```