

```
php_value max_execution_time 1200
php_value memory_limit 6G
php_value post_max_size 1000M
php_value upload_max_filesize 1000M
```

```
php_flag implicit_flush on
php_value output_buffering off
php_value mbstring.internal_encoding UTF-8
```

```
RewriteEngine On
```

```
# The following rule tells Apache that if the requested filename
# exists, simply serve it.
```

```
RewriteCond %{REQUEST_FILENAME} -s [OR]
```

```
RewriteCond %{REQUEST_FILENAME} -l [OR]
```

```
RewriteCond %{REQUEST_FILENAME} -d
```

```
RewriteRule ^.*$ - [NC,L]
```

```
# The following rewrites all other queries to index.php. The
# condition ensures that if you are using Apache aliases to do
# mass virtual hosting, the base path will be prepended to
# allow proper resolution of the index.php file; it will work
# in non-aliased environments as well, providing a safe, one-size
# fits all solution.
```

```
RewriteCond %{REQUEST_URI}::$1 ^(/.+)(.+)::\2$
```

```
RewriteRule ^(.*) - [E=BASE:%1]
```

```
RewriteRule ^(.*)$ %{ENV:BASE}index.php [NC,L]
```

```
AddDefaultCharset UTF-8
```