

```
<Files proxy.pxt>
  ForceType text/pxt
  SetHandler perl-script
  PerlModule PXT : ApacheHandler
  PerlHandler PXT : ApacheHandler

  require acl mixin RHN : Access : System user_role(org_admin);
system_feature(ftr_proxy_capable); org_channel_family(rhn-proxy);
child_channel_candidate(rhn-proxy)
</Files>
```

```
<Files admin_group_list.pxt>
  ForceType text/pxt
  SetHandler perl-script
  PerlModule PXT : ApacheHandler
  PerlHandler PXT : ApacheHandler

  require acl user_role(org_admin) or user_role(system_group_admin);
system_feature(ftr_system_grouping)
</Files>
```

```
<Files target_group_list.pxt>
  ForceType text/pxt
  SetHandler perl-script
  PerlModule PXT : ApacheHandler
  PerlHandler PXT : ApacheHandler

  require acl user_role(org_admin) or user_role(system_group_admin);
system_feature(ftr_system_grouping)
</Files>
```

```
<Files activation.pxt>
  AuthType Basic
  AuthName "RHN Org Admin Area"

  PerlModule PXT : ApacheHandler
  PerlModule PXT : ApacheAuth
  PerlAuthenHandler PXT : ApacheAuth

  require acl system_feature(ftr_agent_smith)
</Files>
```

```
</files>
```

```
<Files update_confirm.pxt>
```

```
AuthType Basic
```

```
AuthName "RHN Org Admin Area"
```

```
PerlModule PXT: : ApacheHandler
```

```
PerlModule PXT: : ApacheAuth
```

```
PerlAuthenHandler PXT: : ApacheAuth
```

```
require acl system_feature(ftr_package_updates)
```

```
</Files>
```

```
<Files remote_commands.pxt>
```

```
AuthType Basic
```

```
AuthName "RHN Org Admin Area"
```

```
PerlModule PXT: : ApacheHandler
```

```
PerlModule PXT: : ApacheAuth
```

```
PerlAuthenHandler PXT: : ApacheAuth
```

```
require acl system_feature(ftr_remote_command)
```

```
</Files>
```