

```

# For Cloudflare allow IPs
allow from all
RewriteOptions inherit
<IfModule mod_expires.c>
    ExpiresActive On
    ExpiresDefault "access plus 1 day"
    ExpiresByType image/jpg "access plus 5 days"
    ExpiresByType image/jpeg "access plus 5 days"
    ExpiresByType image/gif "access plus 5 days"
    ExpiresByType image/png "access plus 5 days"
    ExpiresByType text/css "access plus 1 month"
    ExpiresByType application/pdf "access plus 1 month"
    ExpiresByType text/x-javascript "access plus 1 month"
    ExpiresByType application/x-shockwave-flash "access plus 1 month"
    ExpiresByType image/x-icon "access plus 1 year"
</IfModule>
<IfModule mod_headers.c>
    <FilesMatch "\.(ico|pdf|flv|jpg|jpeg|png|gif|js|css|swf|woff|woff2)$">
        Header set Cache-Control "max-age=290304000, public"
    </FilesMatch>
    <FilesMatch "\.(xml|txt)$">
        Header set Cache-Control "max-age=3600, public, must-revalidate"
    </FilesMatch>
    <FilesMatch "\.(html|html|php)$">
        Header set Cache-Control "max-age=3600, must-revalidate"
    </FilesMatch>
</IfModule>
<ifModule mod_gzip.c>
    mod_gzip_on Yes
    mod_gzip_dechunk Yes
    mod_gzip_item_include file \.(html?|txt|css|js|php|pl)$
    mod_gzip_item_include handler ^cgi-script$
    mod_gzip_item_include mime ^text/. *
    mod_gzip_item_include mime ^application/x-javascript.*
    mod_gzip_item_exclude mime ^image/. *
    mod_gzip_item_exclude rspheader ^Content-Encoding:.*gzip.*
</ifModule>
<IfModule mod_rewrite.c>
    RewriteEngine On
    # For force HTTPS using only
# RewriteCond %{REQUEST_METHOD} GET

```

```
# RewriteCond %{SERVER_PROTOCOL} ^https
# RewriteRule ^(.*)$ https://www.domain.tld/$1 [L,R=301]
# Enforce www
# If you have subdomains, you can add them to
# the list using the "|" (OR) regex operator
# RewriteCond %{HTTP_HOST} !^(www|subdomain) [NC]
# RewriteRule ^(.*)$ http://www.domain.tld/$1 [L,R=301]
# Enforce NO www
# RewriteCond %{HTTP_HOST} ^www [NC]
# RewriteRule ^(.*)$ http://domain.tld/$1 [L,R=301]
###
# Checks to see if the user is attempting to access a valid file,
# such as an image or css document, if this isn't true it sends the
# request to index.php
RewriteCond $1 !^(index\.php|assets|templates|install|photo|robots\.txt|favicon\.ico)
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule ^(.*)$ index.php?/$1 [QSA,L]
</IfModule>
```