

```
# BULLETPROOF . 51. 4 WP-ADMIN SECURE . HTACCESS

# If you edit the BULLETPROOF . 51. 4 WP-ADMIN SECURE . HTACCESS text above
# you will see error messages on the BPS Security Status page
# BPS is reading the version number in the htaccess file to validate checks
# BPS is also checking that the string BPSQSE exists in this file - do not delete it
# If you would like to change what is displayed above you
# will need to edit the BPS functions.php file to match your changes
# For more info see the BPS Guide at AIT-pro.com

# DO NOT ADD URL REWRITING IN THIS FILE OR WORDPRESS WILL BREAK
# RewriteRule ^(.*)$ - [F,L] - works in /wp-admin without breaking WordPress
# RewriteRule . /index.php [L] - will break WordPress

# ADD WP-ADMIN FILE NAMES TO FILESMATCH MAKING THEM 403 FORBIDDEN
# DENY BROWSER ACCESS TO WP-ADMIN INSTALL.PHP
# Add the wp-admin file names to FilesMatch and deny direct browser access to them.
# This would generate a HTTP 403 Forbidden error message instead of a 404 error.
# The root .htaccess file already has a security rule that blocks access to all
# /wp-admin/includes files in the wp-admin folder. Directly trying to access
# files with a browser in the wp-admin folder results in 404 HTTP errors, which is
# essentially the same protection that making the files forbidden 403 would achieve.
# Making /wp-admin/install.php forbidden is not really necessary, but has been
# added as an additional security measure.
# To allow yourself browser access to install.php replace Allow from 88. 77. 66. 55
# with your current IP address and remove the pound sign # from in front of the
# Allow from line of code below.

# BEGIN BPS WPADMIN DENY ACCESS TO FILES
<FilesMatch "^(install\.php|example\.php|example2\.php|example3\.php)">
Order allow,deny
Deny from all
#Allow from 88. 77. 66. 55
</FilesMatch>
# END BPS WPADMIN DENY ACCESS TO FILES

# BEGIN OPTIONAL WP-ADMIN ADDITIONAL SECURITY MEASURES:

# BEGIN CUSTOM CODE WPADMIN TOP: Add miscellaneous custom code here

# END CUSTOM CODE WPADMIN TOP
```

```
# END CUSTOM CODE WARNING TOP
```

```
# WP-ADMIN DIRECTORY PASSWORD PROTECTION - .htpasswd
```

```
# The BPS root .htaccess file already has a security rule that blocks access to all  
# /wp-admin/includes files in the wp-admin folder.
```

```
# The wp-admin directory already requires authentication to gain access to your  
# wp dashboard. Adding a second layer of authentication is not really necessary.  
# Users / visitors to your site will not be able to register or login  
# to your site without also having the additional login information.
```

```
# htpasswd encrypts passwords using either a version of MD5 modified for Apache,  
# or the system's crypt() routine. Files managed by htpasswd may contain both types  
# of passwords; some user records may have MD5-encrypted passwords while others in  
# the same file may have passwords encrypted with crypt().
```

```
# User accounts and passwords can be added in your host Control Panel or directly  
# in the .htpasswd file.
```

```
# The .htpasswd file should be in a Server protected directory and not in a public  
# directory.
```

```
# You can specify a single specific user or use valid-user to allow all valid  
# user accounts to be able to login to your site.
```

```
# EXAMPLE:
```

```
#AuthType basic
```

```
#AuthGroupFile /dev/null
```

```
#AuthUserFile /path/to/protected/server/directory/.htpasswd
```

```
#AuthName "Password Protected Area"
```

```
#require user Zippy
```

```
#require valid-user
```

```
# ADD YOUR CURRENT IP ADDRESS TO THIS FILE
```

```
# This will then require that you FTP to your site and manually change the IP  
# address in this .htaccess file. And users will not be able to register or login  
# to your site without having their IP addresses added to this file. It is possible  
# to automate this, but unfortunately in order to not lock you out of your own site  
# the IP address would have to be removed on exiting your site. This means that if  
# you are not currently logged in then no additional security is in effect.
```

```
# If you are not going to access or login to your site for a long time and you  
# are not allowing additional users to access your site then  
# manually adding an IP address may be an option you want to use temporarily.
```

```
# EXAMPLE:
```

```
#AuthUserFile /dev/null
```

```
## END CUSTOM CODE WARNING BOTTOM
```

```
#AuthGroupFile /dev/null
#AuthName "Password Protected Area"
#AuthType Basic
#order deny,allow
#deny from all
# whitelist home IP address
#allow from 64.233.169.99
# whitelist work IP address
#allow from 69.147.114.210
#allow from 199.239.136.200
# IP while in Kentucky; delete when back
#allow from 128.163.2.27

# END OPTIONAL WP-ADMIN ADDITIONAL SECURITY MEASURES

# REQUEST METHODS FILTERED
RewriteEngine On
RewriteCond %{REQUEST_METHOD} ^(HEAD|TRACE|DELETE|TRACK|DEBUG) [NC]
RewriteRule ^(.*)$ - [F,L]

# BEGIN CUSTOM CODE WPADMIN PLUGIN FIXES: Add ONLY WPADMIN personal plugin fixes code here

# END CUSTOM CODE WPADMIN PLUGIN FIXES

# Allow wp-admin files that are called by plugins
# Fix for WP Press This
RewriteCond %{REQUEST_URI} (press-this\.php) [NC]
RewriteRule . - [S=1]

# BEGIN BPSQSE-check BPS QUERY STRING EXPLOITS AND FILTERS
# BPSQSE-check BPS QUERY STRING EXPLOITS AND FILTERS
# WORDPRESS WILL BREAK IF ALL THE BPSQSE FILTERS ARE DELETED
RewriteCond %{HTTP_USER_AGENT} (%0A|%0D|%27|%3C|%3E|%00) [NC,OR]
RewriteCond %{HTTP_USER_AGENT} (libwww-
perl|wget|python|nikto|curl|scan|java|winhttp|HTTrack|clshttp|archiver|loader|email|harvest|
RewriteCond %{THE_REQUEST} (\?|\!|%2a)+(%20+\\s+|%20+\\s+|\\s+%20+|\\s+%20+\\s+)HTTP(:/|/)
RewriteCond %{THE_REQUEST} etc/passwd [NC,OR]
RewriteCond %{THE_REQUEST} cgi-bin [NC,OR]
RewriteCond %{THE_REQUEST} (%0A|%0D) [NC,OR]
RewriteCond %{REQUEST_URI} owssvr\.dll [NC,OR]
RewriteCond %{HTTP_REFERER} (%0A|%0D|%27|%3C|%3E|%00) [NC,OR]
```

```

RewriteCond %{HTTP_REFERER} \.opendirviewer\. [NC,OR]
RewriteCond %{HTTP_REFERER} users\.skynet\.be.* [NC,OR]
RewriteCond %{QUERY_STRING} [a-zA-Z0-9_]=http:// [NC,OR]
RewriteCond %{QUERY_STRING} [a-zA-Z0-9_]=(\.\.//?)+ [NC,OR]
RewriteCond %{QUERY_STRING} [a-zA-Z0-9_]=/([a-z0-9_ ]//?)+ [NC,OR]
RewriteCond %{QUERY_STRING} \=PHP[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}
RewriteCond %{QUERY_STRING} (\.\.//|%2e%2e%2f|%2e%2e/|\.\. %2f|%2e\.%2f|%2e\./|\.\.%2e%2f|\.\.%2e/
RewriteCond %{QUERY_STRING} ftp\:[NC,OR]
RewriteCond %{QUERY_STRING} http\:[NC,OR]
RewriteCond %{QUERY_STRING} https\:[NC,OR]
RewriteCond %{QUERY_STRING} \=| | | [NC,OR]
RewriteCond %{QUERY_STRING} ^(\. *)\/self\/(\. *)$ [NC,OR]
RewriteCond %{QUERY_STRING} ^(\. *)cPath=http://(\. *)$ [NC,OR]
RewriteCond %{QUERY_STRING} (<| %3C) .*script.*(>| %3E) [NC,OR]
RewriteCond %{QUERY_STRING} (<| %3C)([^\s]*s)+cript.*(>| %3E) [NC,OR]
RewriteCond %{QUERY_STRING} (<| %3C) .*iframe.*(>| %3E) [NC,OR]
RewriteCond %{QUERY_STRING} (<| %3C)([^\i]*i)+frame.*(>| %3E) [NC,OR]
RewriteCond %{QUERY_STRING} base64_encode.*\(\. *) [NC,OR]
RewriteCond %{QUERY_STRING} base64_(en|de)code[^\(\. *)$ [NC,OR]
RewriteCond %{QUERY_STRING} GLOBALS(=| \[| \)%[0-9A-Z]{0,2}) [OR]
RewriteCond %{QUERY_STRING} _REQUEST(=| \[| \)%[0-9A-Z]{0,2}) [OR]
RewriteCond %{QUERY_STRING} ^.*(\(|\)|<|>).* [NC,OR]
RewriteCond %{QUERY_STRING} (NULL|OUTFILE|LOAD_FILE) [OR]
RewriteCond %{QUERY_STRING} (\.(1,|/)+)(motd|etc|bin) [NC,OR]
RewriteCond %{QUERY_STRING} (localhost|loopback|127\.\.0\.\.1) [NC,OR]
RewriteCond %{QUERY_STRING} (<|>|'|"%0A%0D%27%3C%3E%00) [NC,OR]
RewriteCond %{QUERY_STRING} concat[^\(\. *)$ [NC,OR]
RewriteCond %{QUERY_STRING} union([^\s]*s)+elect [NC,OR]
RewriteCond %{QUERY_STRING} union([^\a]*a)+11([^\s]*s)+elect [NC,OR]
RewriteCond %{QUERY_STRING} (;|<|>|'|"|\)|%0A%0D%22%27%3C%3E%00).*
</\.*| union| select| insert| drop| delete| update| cast| create| char| convert| alter| declare| order| scr
[NC,OR]
RewriteCond %{QUERY_STRING} (sp_executesql) [NC]
RewriteRule ^(\. *)$ - [F,L]
# END BPSQSE-check BPS QUERY STRING EXPLOITS AND FILTERS

```