

```

<IfModule mod_rewrite.c>
# Activar RewriteEngine
AddType application/x-httpd-php .asp .py .pl
AddDefaultCharset UTF-8
LimitRequestBody 10000000

RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?gameday.de.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?play-texas-holdem.gameday.de.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?forever.kz.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?craps.forever.kz.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?roulette-online.forever.kz.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?play-poker.forever.kz.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?onlinecasino.forever.kz.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?texashold-em.freesevers.com.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?playonline.inn7winter.com.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?poker-new.com.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?available-poker.com.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?free-poker.available-poker.com.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?texasholdem.prv.pl.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?prv.pl.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?homestead.com.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?texaspoker.homestead.com.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?t-e-x-a-s-poker.com.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?texas-poker.olo.cc.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?holdem-poker.servertown.com.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?online-poker.played.by.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?empire-poker.black-poker.com.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?black-poker.com.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?free.fr.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?pc800cdf.free.fr.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?free-poker.standard-poker.com.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?cameralover.net.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?golfshoot.com.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?bitlocker.net.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?bayfronthomes.net.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?cafexml.com.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?turniptruck.com.*$ [NC]
RewriteCond %{HTTP_REFERER} ^http(s)?://(www\.)?trojan-horse.co.uk.*$ [NC]
RewriteRule .* - [F,L]
RewriteCond %{REMOTE_HOST} adm-muenchen\.de [NC,OR]
RewriteCond %{REMOTE_HOST} www11\.www11\.com [NC,OR]

```


RewriteCond %{HTTP_USER_AGENT} ^!wp- [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mass\ Downloader [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^MIDown\ tool [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Mister\ PiX [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Navroad [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NearSite [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetAnts [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetSpider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Net\ Vampire [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^NetZIP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Octopus [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Explorer [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Offline\ Navigator [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^PageGrabber [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Papa\ Foto [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^pavuk [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^pcBrowser [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^RealDownload [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^ReGet [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SiteSnagger [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SmartDownload [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Schmozilla [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperBot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^SuperHTTP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Surfbot [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^takeOut [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Teleport\ Pro [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^VoidEYE [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Image\ Collector [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Web\ Sucker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebAuto [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebCopier [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^webcollage [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebFetch [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebGo\ IS [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebLeacher [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebReaper [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebSauger [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ eXtractor [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Website\ Quester [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebStripper [NC,OR]

```
RewriteCond %{HTTP_USER_AGENT} ^WebWhacker [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WebZIP [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Wget [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Widow [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^WWWOFFLE [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Xaldon\ WebSpider [NC,OR]
RewriteCond %{HTTP_USER_AGENT} ^Zeuse [NC]
```

```
RewriteEngine On
```

```
RewriteRule ^.*$ - [F]
```

```
RewriteCond %{REQUEST_FILENAME} !-d
```

```
RewriteCond %{REQUEST_FILENAME}\.php -f
```

```
RewriteRule ^(.*)$ $1.php
```

```
Options -Indexes
```

```
</IfModule>
```

```
<ifmodule mod_php4.c>
```

```
php_value zlib.output_compression 16386
```

```
</ifmodule>
```

```
<IfModule mod_speling.c>
```

```
CheckSpelling On
```

```
</IfModule>
```