

```
# start Do not remove this comment, Prestashop will keep automatically the code
outside this comment when .htaccess will be generated again
# .htaccess automatically generated by PrestaShop e-commerce open-source solution
# http://www.prestashop.com - http://www.prestashop.com/forums
```

```
<IfModule mod_security.c>
SecFilterEngine Off
SecFilterScanPOST Off
</IfModule>
```

```
<IfModule mod_rewrite.c>
<IfModule mod_env.c>
SetEnv HTTP_MOD_REWRITE On
</IfModule>
```

```
RewriteEngine on
```

```
#Domain: labs, imago, web, ve
```

```
RewriteRule . - [E=REWRITEBASE:/puroextremo/]
```

```
RewriteRule ^api$ api/ [L]
```

```
RewriteRule ^api/(.*)$ %(ENV:REWRITEBASE)webservice/dispatcher.php?url=$1 [QSA,L]
```

```
# Images
```

```
RewriteRule ^([0-9])(\[_[a-zA-Z0-9-]*\]?(-[0-9]+)?/\. +\). jpg$ %
```

```
(ENV:REWRITEBASE)img/p/$1/$1$2$3.jpg [L]
```

```
RewriteRule ^([0-9])([0-9])(\[_[a-zA-Z0-9-]*\]?(-[0-9]+)?/\. +\). jpg$ %
```

```
(ENV:REWRITEBASE)img/p/$1/$2/$1$2$3$4.jpg [L]
```

```
RewriteRule ^([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\]?(-[0-9]+)?/\. +\). jpg$ %
```

```
(ENV:REWRITEBASE)img/p/$1/$2/$3/$1$2$3$4$5.jpg [L]
```

```
RewriteRule ^([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\]?(-[0-9]+)?/\. +\). jpg$ %
```

```
(ENV:REWRITEBASE)img/p/$1/$2/$3/$4/$1$2$3$4$5$6.jpg [L]
```

```
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\]?(-[0-9]+)?/\. +\). jpg$ %
```

```
(ENV:REWRITEBASE)img/p/$1/$2/$3/$4/$5/$1$2$3$4$5$6$7.jpg [L]
```

```
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\]?(-[0-9]+)?/\. +\). jpg$ %
```

```
(ENV:REWRITEBASE)img/p/$1/$2/$3/$4/$5/$6/$1$2$3$4$5$6$7$8.jpg [L]
```

```
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\]?(-[0-9]+)?/\. +\). jpg$ %
```

```
(ENV:REWRITEBASE)img/p/$1/$2/$3/$4/$5/$6/$7/$1$2$3$4$5$6$7$8$9.jpg [L]
```

```
RewriteRule ^([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])([0-9])(\[_[a-zA-Z0-9-]*\]?(-[0-9]+)?/\. +\). jpg$ %
```

```
(ENV:REWRITEBASE)img/p/$1/$2/$3/$4/$5/$6/$7/$8/$1$2$3$4$5$6$7$8$9$0.jpg [L]
```

```

\ENV: REWRITEBASE>img/p/$1/$2/$3/$4/$5/$6/$7/$8/$1$2$3$4$5$6$7$8$9$10.jpg [L]
RewriteRule ^c/([0-9]+)(\[-\[\, *_a-zA-Z0-9-]*)(-[0-9]+)?/.\.jpg$ %
\ENV: REWRITEBASE>img/c/$1$2$3.jpg [L]
RewriteRule ^c/([a-zA-Z_-]+)(-[0-9]+)?/.\.jpg$ %(ENV: REWRITEBASE)img/c/$1$2.jpg [L]
# AlphaImageLoader for IE and fancybox
RewriteRule ^images_ie/?(^[^/]+)\.(jpe?g|png|gif)$ js/jquery/plugins/fancybox/images/$1.$2
[L]

# Dispatcher
RewriteCond %(REQUEST_FILENAME) -s [OR]
RewriteCond %(REQUEST_FILENAME) -l [OR]
RewriteCond %(REQUEST_FILENAME) -d
RewriteRule ^.*$ - [NC,L]
RewriteRule ^.*$ %(ENV: REWRITEBASE)index.php [NC,L]
</IfModule>

AddType application/vnd.ms-fontobject .eot
AddType font/ttf .ttf
AddType font/otf .otf
AddType application/x-font-woff .woff
<IfModule mod_headers.c>
    <FilesMatch "\.(ttf|ttd|otf|eot|woff|svg)$">
        Header add Access-Control-Allow-Origin "*"
    </FilesMatch>
</IfModule>

<IfModule mod_expires.c>
    ExpiresActive On
    ExpiresByType image/gif "access plus 1 month"
    ExpiresByType image/jpeg "access plus 1 month"
    ExpiresByType image/png "access plus 1 month"
    ExpiresByType text/css "access plus 1 week"
    ExpiresByType text/javascript "access plus 1 week"
    ExpiresByType application/javascript "access plus 1 week"
    ExpiresByType application/x-javascript "access plus 1 week"
    ExpiresByType image/x-icon "access plus 1 year"
    ExpiresByType image/svg+xml "access plus 1 year"
    ExpiresByType image/vnd.microsoft.icon "access plus 1 year"
    ExpiresByType application/font-woff "access plus 1 year"
    ExpiresByType application/x-font-woff "access plus 1 year"
    ExpiresByType application/vnd.ms-fontobject "access plus 1 year"
    ExpiresByType application/atom+xml "access plus 1 year"

```

```
ExpiresByType font/opentype "access plus 1 year"
ExpiresByType font/ttf "access plus 1 year"
ExpiresByType font/otf "access plus 1 year"
ExpiresByType application/x-font-ttf "access plus 1 year"
ExpiresByType application/x-font-otf "access plus 1 year"
</IfModule>

<IfModule mod_headers.c>
    Header unset Etag
</IfModule>
FileETag none
<IfModule mod_deflate.c>
    <IfModule mod_filter.c>
        AddOutputFilterByType DEFLATE text/html text/css text/javascript
        application/javascript application/x-javascript font/ttf application/x-font-ttf font/otf
        application/x-font-otf font/opentype
    </IfModule>
</IfModule>

#If rewrite mod isn't enabled
ErrorDocument 404 /puroextremo/index.php?controller=404

# ""end"" Do not remove this comment, Prestashop will keep automatically the code outside
this comment when .htaccess will be generated again
```