

```
#
# GetSimple CMS htaccess ROOT file
# apache 2.4
#

# The following require certain allow overrides, if getting 500 error comment them out one
by one
# can be resolved in apache httpd.conf to ensure security alternatives

# override charset
AddDefaultCharset UTF-8

# prevent directory listings
Options -Indexes

# Follow symbolink links, This is required for rewrites on some hosts
Options +FollowSymLinks

# Set the default handler.
DirectoryIndex index.php

# blocks direct access to the XML files - they hold all the data!
<Files ~ "\.xml$" >
  <IfModule !mod_authz_core.c>
    Deny from all
  </IfModule>
  <IfModule mod_access_compat.c>
    Deny from all
  </IfModule>
  <IfModule mod_authz_core.c>
    <IfModule !mod_access_compat.c>
      Require all denied
    </IfModule>
  </IfModule>
</Files>

<Files sitemap.xml>
  <IfModule !mod_authz_core.c>
    Allow from all
  </IfModule>
  <IfModule mod_authz_core.c>
```

```
<!Module mod_access_compat.c>
  Allow from all
</IfModule>
<IfModule mod_authz_core.c>
  <IfModule !mod_access_compat.c>
    Require all granted
  </IfModule>
</IfModule>
</Files>

# handle rewrites for fancy urls
<IfModule mod_rewrite.c>

  # Tell PHP that the mod_rewrite module is ENABLED.
  SetEnv HTTP_MOD_REWRITE On

  RewriteEngine on

  # Usually RewriteBase is just '/', but
  # replace it with your subdirectory path
  RewriteBase /getsimplecms/

  RewriteCond %{REQUEST_FILENAME} !-f
  RewriteCond %{REQUEST_FILENAME} !-d
  RewriteRule /?([A-Za-z0-9_-]+)/?$ index.php?id=$1 [QSA,L]
</IfModule>
```