

```

## EXPIRES CACHING ##
<IfModule mod_expires.c>
ExpiresActive On
ExpiresByType image/jpg "access plus 1 year"
ExpiresByType image/jpeg "access plus 1 year"
ExpiresByType image/gif "access plus 1 year"
ExpiresByType image/png "access plus 1 year"
ExpiresByType text/css "access plus 1 month"
ExpiresByType application/pdf "access plus 1 month"
ExpiresByType text/x-javascript "access plus 1 month"
ExpiresByType application/x-shockwave-flash "access plus 1 month"
ExpiresByType image/x-icon "access plus 1 year"
ExpiresDefault "access plus 1 year"
</IfModule>

## EXPIRES CACHING ##

<FilesMatch "\.(ttf|ttd|otf|eot|woff)$">
<IfModule mod_headers.c>
Header set Access-Control-Allow-Origin "*"
</IfModule>
</FilesMatch>

# BEGIN WPSuperCache
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /

#If you serve pages from behind a proxy you may want to change 'RewriteCond %{HTTPS} on'
to something more sensible
AddDefaultCharset UTF-8
RewriteCond %{REQUEST_METHOD} !POST
RewriteCond %{QUERY_STRING} !, *=, *
RewriteCond %{HTTP: Cookie} !^.*(comment_author_|wordpress_logged_in|wp-postpass_).*$
RewriteCond %{HTTP: X-Wap-Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP: Profile} !^[a-z0-9\ ]+ [NC]
RewriteCond %{HTTP_USER_AGENT} !^.*( ).* [NC]
RewriteCond %{HTTP_user_agent} !^.*( ).* [NC]
RewriteCond %{HTTP: Accept-Encoding} gzip
RewriteCond %{HTTPS} on
RewriteCond %{DOCUMENT_ROOT}/wp-content/cache/supercache/%{SERVER_NAME}/$1/index-
https.html.gz -f
RewriteRule ^/wp-content/cache/supercache/%{SERVER_NAME}/$1/index-https.html.gz -f

```

```

RewriteRule ^(.*) /wp-content/cache/supercache/%%{SERVER_NAME}/$1/index-https.html.gz [L]

RewriteCond %%{REQUEST_METHOD} !POST
RewriteCond %%{QUERY_STRING} !, *=, *
RewriteCond %%{HTTP: Cookie} !^.*(comment_author_|wordpress_logged_in|wp-postpass_).*$
RewriteCond %%{HTTP: X-Map-Profile} !^[a-z0-9\"]+ [NC]
RewriteCond %%{HTTP: Profile} !^[a-z0-9\"]+ [NC]
RewriteCond %%{HTTP_USER_AGENT} !^.*( ), * [NC]
RewriteCond %%{HTTP_user_agent} !^.*( ), * [NC]
RewriteCond %%{HTTP: Accept-Encoding} gzip
RewriteCond %%{HTTPS} !on
RewriteCond %%{DOCUMENT_ROOT}/wp-content/cache/supercache/%%{SERVER_NAME}/$1/index.html.gz -f
RewriteRule ^(.*) "/wp-content/cache/supercache/%%{SERVER_NAME}/$1/index.html.gz" [L]

RewriteCond %%{REQUEST_METHOD} !POST
RewriteCond %%{QUERY_STRING} !, *=, *
RewriteCond %%{HTTP: Cookie} !^.*(comment_author_|wordpress_logged_in|wp-postpass_).*$
RewriteCond %%{HTTP: X-Map-Profile} !^[a-z0-9\"]+ [NC]
RewriteCond %%{HTTP: Profile} !^[a-z0-9\"]+ [NC]
RewriteCond %%{HTTP_USER_AGENT} !^.*( ), * [NC]
RewriteCond %%{HTTP_user_agent} !^.*( ), * [NC]
RewriteCond %%{HTTPS} on
RewriteCond %%{DOCUMENT_ROOT}/wp-content/cache/supercache/%%{SERVER_NAME}/$1/index-https.html -f
RewriteRule ^(.*) "/wp-content/cache/supercache/%%{SERVER_NAME}/$1/index-https.html" [L]

RewriteCond %%{REQUEST_METHOD} !POST
RewriteCond %%{QUERY_STRING} !, *=, *
RewriteCond %%{HTTP: Cookie} !^.*(comment_author_|wordpress_logged_in|wp-postpass_).*$
RewriteCond %%{HTTP: X-Map-Profile} !^[a-z0-9\"]+ [NC]
RewriteCond %%{HTTP: Profile} !^[a-z0-9\"]+ [NC]
RewriteCond %%{HTTP_USER_AGENT} !^.*( ), * [NC]
RewriteCond %%{HTTP_user_agent} !^.*( ), * [NC]
RewriteCond %%{HTTPS} !on
RewriteCond %%{DOCUMENT_ROOT}/wp-content/cache/supercache/%%{SERVER_NAME}/$1/index.html -f
RewriteRule ^(.*) "/wp-content/cache/supercache/%%{SERVER_NAME}/$1/index.html" [L]
</IfModule>

```

END WPSuperCache

» [Return to top](#)

```
# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteRule ^index\.php$ - [L]
RewriteCond %(REQUEST_FILENAME) !-f
RewriteCond %(REQUEST_FILENAME) !-d
RewriteRule . /index.php [L]
</IfModule>

# END WordPress
```