

Options FollowSymLinks Includes MultiViews SymLinksIfOwnerMatch

```
<Files *
```

```
    Order allow,deny
```

```
    Deny from all
```

```
</Files>
```

```
<Files ~ "^$" >
```

```
    Order allow,deny
```

```
    allow from all
```

```
    AcceptPathInfo On
```

```
    ForceType application/x-httpd-php
```

```
</Files>
```

```
# Others Scripts
```

```
<Files ~ "\.(css|js|csv)$" >
```

```
    Order allow,deny
```

```
    allow from all
```

```
</Files>
```

```
# PDF, XML & Images
```

```
<Files ~ "\.(pdf|xml|xsl|jpg|gif|png|ico)$" >
```

```
    Order allow,deny
```

```
    allow from all
```

```
</Files>
```

```
# Index
```

```
<Files ~ "(csv|xml|json|check)$" >
```

```
    Order allow,deny
```

```
    allow from all
```

```
    AcceptPathInfo On
```

```
    ForceType application/x-httpd-php
```

```
</Files>
```

```
AddDefaultCharset ISO-8859-1
```

```
# PHP error handling for development servers
```

```
php_flag register_globals on
```

```
php_flag display_startup_errors on
```

```
php_flag display_errors on
```

```
php_flag html_errors on
```

```
php_flag ntm_errors on
php_flag log_errors on
php_flag ignore_repeated_errors off
php_flag ignore_repeated_source off
php_flag report_memleaks on
php_flag track_errors on
php_value docref_root 0
php_value docref_ext 0
php_value error_reporting -1
php_value log_errors_max_len 0
php_value error_log /tmp/php.log
```