

```

# BEGIN WordPress
<IfModule mod_rewrite.c>
RewriteEngine On
RewriteBase /
RewriteRule ^index\.php$ - [L]
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteRule . /index.php [L]
</IfModule>
# END WordPress

# DIRECTORIES
# Disable Directory Listings in this Directory and Subdirectories
# This will hide the files from the public unless they know direct URLs
Options -Indexes
# END DIRECTORIES

# HIDDEN FILES AND DIRECTORIES
<IfModule mod_rewrite.c>
    RewriteCond %{SCRIPT_FILENAME} -d [OR]
    RewriteCond %{SCRIPT_FILENAME} -f
    RewriteRule "(^|/)\." - [F]
</IfModule>
# END HIDDEN FILES AND DIRECTORIES

# CACHE CONTROL
<IfModule mod_expires.c>
    ExpiresActive on
    ExpiresDefault "access plus 1 month"

    # CSS
    ExpiresByType text/css "access plus 1 month"

    # Data interchange
    ExpiresByType application/atom+xml "access plus 1 hour"
    ExpiresByType application/rdf+xml "access plus 1 hour"
    ExpiresByType application/rss+xml "access plus 1 hour"

    ExpiresByType application/json "access plus 0 seconds"
    ExpiresByType application/ld+json "access plus 0 seconds"
    ExpiresByType application/vnd.ms-fontobject "access plus 0 seconds"

```

```
ExpiresByType application/schema+json "access plus 0 seconds"
ExpiresByType application/vnd.geo+json "access plus 0 seconds"
ExpiresByType application/xml "access plus 0 seconds"
ExpiresByType text/xml "access plus 0 seconds"
```

### *# Favicon (cannot be renamed!) and cursor images*

```
ExpiresByType image/vnd.microsoft.icon "access plus 1 week"
ExpiresByType image/x-icon "access plus 1 week"
```

### *# HTML*

```
ExpiresByType text/html "access plus 0 seconds"
```

### *# JavaScript*

```
ExpiresByType application/javascript "access plus 1 month"
ExpiresByType application/x-javascript "access plus 1 month"
ExpiresByType text/javascript "access plus 1 month"
```

### *# Manifest files*

```
ExpiresByType application/manifest+json "access plus 1 year"

ExpiresByType application/x-web-app-manifest+json "access plus 0 seconds"
ExpiresByType text/cache-manifest "access plus 0 seconds"
```

### *# Media files*

```
ExpiresByType audio/ogg "access plus 1 month"
ExpiresByType image/bmp "access plus 1 month"
ExpiresByType image/gif "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"
ExpiresByType image/webp "access plus 1 month"
ExpiresByType video/mp4 "access plus 1 month"
ExpiresByType video/ogg "access plus 1 month"
ExpiresByType video/webm "access plus 1 month"
```

### *# Web fonts*

#### *# Embedded OpenType (EOT)*

```
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
ExpiresByType font/eot "access plus 1 month"
```

#### *# OpenType*

```
ExpiresByType font/otf "access plus 1 month"
```

```

ExpiresByType font/opentype                "access plus 1 month"

# TrueType
ExpiresByType application/x-font-ttf       "access plus 1 month"

# Web Open Font Format (WOFF) 1.0
ExpiresByType application/font-woff        "access plus 1 month"
ExpiresByType application/x-font-woff      "access plus 1 month"
ExpiresByType font/woff                    "access plus 1 month"

# Web Open Font Format (WOFF) 2.0
ExpiresByType application/font-woff2       "access plus 1 month"

# Other
ExpiresByType text/x-cross-domain-policy   "access plus 1 week"
</IfModule>

# ALLOW CROSS DOMAIN FONTS
<IfModule mod_headers.c>
    <FilesMatch "\.(eot|otf|ttf|woff)$">
        Header set Access-Control-Allow-Origin "*"
    </FilesMatch>
</IfModule>
# END ALLOW CROSS DOMAIN FONTS

# ALLOW CROSS DOMAIN IMAGES
<IfModule mod_setenvif.c>
    <IfModule mod_headers.c>
        <FilesMatch "\.(curl|gif|ico|jpe?g|png|svgz?|webp)$">
            SetEnvIf Origin ":" IS_CORS
            Header set Access-Control-Allow-Origin "*" env=IS_CORS
        </FilesMatch>
    </IfModule>
</IfModule>
# END ALLOW CROSS DOMAIN IMAGES

# BEGIN GZIP
# mod_gzip compression (legacy, Apache 1.3)
<IfModule mod_gzip.c>
    mod_gzip_on Yes
    mod_gzip_dechunk Yes

```

```
mod_gzip_item_include file \.(html?|xml|txt|css|js)$
mod_gzip_item_include handler ^cgi-script$
mod_gzip_item_include mime ^text/. *
mod_gzip_item_include mime ^application/x-javascript.*
mod_gzip_item_exclude mime ^image/. *
mod_gzip_item_exclude rspheader ^Content-Encoding:.*gzip.*

</IfModule>
# END GZIP
# DEFLATE compression
<IfModule mod_deflate.c>
    # Set compression for: html,txt,xml,js,css
    AddOutputFilterByType DEFLATE application/atom+xml \
        application/javascript \
        application/json \
        application/rss+xml \
        application/vnd.ms-fontobject \
        application/x-font-ttf \
        application/x-web-app-manifest+json \
        application/xhtml+xml \
        application/xml \
        font/opentype \
        image/svg+xml \
        image/x-icon \
        text/css \
        text/html \
        text/plain \
        text/x-component \
        text/xml

</IfModule>
# END DEFLATE
```