

```
#RewriteEngine on
#RewriteCond %{REMOTE_ADDR} !^123\.456\.789\.000
#RewriteCond %{REQUEST_URI} !/maintenance.html$ [NC]
#RewriteCond %{REQUEST_URI} !\.(jpe?g?|png|gif|css) [NC]
#RewriteRule .* /maintenance.html [R=302,L]
```

RewriteEngine On

```
# The following rule tells Apache that if the requested filename
# exists, simply serve it.
```

```
RewriteCond %{REQUEST_FILENAME} -s [OR]
```

```
RewriteCond %{REQUEST_FILENAME} -l [OR]
```

```
RewriteCond %{REQUEST_FILENAME} -d
```

```
RewriteRule ^.*$ - [NC,L]
```

```
# The following rewrites all other queries to index.php. The
# condition ensures that if you are using Apache aliases to do
# mass virtual hosting, the base path will be prepended to
# allow proper resolution of the index.php file; it will work
# in non-aliased environments as well, providing a safe, one-size
# fits all solution.
```

```
RewriteCond %{REQUEST_URI}::$1 ^(/.+)(.+)::\2$
```

```
RewriteRule ^(.*) - [E=BASE:%1]
```

```
RewriteRule ^(.*)$ %{ENV:BASE}index.php [NC,L]
```

```
<IfModule mod_php5.c>
```

```
php_value post_max_size 5M
```

```
php_value upload_max_filesize 5M
```

```
php_value memory_limit 512M
```

```
php_value max_execution_time 120
```

```
php_value max_input_time 120
```

```
php_value session.gc_maxlifetime 1200
```

```
</IfModule>
```

```
# <IfModule mod_headers.c>
```

```
# Header set Access-Control-Allow-Origin "*"
```

```
# </IfModule>
```

```
<IfModule mod_setenvif.c>
```

```
<IfModule mod_headers.c>
```

```
<FilesMatch "\.(gif|ico|jpe?g|png|svg|svgz|webp)$">
```

```
SetEnvIf Origin ":" IS_CORS
```

```
Header set Access-Control-Allow-Origin "*" env=IS_CORS
```

```
Header set Access-Control-Allow-Origin * env=13_LUK3
</FilesMatch>
</IfModule>
</IfModule>
```

```
<IfModule mod_headers.c>
  <FilesMatch "\.(eot|font\.css|otf|ttf|woff)$">
    Header set Access-Control-Allow-Origin "*"
  </FilesMatch>
</IfModule>
```

Options -MultiViews

#ErrorDocument 404 /404.html

```
<IfModule mod_headers.c>
  Header set X-UA-Compatible "IE=edge"
  <FilesMatch "\.(appcache|crx|css|eot|gif|htc|ico|jpe?
gl|jsl|m4a|m4v|manifest|mp4|oex|ogal|ogg|ogv|otf|pdf|png|safariextz|svg|svgz|ttf|vcl|webapp|wet
  Header unset X-UA-Compatible
  </FilesMatch>
</IfModule>
```

```
<IfModule mod_mime.c>
  AddType audio/mp4 m4a f4a f4b
  AddType audio/ogg oga ogg
  AddType application/javascript js jsonp
  AddType application/json json
  AddType video/mp4 mp4 m4v f4v f4p
  AddType video/ogg ogv
  AddType video/webm webm
  AddType video/x-flv flv
  AddType application/font-woff woff
  AddType application/vnd.ms-fontobject eot
  AddType application/x-font-ttf ttc ttf
  AddType font/opentype otf
  AddType image/svg+xml svg svgz
  AddEncoding gzip svgz
  AddType application/octet-stream safariextz
  AddType application/x-chrome-extension crx
  AddType application/x-opera-extension oex
  AddType application/x-shockwave-flash swf
```

```
AddType application/x-web-app-manifest+json webapp
AddType application/x-xpinstall xpi
AddType application/xml atom rdf rss xml
AddType image/webp webp
AddType image/x-icon ico
AddType text/cache-manifest appcache manifest
AddType text/vtt vtt
AddType text/x-component htc
AddType text/x-vcard vcf
</IfModule>
```

```
AddDefaultCharset utf-8
```

```
<IfModule mod_mime.c>
    AddCharset utf-8 .atom .css .js .json .rss .vtt .webapp .xml
</IfModule>
```

```
<IfModule mod_rewrite.c>
    Options +FollowSymlinks
    RewriteEngine On
    RewriteCond %{REQUEST_FILENAME} -s [OR]
    RewriteCond %{REQUEST_FILENAME} -l [OR]
    RewriteCond %{REQUEST_FILENAME} -d
    RewriteRule ^.*$ - [NC,L]
    RewriteRule ^.*$ index.php [NC,L]
</IfModule>
```

```
<IfModule mod_rewrite.c>
    RewriteCond %{HTTPS} !=on
    RewriteCond %{HTTP_HOST} ^www\.(.+$) [NC]
    RewriteRule ^ http://%1%{REQUEST_URI} [R=301,L]
</IfModule>
```

```
<IfModule mod_autoindex.c>
    Options -Indexes
</IfModule>
```

```
<IfModule mod_rewrite.c>
    RewriteCond %{SCRIPT_FILENAME} -d [OR]
    RewriteCond %{SCRIPT_FILENAME} -f
    RewriteRule "(^/)\." - [F]
```

```
</IfModule>
```

```
<FilesMatch "(^#.#\.(bak|config|dist|fla|incl|ini|log|psd|shl|sql|sw[op])|\.")$">
```

```
    Order allow,deny
```

```
    Deny from all
```

```
    Satisfy All
```

```
</FilesMatch>
```

```
<IfModule mod_deflate.c>
```

```
    <IfModule mod_setenvif.c>
```

```
        <IfModule mod_headers.c>
```

```
            SetEnvIfNoCase ^(\Accept-EncodXng|X-cept-Encoding|X(15)|^(15)|-(15))$ ^((gzip|def
```

```
{4,13})$ HAVE_Accept-Encoding
```

```
            RequestHeader append Accept-Encoding "gzip, deflate" env=HAVE_Accept-Encoding
```

```
        </IfModule>
```

```
    </IfModule>
```

```
    <IfModule mod_filter.c>
```

```
        AddOutputFilterByType DEFLATE application/atom+xml \
            application/javascript \
            application/json \
            application/rss+xml \
            application/vnd.ms-fontobject \
            application/x-font-ttf \
            application/x-web-app-manifest+json \
            application/xhtml+xml \
            application/xml \
            font/opentype \
            image/svg+xml \
            image/x-icon \
            text/css \
            text/html \
            text/plain \
            text/x-component \
            text/xml
```

```
    </IfModule>
```

```
</IfModule>
```

```
<IfModule mod_headers.c>
```

```
    Header unset ETag
```

```
</IfModule>
```

FileETag None

<IfModule mod_expires.c>

```
ExpiresActive on
ExpiresDefault "access plus 1 month"
ExpiresByType text/css "access plus 1 year"
ExpiresByType application/json "access plus 0 seconds"
ExpiresByType application/xml "access plus 0 seconds"
ExpiresByType text/xml "access plus 0 seconds"
ExpiresByType image/x-icon "access plus 1 week"
ExpiresByType text/x-component "access plus 1 month"
ExpiresByType text/html "access plus 0 seconds"
ExpiresByType application/javascript "access plus 1 year"
ExpiresByType application/x-web-app-manifest+json "access plus 0 seconds"
ExpiresByType text/cache-manifest "access plus 0 seconds"
ExpiresByType audio/ogg "access plus 1 month"
ExpiresByType image/gif "access plus 1 month"
ExpiresByType image/jpeg "access plus 1 month"
ExpiresByType image/png "access plus 1 month"
ExpiresByType video/mp4 "access plus 1 month"
ExpiresByType video/ogg "access plus 1 month"
ExpiresByType video/webm "access plus 1 month"
ExpiresByType application/atom+xml "access plus 1 hour"
ExpiresByType application/rss+xml "access plus 1 hour"
ExpiresByType application/font-woff "access plus 1 month"
ExpiresByType application/vnd.ms-fontobject "access plus 1 month"
ExpiresByType application/x-font-ttf "access plus 1 month"
ExpiresByType font/opentype "access plus 1 month"
ExpiresByType image/svg+xml "access plus 1 month"
```

</IfModule>