

```

#
# Apache/PHP/Drupal settings:
#

# Protect files and directories from prying eyes.
<FilesMatch "\.
(engine|incl|info|install|make|module|profile|test|po|sh|. *sql|theme|tpl(\.php)?|xmp|svn-
base)$|^(\code-style\.|Entries\.|Repository|Root|Tag|Template|all-
wcprops|entries|format)$">
    Order allow,deny
</FilesMatch>

# Don't show directory listings for URLs which map to a directory.
Options -Indexes

# Follow symbolic links in this directory.
Options +FollowSymLinks

# Make Drupal handle any 404 errors.
#ErrorDocument 404 /index.php

# Force simple error message for requests for non-existent favicon.ico.
<Files favicon.ico>
    # There is no end quote below, for compatibility with Apache 1.3.
    ErrorDocument 404 "The requested file favicon.ico was not found.
</Files>

# Set the default handler.
DirectoryIndex index.php

# Override PHP settings. More in sites/default/settings.php
# but the following cannot be changed at runtime.

# PHP 4, Apache 1.
<IfModule mod_php4.c>
    php_value magic_quotes_gpc          0
    php_value register_globals          0
    php_value session.auto_start       0
    php_value mbstring.http_input      pass
    php_value mbstring.http_output     pass
    php_value mbstring.encoding_translation 0

```

```
php_value mbstring.encoding_translation 0
</IfModule>
```

PHP 4, Apache 2.

```
<IfModule sapi_apache2.c>
php_value magic_quotes_gpc 0
php_value register_globals 0
php_value session.auto_start 0
php_value mbstring.http_input pass
php_value mbstring.http_output pass
php_value mbstring.encoding_translation 0
</IfModule>
```

PHP 5, Apache 1 and 2.

```
<IfModule mod_php5.c>
php_value magic_quotes_gpc 0
php_value register_globals 0
php_value session.auto_start 0
php_value mbstring.http_input pass
php_value mbstring.http_output pass
php_value mbstring.encoding_translation 0
</IfModule>
```

Requires mod_expires to be enabled.

```
<IfModule mod_expires.c>
```

Enable expirations.

```
ExpiresActive On
```

Cache all files for 2 weeks after access (A).

```
ExpiresDefault A1209600
```

```
<FilesMatch \.php$>
```

*# Do not allow PHP scripts to be cached unless they explicitly send cache
headers themselves. Otherwise all scripts would have to overwrite the
headers set by mod_expires if they want another caching behavior. This may
fail if an error occurs early in the bootstrap process, and it may cause
problems if a non-Drupal PHP file is installed in a subdirectory.*

```
ExpiresActive Off
```

```
</FilesMatch>
```

```
</IfModule>
```

vim: set fdp=2: set ts=2: set shiftwidth=2: set expandtab: set nowrap

```

#<Directory sites/en.bibliobird.com/files/audio>
# Deny from all
#</Directory>

# Various rewrite rules.
<IfModule mod_rewrite.c>
    RewriteEngine on

    # Redirect users based on their browsers preferred language
    # We don't redirect on:
    # (1) Direct file access (including our embed-reader.js/css)
    # (2) JSONP calls (like the ones from embed-reader.js)
    # TODO: detect cross-domain XHR when we eventually allow that.
    # TODO: what to do about the remote login pages? Those need the specific language.
    RewriteCond %{REQUEST_FILENAME} !-f
    RewriteCond %{QUERY_STRING} !(^&)callback=
    RewriteCond %{HTTP_HOST} ^bibliobird\.com$ [NC,OR]
    RewriteCond %{HTTP_HOST} ^www.bibliobird\.com$ [NC]
    RewriteRule ^(.*)$ redirectLang.php/$1 [L,QSA]

    # If your site can be accessed both with and without the 'www.' prefix, you
    # can use one of the following settings to redirect users to your preferred
    # URL, either WITH or WITHOUT the 'www.' prefix. Choose ONLY one option:
    #
    # To redirect all users to access the site WITH the 'www.' prefix,
    # (http://example.com/... will be redirected to http://www.example.com/...)
    # adapt and uncomment the following:
    # RewriteCond %{HTTP_HOST} ^example\.com$ [NC]
    # RewriteRule ^(.*)$ http://www.example.com/$1 [L,R=301]
    #RewriteCond %{HTTP_HOST} ^lingwo\.org$ [NC,OR]
    #RewriteCond %{HTTP_HOST} ^www.lingwo\.org$ [NC,OR]
    #RewriteCond %{HTTP_HOST} ^lingwo\.biz$ [NC,OR]
    #RewriteCond %{HTTP_HOST} ^www.lingwo\.biz$ [NC,OR]
    #RewriteCond %{HTTP_HOST} ^bibliobird\.pl$ [NC,OR]
    #RewriteCond %{HTTP_HOST} ^www\.bibliobird\.pl$ [NC]
    #RewriteRule ^(.*)$ http://pl.bibliobird.com/$1 [L,R=301]

    #RewriteCond %{HTTP_HOST} ^bibliobird\.com$ [NC]
    #RewriteRule ^(.*)$ http://www.bibliobird.com/$1 [L,R=301]

    #

```

```

# To redirect all users to access the site WITHOUT the 'www.' prefix,
# (http://www.example.com/... will be redirected to http://example.com/...)
# uncomment and adapt the following:
# RewriteCond %{HTTP_HOST} ^www\.example\.com$ [NC]
# RewriteRule ^(.*)$ http://example.com/$1 [L,R=301]

# Modify the RewriteBase if you are using Drupal in a subdirectory or in a
# VirtualDocumentRoot and the rewrite rules are not working properly.
# For example if your site is at http://example.com/drupal uncomment and
# modify the following line:
# RewriteBase /drupal
#
# If your site is running in a VirtualDocumentRoot at http://example.com/,
# uncomment the following line:
RewriteBase /

# solves problem with language switcher on the about page!
RewriteCond %{HTTP_HOST} ^en\.bibliobird\.com$ [NC]
RewriteRule ^node/4510$ http://en.bibliobird.com/about [L,R=302]
RewriteCond %{HTTP_HOST} ^pl\.bibliobird\.com$ [NC]
RewriteRule ^node/4509$ http://pl.bibliobird.com/about [L,R=302]

# Our film redirect
RewriteRule ^filmik$ http://www.youtube.com/watch?v=wouyM5T8c4A [L,R=307]

# rewrite old files directory
RewriteRule ^sites/default/files/(.*)$ sites/bibliobird.com/files/$1 [L,R=301]

# Rewrite URLs of the form 'x' to the form 'index.php?q=x'.
RewriteCond %{REQUEST_FILENAME} !-f
RewriteCond %{REQUEST_FILENAME} !-d
RewriteCond %{REQUEST_URI} !=/favicon.ico
RewriteRule ^(.*)$ index.php?q=$1 [L,QSA]
</IfModule>

# DRS: special magic to try and make sure our embed-reader files don't get cached
# for too long.
<FilesMatch "embed-reader(\.js|\.css|jquery1\.\.4\.\.2\.\.js)$">
  <IfModule mod_expires.c>
    ExpiresDefault "access plus 1 hour"
  </IfModule>

```

```
<IfModule mod_headers.c>
  Header set Cache-Control "public, must-revalidate"
  #Header unset Expires
</IfModule>
</FilesMatch>

# DRS: make sure that the appropriate caching takes place with HTTPS
<FilesMatch "\.(ico|pdf|flv|jpg|jpeg|png|gif|js|css|swf)$">
  <IfModule mod_headers.c>
    Header set Cache-Control "public, must-revalidate, max-age=1209600"
  </IfModule>
</FilesMatch>

# $Id: .htaccess,v 1.90.2.5 2010/02/02 07:25:22 dries Exp $
```